

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 47.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Metastatic Breast Cancer formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus crinitus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus esculentus* (L.) MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus manihot* (L.) MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus moschatus* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abies densa* W. Griff. ex. Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abies pindrow* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abies spectabilis* (D.DON) SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abies webbiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abrus fruticosus* WALL. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abrus precatorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abrus pulchellus* WALL. EX THWAITES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon asiaticum* (L.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon avicennae* GAETRN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon glaucum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon graveolens* (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon hirtum* (LAM.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon indicum* (L.) SWEET and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon persicum* (BURM.F.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon theophrasti* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia arabica* SENSU BAKER vediana COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia arabica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia caesia* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia catechu* (L.F.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia chundra* (ROXB. EX ROTTLE) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia concinna* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia dealbata* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia decurrens* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia eburnea* (L.F.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia farnesiana* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia ferruginea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia indica* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia intsia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia jacquemontii* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia leucophloea* (ROXB.) WILLD. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia melonoxylon* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia modesta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pennata* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia planifrons* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia polyacantha* WILLD. *polyacantha* BRENAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia polyantha* SPRENG EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pseudo-eburnea* DRUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pycnantha* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia rugata* (LAM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia senegal* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia sinuata* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia speciosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia suma* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia tomentosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia torta* (ROXB) CRAIB NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha alnifolia* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha betulina* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha ciliata* FORSK. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha fruticosa* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha hispida* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha paniculata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha racemosa* WALL. EX BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acampe carinata* (GRIFF) PANIGR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acampe papillosa* (LINDL.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acampe wightiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthopanax trifoliatum* (LINN.) VOSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthus ilicifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer caesium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer cappadocicum* GLEDITSCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer laevigatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer mono* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer oblongum* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer pentapomicum* STEWART.EX BRAND NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer pictum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achillea millefolium* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achillea santolina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achras zapota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes aquatica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes aspera* L. *rubrofusca* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes bidentata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes lanata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes porphyristachya* WALL. EX MOQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum atrox* (BRUHL) MUK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum balfourii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum bisma* (HAM.) RAPAICS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum chasmanthum* STAPF EX HOLMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum deinorrhizum* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum elwesii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum falconeri* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum ferox* WALL. EX SERINGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum heterophyllum* WALL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum kashmiricum* STAPF EX COVENTRY

NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum laciniatum* (BRUEHL) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum laeve* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum lethale* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum luridum* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum moschatum* (BRUEHL) STAPF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum napellus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum palmatum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum rotundifolium* KAR. & KIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum soonoricum* STAPF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum spicatum* (BRUHL) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconitum violaceum* JACQ. EX STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aconogonum tortuosum* (D.DON)HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acorus calamus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acorus gramineus* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acronychia laurifolia* BLUME and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acronychia pedunculata* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acroptilon repens* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrostichum aureum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrotrema arnottianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actaea racemosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actaea spicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actiniopteris australis* (L.F.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actiniopteris dichotoma* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actiniopteris radiata* (SW.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne angustifolia* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne dichotoma* FLORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne hookeri* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne obovata* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adansonia digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenanthera pavonina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenema hyssopifolium* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia heterophylla* (BLUME) KOORD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia hondala* (GAERTN.) W.J.DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia nicobarica* KING and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia palmata* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia penangiana* (DON) DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenosma capitatum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenosma indianum* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenosma indicum* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenostemma lavenia* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adhatoda beddomei* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adhatoda vasica* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adhatoda zeylanica* MEDIK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum aethiopicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum capillus-veneris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum caudatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum flabellulatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum incisum* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum lunulatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum melanacaulon* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum pedatum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum peruvianum* A.BR.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum philippense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum tinetum* MOORE F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum trapiziforme* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adiantum venustum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adina cordifolia* BENTH. & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adinobotrys atropurpureus* DUNN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adonis aestivalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adonis majus* GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adonis scrobiculata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adonis vernalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aegiceras corniculatum* (L.) BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeginetia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides crispum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides fieldingii* WILLMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides multiflorum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides odorata* LOUR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides rosea* LINDL. & PAXT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides williamsii* WARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva lanata* (L.) JUSS. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva monsonia* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva pseudotomentosa* BLATT. & HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva sanguinolenta* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva tomentosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva wightii* HOOK .F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynanthus hookerii* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynanthus maculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynomene aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynomene indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aesculus assamica* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aesculus hippocastamum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aesculus indica* COLEBR. EX CAMBESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma calycina* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma caryophyllata* G.DON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma cymosa* (ROXB.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma dichotoma* (ROTH) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma marginata* G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma wallichii* G.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agapanthus africanus* (L.)HOFFMANN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agathis robusta* F.M.BAILEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agati grandiflora* (L.) DEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave angustifolia* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave cantala* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave sisalana* PERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave vera-cruz* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave vivipara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ageratina adenophora* (SPR.) KING & ROB., NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ageratum conyzoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ageratum houstonianum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia diepenhorstii* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia elaeagoidea* (JUSS.) BENTH. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia lawii* (WIGHT.) SALDANHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia minutiflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia odorata* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia odoratissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia roxburghiana* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agni-jwalamonia eupatoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agni-jwalamonia pilosa* LEDEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agropyron repens* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostemma githago* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis linearis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostistachys meeboldii* PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus altissima* SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus excelsa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus glandulosa* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus malabarica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus triphysa* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ainsliaea aptera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ainsliaea pteropoda* DC. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aisandra butyracea* (ROXB.) BAEHNI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ajuga bracteosa* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ajuga macrocarpa* WALL EX. BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ajuga macrosperma* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ajuga parviflora* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium begonifolium* MARM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium decapetalum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium hexapetalum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium kurzii* CRAIB NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium lamarckii* THWAITES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium salvifolium* (L.F.) WANG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia amara* (ROXB.) BOIVIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia chinensis* (OSBECK) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia julibrissin* DURASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia lebbeck* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia lucida* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia lucidior* (STEND.) NIELSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia marginata* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia myriophylla* BENTH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia odoratissima* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia procera* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia stipulata* BOIVIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alcornoja javensis* MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alcornoja rugosa* (LOUR) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alcea rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alchornea tiliacifolia* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alectra parasitica* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aleurites moluccana* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alhagi camelorum* FISCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alhagi maurorum* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alhagi pseudalhagi* (BIEB.) DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alisma plantago* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alisma plantago-aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alisma plantagoauatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alkanna tinctoria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *AllamKalam cathartica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alliaria officinalis* ANDRZEJ and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alliaria petiolata* (BIEB.) CAVARA & GRANDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium ampeloprasum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium ascalonicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium carolinianum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium cepa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium chinense* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium consanguineum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium hookeri* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium humile* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium leptophyllum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium macleani* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium porrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium rubellum* M.BIEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium schoenoprasum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium stracheyi* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium tuberosum* ROTTL. EX SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium victorialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium wallichii* KUNTH and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allmania nodiflora* (L.) R.BR. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allophylus cobbe* (L.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allophylus rheedii* (WIGHT.) RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allophylus serratus* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alloteropsis cimicina* (L.) STAPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alnus nepalensis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alnus nitida* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia cucullata* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia denudata* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia fornicata* (ROXB.) SCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia indica* (LOUR.) SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia macrorrhiza* (L.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia montana* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia odora* (ROXB.) C.KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe abyssinica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe barbadensis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe ferox* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe indica* (SCHOTT) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe littoralis* KOEN. EX. BAKER and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe perryi* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe spicata* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe succotrina* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe vera* L. *chinensis* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe vera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe vera* L. *littoralis* KOEING EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe vera*(typica) (L.) BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloysia triphylla* (L'HER.) BRITT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia allhugas* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia calcarata* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia chinensis* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia conchigera* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia galanga* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia khulanjan* M. SHERIFF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia malaccensis* (BURM.F.) ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia nigra* (GAERTN.) BURTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia nutans* ROSCOE and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia officinarum* HANCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia speciosa* K.SCHWM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia zerumbet* BURTT & R.M. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alseodaphne semicarpifolia* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia constricta* F MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia kurzii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia macrophylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia scholaris* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia spectabilis* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia venenata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera ficoidea* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera philoxeroides* (MAR.) GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera pungens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera sessilis* (L.) R.BR.EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera triandra* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Althaea ludwigii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Althaea officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Althaea rosea* (L.) CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Altingia excelsa* NORONHA and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus bupleurifolius* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus longifolius* WIGHT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus monilifer* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus vaginalis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alyxia reinwartii* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alyxia stellata* ROEM. & SCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus atropurpureus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus blitum* L. oleracea DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus blitum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus campestris* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus caudatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus dubius* E.H.L.KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus fasciatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus gangeticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus gangeticus* LINN. tristis PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus gracilis* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus graecizans* AUCT. HISP. EX CUT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus hybridus* L. hybridus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus hybridus* L. paniculatus THELL.

cruentus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus hypochondriacus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus lividus* L. *polygonoides* (MIQ.) THELL. EX PROBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus lividus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus mangostanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus paniculatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus polygamus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus polygonoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus spinosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus tenuifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus tristis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaryllis belladonna* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amberboa divaricata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amberboa hookeri* (HASSK.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amberboa ramosa* (ROXB.) JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amblyanthus glandulosus* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ambroma augusta* (L.) L.f. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amentotaxus assamica* D.K.Ferguson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amischophacelus axillaris* ROLLA RAO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amischotolype hookeri* (HASSK.) HARA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammannia auriculata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammannia baccifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammannia senegalensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammannia vesicatoria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammi majus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum aromaticum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum costatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum dealbatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum fenzi* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum granum-paradisi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum kepulaga* SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum melegueta* ROSC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum racemosum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum subulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum xanthioides* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum zingiber* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amoora cucullata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amoora rohataka* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorpha fruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus bulbifer* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus campanulatus* BLUME EX DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus commutatus* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus dubius* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus paeoniifolius* (DENNST.) NICOLSON *campanulatus* (DECNE.) SIVADASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus paeoniifolius* (DENNST.)

NICOLSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus prainii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus sylvaticus* (ROXB.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus arnottiana* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus barbata* (WALL.) PLANCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus indica* (L.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus latifolia* (ROXB.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus tomentosa* (ROTH.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amphicome emodi* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amphilophis odorata* CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amphineuron extensus* (Bl.) HOLTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amyris gileadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anacardium occidentale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anacolsa densiflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anacyclus pyrethrum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anagallis arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anamirta cocculus* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ananas comosus* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ananas sativus* SCHULT.F. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis adnata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis brevifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis cinnamomea* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis contorta* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis cuneifolia* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis neelgerriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis nubigena* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis sarmentosa* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis semepervivoides* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis triplinervis* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anastatica hierochuntica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anchusa strigosa* LABILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ancistrocladus heyneanus* WALL. EX GRAHAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ancistrocladus tectorius* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andira araroba* AGUIAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrachne cadishaw* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrachne cordifolia* MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis echiodides* NEES and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis lineata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis macrobotrys* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon citratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon contortus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon halepensis* BROT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon jwarancusa* JONES and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon laniger* DUTHIE NON DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon martini* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon muricatus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon nardus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon odoratus* DNA LISBOA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum phlomidis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum serratum* (L.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum thomsonae* Balf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum waiiichii* Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Duranta erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina philippensis* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holmskioldia sanguinea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana camara* L. var. *aculeata* (L.) Mold. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana camara* L. var. *splendens* (Medic.) Mold. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana indica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana veronicifolia* Hayek and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lippia citriodora* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lippia javanica* (Burm.f.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petrea volubilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyla nodiflora* (L.) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna balakrishnanii* Rajendran & P.Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna coriacea* Clarke var. *coriacea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna glaberrima* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna herbacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna latifolia* Rozb. var. *latifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna latifolia* Roxb. var. *henryi* D. Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna latifolia* Roxb. var. *viburnoides* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna mundanthuraiensis* Rajendran & P.Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna paucinervis* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna serratifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna tomentosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna wightiana* Schauer and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Priva cordifolia* (L.f.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta jamaicensis* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta mutabilis* (Jacq.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta urticaefolia* (Salisb.) Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tectona grandis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbena bipinnatifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbena bonariensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbena x hybrida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbena rigida* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex altissima* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex leucoxylon* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex negundo* L. var. *negundo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex peduncularis* Wall. ex Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Congea tomentosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenodesme paniculata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symphorema involucratum* Roxb. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia alba* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia marina* (Forssk.) Vierh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrocephalus palniensis* Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus argenteus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus eriocephalus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus henryi* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus paniculatus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus robustus* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus scaber* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus sericeus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus suffruticosus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisomeles heyneana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisomeles indica* (L.) Kuntze and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisomeles malabarica* (L.) R. Br. ex Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basilicum polystachyon* (L.) Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Becium filamentosum* (Forssk.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinopodium umbrosum* (M. Bieb.) K. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colebrookea oppositifolia* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia ciliata* (Thunb.) Hyland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Endostemon viscosus* (Roth) M. Ashby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eusteralis cruciata* (Benth.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eusteralis deccanensis* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eusteralis quadrifolia* (Benth.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geniosporum elongatum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geniosporum menthoides* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma eriocarpon* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma strobilinum* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyptis suaveolens* (L.) Poit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isodon coetsa* (D. Don) Kudo and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isodon nigrescens* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isodon nilgherriensis* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isodon walkeri* (Arn.) H.Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isodon wightii* (Benth.) H. Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula angustifolia* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula lawii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonotis leonurus* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonotis nepetifolia* (L.) R.Br. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus sibiricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas anKalamraoana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas angularis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas aspera* (Willd.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas biflora* (Vahl) R.Br. var. *biflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas cephalotes* (Roth) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas chinensis* (Retz.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas ciliata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas diffusa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas eriostoma* Hook.f. var. *eriostoma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas helianthemifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas hirta* (Heyne ex Roth) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas indica* (L.) R.Br. ex Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas lamifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas lanata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas lanceaefolia* Desf. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas marruboides* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas martinicensis* (Jacq.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas montana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas nutans* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas prostrata* (Hook.f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas rosmarinifolia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas stelligera* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas stricta* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas suffruticosa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas ternifolia* Desf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas urticaefolia* (Vahl) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas vestita* Benth. var. *vestita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas wightiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas zeylanica* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha arvensis* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha x piperita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meriandra bengalensis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromeria capitellata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta hindostana* (Roth) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum americanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. var. *basilicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. var. *pilosum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. var. *purpurascens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. var. *thyrsoflorum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum gratissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum tenuiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Origanum hortensis* Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon aristatus* (Blume) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon comosus* Wight ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon pallidus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon rubicundus* (D.Don) Benth. var.

hohenackeri Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon thymiflorus* (Roth) Sleensen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus amboinicus* (Lour.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus barbatus* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus bishopianus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus caninus* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus coleoides* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus deccanicus* Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus malabaricus* (Benth.) Willemse and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus mollis* (Ait.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus rivularis* Wight ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus rotundifolius* (Poir.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus scutellarioides* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus stocksii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus subincisus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus urticifolius* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon atropurpureus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon auricularius* (L.) Hassk. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon benghalensis* (Burm.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon cablin* (Blanco) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon gardneri* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon hedgei* V.S. Kumar & B. Sharma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon heyneanus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon mollis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon nilagiricus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon paludosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon paniculatus* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon purpurascens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon rotundatus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon speciosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon wightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunella vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosmarinus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia coccinea* Buc'hoz ex Etlinger and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia farinacea* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia grahamii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia involucrata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia leucantha* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia patens* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia rutilans* Carr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia splendens* Sell. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia uliginosa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia verbenacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Satureja umbrosa* (Bieb.) Scheele and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria colebrookiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria rivularis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria violacea* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria wightiana* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetradenia riparia* (Hochst.) Codd and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium fruticans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium plectranthoides* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium tomentosum* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thymus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago afra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago erosa* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago exigua* Juss.ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago ovata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commicarpus chinensis* (L.) Heimerl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia crispa* Heyne ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wild Boerhavia diffusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia helenae* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bougainvillea glabra* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bougainvillea spectabilis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mirabilis jalapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mirabilis longiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia grandis* R. Br. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes aspera* L. var. *aspera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achyranthes bidentata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva lanata* (L.) Juss. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva persica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva sanguinolenta* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerva wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allmania nodiflora* (L.) R. Br. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera paronychioides* A.St. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera philoxeroides* (C. Martiu) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera pungens* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera sessilis* (L.) R.Br. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera tenella* Colla. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus blitum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus caudatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell.

var. *paniculatus* (L.) Thell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus spinosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaranthus viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia argentea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia polygonoides* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia pulchella* Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathula prostrata* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digera muricata* (L.) Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphrena globosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphrena serrata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indobanalia thyrsiflora* (Moq.) Henry & Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iresine herbstii* Hook.f. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothosaerva brachiata* (L.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psilotrichum elliotii* Baker & Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pupalia lappacea* (L.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichuriella monsoniae* (L.f.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthrocnemum indicum* (Willd.) Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atriplex repens* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atriplex stockesii* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beta vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium ambrosioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium carinatum* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium giganteum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium murale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium pumilo* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haloxylon recurvum* (Moq.) Bunge and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kochia indica* Wight. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salicornia brachiata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spinacia oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suaeda maritima* (L.) Dumort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suaeda monoica* Forssk. ex Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basella rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ercilla spicata* Moq. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petiveria alliacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phytolacca dioica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phytolacca octandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rivina humilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antigonon leptopus* Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccoloba uvifera* (L.) L. Syst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emex spinosus* (L.) Campdera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagopyrum esculentum* Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Muehlenbeckia gracillima* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria chinensis* (L.) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria nepalensis* (Meisn.) H.Gross and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persicaria peduncularis* (Meissner) Nemato and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum glabrum* Willd. var. *glabrum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum minus* Huds. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum molle* D.Don and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum plebeium* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum sphaerocephalum* Wall.ex Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum rhaponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex nepalensis* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex vesicarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalzellia zeylanica* (Gard.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Farmeria indica* Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indotristicha ramosissima* (Wight) Royen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podostemon barberi* Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podostemon subulatus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polypleurum dichotomum* (Gard.) Hall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polypleurum stylosum* (Wight) Hall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Willisia selaginoides* (Bedd.) Warm. ex Willis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeylanidium lichenoides* (Kurz) Engler and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeylanidium olivaceum* (Gard.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia bracteolata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia cymbifera* Mart. & Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia grandiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia ringens* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia tagala* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thottea barberi* (Gamble) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thottea siliquosa* (Lam.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepianthes umbellata* (L.) Rafin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.) Huber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia heyneana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia pellucida* (L.) H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia candolleana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia pseudo - rhombi* C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia wightiana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper argyrophyllum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper barberi* Gamble and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper betle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper galeatum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper glaberrimum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper harnianum* Buch.-Ham. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper hymenophyllum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper longum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper mullesia* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper obtusistigmum* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper ootacamunbense* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper opacilimbium* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper ovatostemon* C.DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper pykarahense* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper schmidtii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper trichostachyon* (Miq.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper trioicum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper wightii* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcandra chloranthoides* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica dactyloides* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica fragrans* Houtt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne campanulata* Hook.f. var. *campanulata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne lanata* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne malabarica* Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne salicina* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actinodaphne tadulingamii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alseodaphne semecarpifolia* Nees var. *angustifolia* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apollonias arnottii* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beilschmiedia bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beilschmiedia gammieana* King ex Hook.f. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beilschmiedia wightii* (Nees) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassytha capillaris* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassytha filiformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum camphora* (L.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum filipedicellatum* Kosterm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum keralaense* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum macrocarpum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum malabatrum* (Burm.f.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum multiflorum* (Roxb.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum nitidum* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum perrottetii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum riparium* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum sulphuratum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum verum* Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum walaiwarensense* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum wightii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya anamalayana* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya neilgherrensis* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya stocksii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurus nobilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea deccanensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea floribunda* (Blume) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea glabrata* (Wall. ex Nees) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea glutinosa* (Lour.) C. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea hookeriana* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea insignis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea laevigata* (Nees) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea monopetala* (Roxb.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea nigrescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea oleoides* (Meisner) Hook.f. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea quinqueflora* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea travancorica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea venulosa* (Meisner) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea cassia* (L.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea fischeri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea scrobiculata* (Meisner) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persea americana* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persea macrantha* (Nees) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoebe lanceolata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoebe paniculata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoebe wightii* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gyrocarpus asiaticus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Banksia marginata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grevillea banksii* R. Br. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grevillea bipinnatifida* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grevillea hilliana* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grevillea pumicea* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grevillea robusta* A. Cunn. ex R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hakea laurina* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hakea salicifolia* (Vent.) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hakea sericea* Schrader and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicia nilagirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicia robusta* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucadendron argenteum* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macadamia ternifolia* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petrophile pulchella* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenocarpus salignus* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gyrinops walla* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ovidia humboldtia* Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wikstroemia indica* (L.) C. Meyer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus conferta* Roxb. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus indica* Servettaz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus kologa* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicanthus elastica* (Desr.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helixanthera hookeriana* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helixanthera intermedia* (Wight) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helixanthera lepidophylla* (Walp.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helixanthera obtusata* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helixanthera wallichiana* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrosolen capitellatus* (Wight & Arn.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrosolen parasiticus* (L.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scurrula cordifolia* (Wall.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scurrula parasitica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus courtallensis* (Gamble) Danser and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus cuneatus* (Heyne ex Roth) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus heyneanus* (Schultes) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus recurvus* (Wall. ex DC.) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus sclerophyllus* (Thw.) Danser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Korthalsella japonica* (Thunb.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum angulatum* Heyne ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum articulatum* Burm.f. var. *articulatum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum capitellatum* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum heyneanum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum monoicum* Roxb.ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum orientale* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum ramosissimum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum trilobatum* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santalum album* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleropyrum pentandrum* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thesium wightianum* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *agastyamalayana* Viswanathan Prem Kumar & Ramesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *tirunelveli* Viswanathan Prem Kumar & Ramesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha alnifolia* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha brachystachya* Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha ciliata* Forssk. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha fruticosa* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha hispida* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha lanceolata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha malabarica* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha racemosa* Heyne ex Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Actephila excelsa* (Dalz.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostistachys borneensis* Becc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostistachys indica* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aleurites moluccana* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma acidum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma alexiteria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma buniis* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma ghaesembilla* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma walkeri* (Tul.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aporosa acuminata* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aporosa fusiformis* Thw. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aporosa lindleyana* (Wight) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baccaurea courtallensis* (Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baliospermum montanum* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bischofia javanica* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blachia calycina* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blachia reflexa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blachia umbellata* (Willd.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia retusa* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia vitis-idaea* (Burm.f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia cinerascens* Gehrm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia crenulata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia retusa* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia scandens* (Roxb.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrozophora prostrata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrozophora rottleri* (Geiseler) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claoxylon anomalum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleidion spiciflorum* (Burm.f.) Merr. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleistanthus travancorensis* Jablonszky and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Codiaeum variegatum* (L.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelodepas calycinum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton bonplandianum* Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton caudatus* Geiseler var. *caudatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton hirtus* L'Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton klotzchianus* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton laccifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton malabaricus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton oblongifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton tiglium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton zeylanicus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalechampia indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimorphocalyx glabellus* Thw. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes elata* (Bedd.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes longifolia* (Blume) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes porteri* (Gamble) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes roxburghii* (Wall.) Hurusawa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes venusta* (Wight) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia agowensis* Hochst. ex Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia antiquorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia balakrishnanii* Binojk. & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia barnhartii* Croizat and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia chamaesyce* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia corrigioloides* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia cristata* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia cyathophora* Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia dracunculoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia heterophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia helioscopia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia heyneana* Spreng. subsp. *heyneana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia hirta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia indica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia laciniata* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia longistyla* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia neriifolia* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia milii* Des and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia nivulia* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia pulcherrima* Willd.ex Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia pycnostegia* Boiss. var. *zornioides* (Boiss.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia rosea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia rothiana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia santapau* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia serpens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia thymifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia tirucalli* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia trigona* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia tortilis* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia vajravelui* Binojk. & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria agallocha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria cochinchinensis* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria crenulata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria robusta* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flueggea leucopyrus* Willd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flueggea virosa* (Willd) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Givotia rottleriformis* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion arboreum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion ellipticum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion fagifolium* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion malabaricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion neilgherrense* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion pauciflorum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion tomentosum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion velutinum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion zeylanicum* (Gaertn.) Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homonoia riparia* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hura crepitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha curcas* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha glandulifera* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha gossypifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha heynei* Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha integerrima* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha maheshwarii* Subram. & Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha tanjorensis* Ellis & Saroja and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha villosa* Wight var. *villosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga flexuosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga peltata* (Roxb.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus atrovirens* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus aureo-punctatus* (Dalz.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus distans* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus philippensis* (Lam.) Muell.-Arg. var. *tomentosus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus repandus* (Willd.) Muell.-Arg. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus resinosa* (Blanco) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus rhombifolius* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus stenanthus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus subramanyamii* Ellis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus tetracoccus* (Roxb.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manihot esculenta* Crantz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manihot glaziovii* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Margaritaria indica* (Dalz.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meineckia longipes* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meineckia parvifolia* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micrococca beddomei* (Hook.f.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micrococca mercurialis* (L.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micrococca wightii* (Hook.f.) prain var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mischodon zeylanicus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedilanthus tithymaloides* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus acidus* (L.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus amarus* Schum. & Thonn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus baillonianus* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus beddomei* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus chandrabosei* Govaerts & Radcl. - Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus debilis* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus emblica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus gageana* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus gardnerianus* (Wight) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus indofischeri* Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus kozhikodianus* Sivar. & Manilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus lawii* Graham ex Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus leschenaultii* Muell. Arg., and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus longiflorus* Heyne ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus macrocalyx* Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus maderaspatensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus myrtifolius* Moon and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus pinnatus* (Wight) Webster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus polyphyllus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus reticulatus* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus rotundifolius* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus speciosus* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus urinaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus virgatus* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudoglochidion anamalayanum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ricinus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapium insigne* (Royle) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapium sebiferum* (Michaux) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauropus androgynus* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauropus bacciformis* (L.) Airy Shaw and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sebastiania chamaelea* (L.) Muell.-Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suregada lanceolata* (Willd.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synadenium grantii* Hook.f. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia bicolor* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia involucrata* L. var. *involucrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia involucrata* L. var. *angustifolia* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia muelleriana* Pax & Hoffm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia plukenetii* R. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trewia nudiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trewia polycarpa* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonostemon nemoralis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernicia montana* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buxus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcococca saligna* (D. Don.) Muell. Arg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boehmeria glomerulifera* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boehmeria macrophylla* Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boehmeria nivea* (L.) Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamabaina cuspidata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Debregeasia ceylanica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Debregeasia longifolia* (Burm.f.) Wedd. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Debregeasia wallichiana* (Wedd.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrocnide sinuata* (Blume) Chew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) Friis & Wilmot- Dear and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema acuminatum* (Poir.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema cuneatum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema lineolatum* Wight var. *lineolatum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema lineolatum* Wight var. *falcigera* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema lineolatum* Wight var. *linearis* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema lineolatum* Wight var. *setosum* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema sessile* Forst. var. *sessile* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema surculosum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia diversifolia* (Link) Friis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laportea interrupta* (L.) Chew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oreocnide frutescens* (Thunb.) Miq. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parietaria micrantha* Ledeb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pellionia heyneana* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea angulata* (Blume) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea kingii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea melastomoides* (Poir.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea microphylla* (L.) Liebm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea wightii* Wedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia auriculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *bennettiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *quadralata* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia cymosa* Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia hirta* (Blume) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia pentandra* (Roxb.) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia wightii* Benn. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia zeylanica* (L.) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Procris crenata* Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica hyperborea* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphananthe cuspidata* (Blume) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis australis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis tetrandra* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis timorensis* Spanoghe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holoptelea integrifolia* (Roxb.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trema orientalis* (L.) Blume and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cannabis sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antiaris toxicaria* (Pers.) Lesch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus incisus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus gomezianus* Wall. ex Trec. subsp. *zeylanicus* Jarrett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus heterophyllus* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus hirsutus* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Broussonetia papyrifera* Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dorstenia indica* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus albipila* (Miq.) King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus amplissima* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus amplocarpa* Govindarajulu & Masilamoney and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus angladei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus arnottiana* (Miq.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus auriculata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus beddomei* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus benghalensis* L. var. *benghalensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus benghalensis* L. var. *krishnae* C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus benamina* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus callosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus carica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus dalhousiae* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus elastica* Roxb. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus exasperata* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus glaberrima* Blume var. *bracteata* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus guttata* (Wight) Kurz ex King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus heterophylla* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus hispida* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus hookeriana* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus microcarpa* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus mollis* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus nervosa* Heyne ex Roth var. *nervosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus nervosa* Roth var. *minor* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus palmata* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus pumila* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus racemosa* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus religiosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus talbotii* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tinctoria* Forst.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tsjahela* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus virens* Ait. var. *virens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus australis* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plecosperrum spinosum* Trec. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Streblus asper* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Streblus taxoides* (Heyne ex Roth) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Platanus orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juglans regia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina glauca* Sieber. ex A.Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina equisetifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina junghuhniana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina stricta* Dryand. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina suberosa* Otto & Dietr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina torulosa* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alnus nepalensis* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Betula alnoides* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanea crenata* Sieb. & Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanea sativa* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanopsis indica* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanopsis roxburghiana* S.N. Biswas and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagus sylvatica* L. var. *sylvatica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagus sylvatica* L. var. *cuprea* Loud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus baloot* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus coccifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus leucotrichophora* A. Camus ex Bahadur and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus robur* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus serrata* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix babylonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix tetrasperma* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratophyllum demersum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook

& Luond and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blyxa octandra* (Roxb.) Planch ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enhalus acoroides* (L. f.) Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila beccarii* Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila decipiens* Ostenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila ovata* Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila stipulacea* (Forssk.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrilla verticillata* (L. f.) Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nechamandra alternifolia* (Roxb.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ottelia alismoides* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalassia hemprichii* (Ehrenb.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vallisneria natans* (Lour.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Burmannia candelabrum* Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Burmannia coelestis* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Burmannia wallichii* (Miers) Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acampe praemorsa* (Roxb.) Blatter & McCann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthephippium bicolor* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aenhenrya rotundifolia* (Blatter) Sathish &

Rasmussen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides crispa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides maculosum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aerides ringens* (Lindl.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anoetochilus elatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anoetochilus rotundifolius* (Blatter) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphyllorchis montana* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundina graminifolia* (D. Don) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachycorythis iantha* (Wight) Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachycorythis splendida* Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum acutiflorum* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum albidum* (Wight) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum fischeri* Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum fuscopurpureum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum kaitiense* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum sterile* (Lam) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum tremulum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum xylophyllum* Par. & Reichb. f. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe sylvatica*(Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe triplicata* (Willem.) Ames and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe vestita* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheirostylis flabellata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheirostylis parvifolia* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chiloschista fasciata*(F. Muell.) Seidenf. & Ormerod and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysoglossum hallbergii* Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysoglossum maculatum* (Thw.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne breviscapa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne mossiae* Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne nervosa* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne odoratissima* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne ovalis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne prolifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne uniflora* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corymborkis veratrifolia* (Reinw.) Blume and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cottonia peduncularis* (Lindl.) Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crepidium purpureum* (Lindl.) Szlach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium aloifolium* (L.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium bicolor* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium aqueum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium barbatulum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium diodon* Reichb.f. subsp. *kodayarensis* Gopalan & A.N. Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium haemoglossum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium herbaceum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium heterocarpum* Wall. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium heyneanum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium macrostachyum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium microbulbon* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium nanum* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium nutantiflorum* Hawkes & Heller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium wightii* A. Hawkers & A. H. Heller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium panduratum* Lindl. subsp. *villosum*

Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymoplexis pallens* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplocentrum congestum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplocentrum recurvum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Disperis neilgherrensis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epidendrum radicans* Pav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epipactis veratrifolia* Boiss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epipogium roseum* (D. Don) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria albiflora* Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria dalzellii* (Hook. ex Dalz) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria microchilos* (Dalz.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria mysorensis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria nana* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria pauciflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria polystachya* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria pseudoclavicaulis* Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria reticosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia cullenii* (Wight) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia epidendrea* (Koen.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia graminea* Lindl. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia pulchra* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia pratensis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia spectabilis* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flickingeria nodosa* (Dalz.) Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gastrochilus acaulis* (Lindl.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geodorum densiflorum* (Lam.) Schlte and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goodyera fumata* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goodyera procera* (Ker-Gawl) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria acuminata* (Thw.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria barnesii* Summerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria cephalotes* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria crassifolia* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria crinifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria decipens* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria denticulata* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria digitata* Lindl. var. *digitata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.)

Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria elliptica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria elwesii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria furcifera* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria grandifloriformis* Blatter & McCann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria heyneana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria hollandiana* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria longicorniculata* Granham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria longicornu* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria macrostachya* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria marginata* Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria multicaudata* Sedgw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria pallideviridis* Seidenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria perrottetiana* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria plantaginea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria polyodon* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria rariflora* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria richardiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria roxburghii* Nicolson and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria virens* (Lindl.) Abeyw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria viridiflora* (Rottl. Ex Sw.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hetaeria ovalifolia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kingidium deliciosum* (Reichb.f.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis atropurpurea* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis beddomei* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis biloba* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis caespitosa* (Thouars) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis duthiei* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis elliptica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis nervosa* (Sw.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis platyphylla* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis prazeri* King & Pantl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis resupinata* Ridley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis viridiflora* (Blume) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis walkeriae* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis wightiana* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luisia birchea* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luisia zeylanica* Lindl. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malleola gracilis* (Lindl.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia aragoana* Gaudich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia carinata* (Roxb.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia plicata* (Andr.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia anamalayana* Joseph and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia balakrishnanii* R. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia brunoniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia ensiformis* (J. E. Smith) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia iridifolia* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia platycaulon* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia proudlockii* King & Pantl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia santapau* Kapadia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia sebastiana* Shetty & Vivek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia seidenfadeniana* Joseph & Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia tenuis* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia verticillata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia wightiana* Lindl. var. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R.

Ansari N. C. Nair & V. J. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia wightiana* Lindl. var. *nilgirienis* R. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oberonia zeylanica* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachystoma senile* (Lindl.) Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paphiopedilum druryi* (Bedd.) Pfitz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papilionanthe cylindrica* (Lindl.) Seidenf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pecteilis gigantea* (J. E. Smith) Rafin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus aristatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus brachyphyllus* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus densus* (Lindl.) Sant. & Kapadia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus goodyerioides* (D. Don) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus lawii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus plantagineus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus richardianus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus secundus* (Lindl.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus spiralis* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus stocksii* (Hook. f.) Kraenzl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pholidota pallida* Lindl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podochilus falcatus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polystachya concreta* (Jacq.) Garay & Sweet and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porpax jerdoniana* (Wight) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porpax reticulata* Lindl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Proteroceras leopoldianum* (Par. Reichb.f.) Seidenf. & Smitin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchostylis retusa* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhytionanthos nodosus* (Rolfe) Garay Hamer & Siegerist and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Robiquetia josephiana* Manilal & Satish Kumar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Satyrion nepalense* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenorchis jerdoniana* (Wight) Garay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seidenfia densiflora* (A. Rich.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seidenfia intermedia* (A. Rich.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seidenfia rheedii* (Sw.) Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sirhookera lanceolata* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sirhookera latifolia* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithsonia maculata* (Dalz.) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spathoglottis plicata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiranthes sinensis* (Pers.) Ames var. *wightiana*

Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taeniophyllum alwisii* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tainia bicornis* (Lindl.) Reichb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thelasis pygmaea* (Griff.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thrixspermum muscaeflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trias stocksii* Benth ex Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichoglottis tenera* (Lindl.) Schltr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tropidia angulosa* (Lindl.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tropidia curculigoides* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam spathulata* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam tessellata* (Roxb.) Hook ex. G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam testaceae* (Lindl.) Reichb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam wightii* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vanilla planifolia* Andrews and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vanilla walkeriae* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vanilla wightiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeuxine gracilis* (Breda) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeuxine longilabris* (Lindl.) Benth ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia abundiflora* Burt & Smith and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia calcarata* Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia galanga* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia malaccensis* (Burm.f.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia nigra* (Gaertn.) B. L. Brutt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum cannicarpum* (Wight) Benth. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum hypoleucum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum masticatorium* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum muricatum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amomum pterocarpum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma amada* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma aromatica* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma neilgherrensis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma pseudomontana* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma zedoaria* (Christm.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria cardamomum* (L.) Maton var. *major* Thw.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba marantina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba ophioglossa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium coronarium* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium flavescens* Carey ex Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium venustum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kaempferia galanga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber nimmonii* (J. Graham) Dalzell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber officinale* Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber roseum* (Roxb.) Roscoe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber wightianum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber zerumbet* (L.) J. E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Costus pictus* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Costus speciosus* (Koen.) J. E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phrynium pubinerve* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schumannianthus virgatus* (Roxb.) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ensete superbum* (Roxb.) Cheesman and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ensete ventricosum* (Welw.) Cheesman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliconia psittacorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa acuminata* Colla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa balbisiana* Colla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa parasidiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ravenala madagascarensis* Sonner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strelitzia reginae* Aiton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canna indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ananas comosus* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anigozanthos flavidus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium trigrinum* Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon intermedius* D. Don var. *intermedius* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peliosanthes teta* Andr. subsp. *humilis* (Andr.) Jessop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristea ecklonii* Baker and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Babiana stricta* (Aiton) Ker Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Babiana villosa* Ker Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crocasmia pottsii* (Baker) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dierama pulcherrima* (Hook. F.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleutherine palmifolia* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Freesia refracta* Klatt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gladiolus primulinus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris germanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris unguicularis* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moraea iridioides* L. Mant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Watsonia rosea* Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amaryllis belladonna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum asiaticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum latifolium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum moorei* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucharis x grandiflora* Planch. & Linden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eurycles sylvestris* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haemanthus coccineus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haemanthus matalensis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippeastrum x johnsonii* (Hort.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippeastrum reginae* Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippeastrum vittatum* (L'Her.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenocallis littoralis* (Jacq.) Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucojum aestivum* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucojum pulchellum* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Narcissus tazetta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerine flexuosa* (Jacq.) Herb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerine undulata* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pancratium triflorum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaedranassa dubia* (Kunth) J. F. Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sprekelia formosissima* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenomesson coccineum* Herbert and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zephyranthes carinata* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zephyranthes grandiflora* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zephyranthes tubispatha* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave angustifolia* Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave sisalana* Perrine ex Engelm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agave vera-cruz* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordyline australis* (Forst. F.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Furcraea foetida* (L.) Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polianthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Yucca gloriosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dianella ensifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phormium tenax* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena fruticosa* (L.) A. Chev. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena terniflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria roxburghiana* Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria trifasciata* Hort. ex Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria thyridiflora* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria varians* N.E.Br and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria zeylanica* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstroemeria aurea* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bomarea caldasiana* Herbert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bomarea oligantha* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curculigo orchoides* Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypoxis aurea* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Molineria trichocarpa* (Wight) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tacca leontopetaloides* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea belophylla* Voigt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea bulbifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea esculenta* (Lour.) Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea hamiltonii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea hispida* Dennst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea kalkapershadii* Prain & Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea oppositifolia* L. var. *oppositifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea oppositifolia* L. var. *dukhimensis* Prain & Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea spicata* Roth and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea tomentosa* Koen ex Spreng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea wallichii* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea wightii* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichopus zeylanicus* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stemona tuberosa* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucomis autumnalis* (Miller) Chitt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucomis punctata* L'Herit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ornithogalum arabicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ornithogalum conicum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scilla hyacinthina* (Roth) Mecbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea congesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea indica* (Roxb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea polyantha* Blatter & Mc Cann and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asphodelus tenuifolius* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloe vera* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kniphofia uvaria* (L.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus asiaticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus fysonii* Macbr. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus gonoclados* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus laevis* Steud. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus setaceus* (Kunth) Jessop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus racemosus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum acaule* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum arundinaceum* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum attenuatum* (Wight) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum heynei* Rottl. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum laxum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum malabaricum* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum nimmonii* (Graham) Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum tuberosum* (Roxb.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gloriosa rothschildiana* O'Brien and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gloriosa superba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iphigenia indica* (L.) A. Gray ex Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iphigenia magnifica* Ansari & R. S. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemerocallis aurantiaca* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.)

F. Leight. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agapanthus praecox* Willd. var. *albus* Hort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium cepa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium porrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruscus aculeatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax perfoliata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax wightii* A. DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eichhornia crassipes* (Mart.) Solms-Laub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monochoria hastata* (L.) Solms-Laub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monochoria vaginalis* (Burm. F.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris pauciflora* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aclisia secundiflora* (Blume) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema montana* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema ovalifolia* (Wight) Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Belosynapsis kewensis* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Belosynapsis vivipara* (Dalz.) Fischer and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina attenuata* Koen var. Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina benghalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina clavata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina diffusa* Burm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina ensifolia* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina erecta* L. var. *erecta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina forskalaei* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina hirsuta* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina imberbis* Ehrenb. ex Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina indehiscens* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina longifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina paleata* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina paludosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina subulata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina tricolor* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina wightii* R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis adscendens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis arcotensis* R. Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis axillaris* (L.) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis burmanniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis concanensis* Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis cristata* (L.) D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis cucullata* (Roth) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis obtusa* Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis papilionacea* (L.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis pilosa* Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis villosa* (Spreng.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Floscopa scandens* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia dimorpha* (Dalz.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia edulis* (Stokes) Faden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia esculenta* (Wall ex Clarke) Raizada ex R.

Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia gigantea* (Vahl.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia glauca* (Thw. ex Clarke) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia japonica* (Thunb.) Faden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia juncoides* (Wight) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia lanceolata* (Wight) Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia lanuginosa* (Wall ex Clarke) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia nudiflora* (L.) Brennan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia pauciflora* Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia semiteres* (Dalz.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia simplex* (Vahl.) Brenan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia spirata* (L.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia vaginata* (L.) Brueckner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhoeo discolor* Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setcreasea purpurea* Boom and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zebrina pendula* Schnitzl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flagellaria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus bufonius* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus effusus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus inflexus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus leschenaultii* J. Gay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luzula indica* Kirschner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Areca catechu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenga wightii* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bentinckia condapanna* Berry ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borassus flabellifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus brandisii* Beccari ex Beccari & Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus huegelianus* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus rheedii* Griff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus rotang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus travancoricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caryota urens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corypha umbraculifera* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corypha macropoda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Livistona chinensis* (Jacq.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Livistona rotundifolia* (Lam.) Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix canariensis* Hort ex Chabaud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix loureirii* Kunth var. *loureirii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix pusilla* Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix rupicola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix sylvestris* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinanga dicksonii* (Roxb.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roystonea regia* (Kunth) O. F. Cook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sabal mauritiiformis* (Karsten) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachycarpus fortunei* (Hook.) Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Washingtonia robusta* Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus amaryllifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus canaranus* Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus odoratissimus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus tectorius* Parkinson and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus thwaitesii* Martelli and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typha angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acorus calamus* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alocasia indica* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amorphophallus sylvaticus* (Roxb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphyllum beddomei* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphyllum wightii* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthurium spathiphyllum* N. E. Br. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema auriculatum* Barnes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema leschenaultii* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema murrayi* (Graham) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema tortuosum* (Wall.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema translucens* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema tuberculatum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema tylophorum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema wightii* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caladium bicolor* (Ait.) Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colocasia esculenta* (L.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocoryne ciliata* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocoryne consobrina* Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocoryne spiralis* (Retz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epipremnum pinnatum* cv aureum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenandra meeboldii* (Engler) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monstera deliciosa* Liebm. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistia stratiotes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plesmonium margaritiferum* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos armatus* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos thomsonianus* Schott. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Remusatia vivipara* (Lodd.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhaphidophora pertusa* (Roxb.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theridaphnum fischeri* Sivadasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theridaphnum minutum* (Willd.) Baillon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthosoma sagittifolium* (L.) Schott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zantedeschia aethiopica* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemna gibba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemna perpusilla* Torrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spirodela polyrhiza* (L.) Schleiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyalisma janthina* Champ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caldesia parnassiifolia* (L.) Parl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophyton obtusifolium* (L.) Miq. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sagittaria sagittifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Najas graminea* Del. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Najas indica* (Willd.) Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Najas malesiana* Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Najas marina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Najas minor* All. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruppia maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aponogeton appendiculatus* Bruggen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aponogeton echinatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aponogeton natans* (L.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aponogeton undulatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halodule pinifolia* (Miki) Hartog and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halodule uninervis* (Forssk.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halodule wrightii* Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potamogeton crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potamogeton nodosus* Poir. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potamogeton pectinatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potamogeton perfoliatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syringodium isoetifolium* (Asch.) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon brownianum* Martius ex Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon cinereum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon conica* (Fyson) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon elenorae* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon ensiforme* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon leucomelas* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon longicuspis* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon nairii* Chandrabose & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon nepalense* Prescott ex Bongard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon odoratum* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon panagudianum* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon pectinatum* Ruhl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon quinquangulare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon ramnadense* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon ritchieanum* Ruhl. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon robusto-brownianum* Ruhland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon robustum* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon talbotii* Ansari & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon thwaitesii* Koern. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon xeranthemum* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ascopholis gamblei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbostylis barbata* (Rottb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbostylis densa* (Wall.) Hand.-Mazz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex baccans* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex breviculmis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex brunnea* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex christii* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex eluta* Nelmes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex foliosa* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex filicina* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex glaucina* Boeckeler and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex hebecarpa* C. Meyer var. *ligulata* (Nees) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex lateralis* Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex lenta* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex leucantha* Arn. ex Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex lindleyana* Nees var. *lindleyana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex lindleyana* Nees var. *mercurensis* (Hochst. ex Steud.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex longicruris* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex longipes* D. Don var. *longipes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex longipes* D. Don var. *dissitiflora* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex maculata* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex myosurus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex nubigena* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex phacota* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex pseudoaperta* Boeckeler ex Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex raphidocarpa* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex rara* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex speciosa* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex vicinalis* Boott and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex walkeri* Arn. ex Boott and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex wallichiana* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus alopecuroides* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus arenarius* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus bulbosus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus castaneus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus cephalotes* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus compressus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus corymbosus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus curvibracteatus* Govindarajulu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus cuspidatus* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus difformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus diffusus* Vahl. var. *diffusus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus digitatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus distans* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus distans* L. var. *pseudonutans* Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus elatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus exaltatus* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus halpan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus imbricatus* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus iria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus laevigatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus latovaginatus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus lurida* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus nutans* Vahl var. *nutans* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pangorei* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pilosus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus platyphyllus* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus platystylis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus plumbeonucea* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus polyanthelus* Govindarajalu and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus procerus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pygmaeus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus rotundus* L. subsp. *rotundus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus rubicundus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus rubriglomosus* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus sphecelatus* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus stoloniferous* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus stricticulmis* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus sulcinux* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus tenuiculmis* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus tenuispica* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis acutangula* (Roxb.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis atropurpurea* (Retz.) Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis congesta* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis dulcis* (Burm.f.) Henschel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis geniculata* (L.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria*

(Roem. & Schult.) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis tetraquetra* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis aestivalis* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis aggregata* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis amplocarpa* Govindarajulu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis aphylla* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis argentea* (Rottb.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis bisumbellata* (Forssk.) Bubani and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis cinnamometorum* (Vahl) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis complanata* (Retz.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis consanguinea* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis contorta* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis crystallina* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis dichotoma* (L.) Vahl subsp. *glauc*a (Vahl) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis dipsacea* (Rottb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis eragrostis* (Nees & Meyen ex Nees)

Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis falcata* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis ferruginea* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis kingii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis latiglumifera* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis latinucifera* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis longistigmata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis miliacea* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis monospicula* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis monticola* Hochst. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis narayanii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis nutans* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis ovata* (Burm. F.) Kern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis paupercula* Boeckeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis pentaptera* (Nees) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis pierotii* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis polytrichoides* (Retz.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis pustulosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis rectifolia* Govindarajalu and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis rigidiuscula* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis rugosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis salbundia* (Nees) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis scabrisquama* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis schoenoides* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis semidisticha* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis sieberiana* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis strigosa* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis tenera* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis tetragona* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis tortifolia* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis triflora* (L.) Schum. ex Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis tristachya* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis uliginosa* Hochst. ex Steud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis woodrowii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuirena ciliaris* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuirena trilobites* Clarke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuirena umbellata* Rottb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuirena uncinata* (Willd.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuirena wallichiana* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypolytrum nemorum* (Vahl) Spreng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kylinga brevifolius* Rottboell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kylinga bulbosa* P. Beavu. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kylinga hyalina* (Vahl) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kylingia nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kylingia malanosperma* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lipocarpha chinensis* (Osbeck.) Kern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lipocarpha raynaleana* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lipocarpha sphacelata* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus clarkei* (Cooke) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus compactus* (Retz.) Bolding and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus cyperinus* (Retz.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus paniceus* (Rottboell.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus squarrosus* (L.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus sumaterensis* (Retz.) A. Raynal and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus flavescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus flavidus* (Retz.) T. Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus polystachyos* (Rottboell) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus pumilus* (L.) Nees ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus puncticulatus* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus sanguinolentus* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus stramineus* (Nees) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnus unioloides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchospora corymbosa* (L.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchospora gracillima* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchospora rubra* (Lour.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchospora rugosa* (Vahl.) Gale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Riklrella squarrosa* (L.) Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus articulatus* (L.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus grossus* (L. f.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus juncooides* (Roxb) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus littoralis* (Schrader.) Palla subsp. *subulatus* (Vahl) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus mucronatus* (L.) Palla and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus fluitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus subcapitatus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria caricnia* (R. Br.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria corymbosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajalu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria levis* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria mikawana* Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria parvula* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria terrestris* (L.) Fassett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrachne henrardiana* (Bor) Phillips and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrachne racemosa* (Heyne ex Roth) Ohwi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrachne sundararajii* Umamahesw. et al and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeluropus lagopoides* (L.) Trin ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis micrantha* Stue. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis peninsularis* Hook.f. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis pilosula* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis schmidii* (Hook. f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis stolonifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostis zenkeri* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alloteropsis cimicina* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon hallii* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon lividus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon longipes* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon polytychus* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon pumilus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthoxanthum borii* Jain & Pal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthoxanthum odoratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apluda mutica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apocopsis courtallumensis* (Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apocopsis vaginata* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida adscensionis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida funiculata* Trin & Rupr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida hystrix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida mutabilis* Trin. & Rupr. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida setacea* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon depressus* Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon lanceolatus* (Roxb.) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon micans* (Nees) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon prionodes* (Steud.) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon quartinianus* (A. Rich) Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinaria walkeriana* Munro and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinaria wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella ciliata* (Roxb.) Nees ex Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella hookeri* Munro ex Keng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella leptochloa* (Nees ex Steud.) Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella mesophylla* Nees ex Steud and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella nepalensis* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella purpurea* Hochst. ex Steud var. *purpurea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella setosa* Trin. var. *setosa* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella vaginata* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundo conspicua* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundo donax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avena byzantina* K. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avena fatua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avena sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Axonopus compressus* (Sw.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa bambos* Voss and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa bladhii* (Retz.) S. T. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa foulkesii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa kuntzeana* (Hack.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa pertusa* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria distachya* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria eruciformis* (J. E. Smith) Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria kurzii* (Hook. f.) A. Camus and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria miliiformis* (J. S. Presl) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria muna* Basappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria mutica* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria nilagirica* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria ramosa* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria remota* (Retz.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria reptans* (L.) Gard. & Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria Semiverticillata* (Rottl.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria setigera* (Retz.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachypodium distachyon* (L.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachypodium sylvaticum* (Huds.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Briza maxima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Briza media* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Briza minor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bromus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bromus catharticus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bromus diandrus* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bromus ramosus* Huds. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capillipedium filiculme* (Hook. f.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capillipedium huegelii* (Hack.) Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capillipedium parviflorum* (R. Br.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus biflorus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus ciliaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus glaucus* Mudaliar & Sundararaj and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus setigerus* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centotheca lappacea* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionachne koenigii* (Spreng.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionachne semiteres* (Benth. ex Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris barbata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris bournei* Rang. & Tard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris dolichostachya* Lagasca and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris gayana* Kunth ex Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris pycnothrix* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris roxburghiana* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris virgata* Sw. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris wightiana* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon aciculatus* (Retz.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon copei* Mohanan et Ravi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon fulvus* (Spreng) Choiv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon hackelii* (Hook.f.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon orientalis* (Desv.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelachne simpliciuscula* (Wight & Arn. ex Steud.) Munro ex Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelachyropsis lagopoides* (Burm.f.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coix aquatica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coix gigantea* Koen. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coix lacryma-jobi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cortaderia selloana* (Schultes) Asch. & Graebn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon citratus* (DC.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon coloratus* (Hook. f.) Stapf. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *coimbatorensis* Gupta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon martinii* (Roxb.) Wats. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon nardus* (L.) Rendle var. *nardus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon polyneuros* (Steud.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon travancorensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynodon arcuatus* J. S. Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynodon barberi* Rang & Tad. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynodon dactylon* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynodon plectostachyus* (Schum ex Engler) Pilger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum deccanense* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum muricatum* (Retz.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum patens* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum sparsicomum* (Nees ex Steud.) A.

Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtococcum trigonum* (Retz.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dactylis glomerata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dactyloctenium aegyptium* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrocalamus strictus* (Roxb.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmostachya bipinnata* (L.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium annulatum* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium aristatum* (Poir) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium caricosum* (L.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium foveolatum* (Del.) Roberty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichaetaria wightii* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria abludens* (Roem. & Schultes) Veldk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria ciliaris* (Retz.) Koeler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria duthieana* Henr. ex Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria griffithii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria longiflora* (Retz.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria microbachne* (Presl) Henr. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria radicata* (Presl) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria setigera* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria stricta* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria ternata* (A. Rich) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria tomentosa* (Koen ex Willd.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria violascens* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria acutipes* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria avenacea* (Retz.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria balakrishnaniana* K.Ravik., P.V. Sreek. & V. Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria fuscescens* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria kollimalayana* Mohanan & Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria lehmanii* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria orissae* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria ornithopoda* Trin. var. *ornithopoda* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dinebra retroflexa* (Vahl) Panzer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplachne malabarica* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa colona* (L.) Link and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa crus - galli* (L.) P. Beauv var. *crus - galli* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa crus - galli* (L.) P. Beauv var. *brevisetata* (Doll) Neill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa frumentacea* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa oryzoides* (Ard.) Fritsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa picta* (J. Koen) Michael and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa stagnina* (Retz.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehrharta abyssinica* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleusine coracana* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleusine indica* (L.) Gaertn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elytrophorus spicatus* (Willd.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enteropogon monostachyos* (Vahl) Schum ex Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostiella bifaria* (Vahl) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostiella brachyphylla* (Stapf.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis aspera* (Jacq.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis cilianensis* (Al.) Vign. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis ciliaris* (L.) R. Br. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis ciliata* (Roxb.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis coarctata* Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis curvula* (Schrader) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis deccanensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis gangetica* (Roxb.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis japonica* (Thunb.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis kiwuelsis* Jedwabn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis macilenta* (A. Rich) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis maderaspatana* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis minor* Host and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis nigra* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis nutans* (Retz.) Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis pilosa* P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis riparia* (Willd.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis rottleri* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis schweinfurthii* Chioe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis superba* Peyr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis tef* (Zucc.) Trotter and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *tenella* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis tenuifolia* (A. Rich) Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis tremula* (Lam.) Hochst ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis unioides* (Retz.) Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis viscosa* (Retz.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremochloa muricata* (Retz.) Hack and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremopogon foveolatus* (Del.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriochloa procera* (Retz.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriochrysis rangacharii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euchlaena mexicana* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulalia phaeothrix* (Hack.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulalia trispicata* (Schultes) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulalia wightii* (Hook. f.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulaliopsis binata* (Retz.) C.E. Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Festuca ovina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Festuca undata* Stapf var. *aristata* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia arundinacea* Hook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia courtallensis* (Arn. & Nees) Thw. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia elata* (Arn. Ex Miq.) Janowski and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia exaristata* Gould and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia fergusonii* Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia schmidii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garnotia tenella* (Arn. ex Miq.) Janowski and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glyceria spicata* Guss and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halopyrum mucronatum* (L.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helictotrichon polyneuron* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helictotrichon schmidii* (Hook. f.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helictotrichon virescens* (Nees ex Steud.) Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemarthria compressa* (L.f.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) P Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon fischerianus* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon polystachyos* (Roxb.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hordeum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygroryza aristata* (Retz.) Nees ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenachne acutigluma* (Steud.) Gilliland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ichnanthus vicinus* (Bailey) Merr. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Imperata cylindrica* (L.)Raeusch. var. major (Nees) Hubbard ex Hubbard & Vaughan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne angladei* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne bourneorum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne deccanensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne dispar* Trin. var. *dispar* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne elegans* Dalz ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne globosa* (Thunb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne miliacea* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne oreades* (Domin) Bor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne pulchella* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum commutatum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum flumineum* Bor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum indicum* (Houtt.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum nilagiricum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum pilosum* (Klein ex Willd.) Wight and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum rangacharianum* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum rugosum* Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum tadulingamii* Nair & Sreekumar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum timorense* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum zeylanicum* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iseilema antheophoroides* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iseilema jainiana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iseilema laxum* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iseilema prostratum* (L.) Andersson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jansenella griffithiana* (C. Muell.) Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leersia hexandra* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochloa chinensis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochloa neesii* (Thw.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochloa obtusiflora* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochloa panicea* (Retz.) Ohwl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochloa uniflora* Hochst ex A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lolium perenne* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lolium temulentum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lophatherum gracile* Brongn. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lopholepis ornithocephala* (Hook.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lophopogon tridentatus* (Roxb.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manisuris myuros* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanocenchris jacquemontii* Jaub. & Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanocenchris monoica* (Rottl.) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melica scaberrima* (Nees ex Steud.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microchloa indica* (L.f.) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microchloa kunthii* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microchloa kunthii* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstegium ciliatum* (Trin.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstegium nudum* (Trin.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miscanthus nepalensis* (Trin.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mnesithea granularis* (L.) de Koning & Sosef and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mnesithea laevis* (Retz.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myriostachya wightiana* (Nees ex Steud.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oclandra beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra setigera* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra travancorica* Benth ex Gamble and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiuros bombaiensis* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiuros exaltatus* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oplismenus burmannii* (Retz.) P. Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oplismenus compositus* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oropetium thomaeum* (L.f.) Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza barthii* A. Chevali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza minuta* J. S. Presl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza officinalis* Wall ex Watt subsp *malampuzhaensis* (Krishnaswami & and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.Chandrasekaran) Tateoka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza rufipogon* Griff. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ottochloa nodosa* (Kunth) Dandy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytenanthera monadelphica*(Thw.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytenanthera ritcheyi* (Munro) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum antidotale* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum brevifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum fischeri* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.

<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum gardneri* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum maximum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum miliaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum notatum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum paludosum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum psilopodium* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum sparsicomum* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum sumatrense* Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum trypheron* Schultes and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalidium flavidum* (Retz.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalidium geminatum* (Forssk.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalidium punctatum* (Burm.f.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum canarae* (Steud.) Veldk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum conjugatum* Berg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum dilatatum* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum distichum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum longifolium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum scrobiculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum vaginatum* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum americanum* (L.) Leeke. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum clandestinum* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum hohenackeri* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum pedicellatum* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum polystachyon* (L.) Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum purpureum* Schum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum villosum* R. Br. ex Fresen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perotis indica* (L.) Kuntze var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perotis indica* (L.) Kuntze var. *keelakaraiensis*

Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phalaris aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phalaris arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phalaris minor* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phragmites karka* (Retz.) Trin ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poa annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poa gamblei* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poa trivialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogonatherum crinitum* (Thunb.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogonatherum paniceum* (Lam.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polypogon fugax* Nees ex Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pommereulla cornucopiae* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudanthistiria heteroclita* (Roxb.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudanthistiria umbellata* (Hack.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudechinolaena polystachya* (H.B.K.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudobrachiaria deflexa* (Schum.) Launert and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudoraphis spinescens* (R. Br.) Veickery and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudosorghum fasciculare* (Roxb.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchelytrum repens* (Willd.) Hubbard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rottboellia cochinchinensis* (Lour.) Clayton and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum arundinaceum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum narenga* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum officinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum spontaneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sacciolepis curvata* (L.) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sacciolepis indica* (L.) Chase and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sacciolepis interrupta* (Willd.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sacciolepis myosuroides* (R. Br.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sehima nervosum* (Rottl.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sehima sulcatum* (Hack.) A. Camus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria homonyma* (Steud.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria intermedia* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria italica* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria palmifolia* (Koen.) Stapf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria plicata* (Lam.) Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria poiretiana* (Schultes) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria pumila* (Poir.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria sphacelata* (Schum.) Stapf & Hubbard and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria verticillata* (L.) P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum arundinaceum* (Desv.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum bicolor* (L.) Moench. Meth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum cernuum* Host var. *orbiculatum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum conspicuum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum coriaceum* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum dimidiatum* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum durra* (Forssk.) Stapf var. *coimbatonicum* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum guineense* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum halepense* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum laxiflorum* F.M. Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum nitidum* (Vahl.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum roxburghii* Stapf var. *hians* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch.

var. *subglabrescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum versicolor* Anderss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spinifex littoreus* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spodiopogon rhizophorus* (Steud.) Pilger and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus capillaris* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus coromandelianus* (Retz.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus hajrae* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus maderaspatanus* Bor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus piliferus* (Trin.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus spicatus* (Vahl.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus tenuissimus* (Schränk) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus tremulus* (Willd.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus virginicus* (L.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sporobolus wallichii* Munro ex Trin. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenotaphrum dimidiatum* (L.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teinostachyum wightii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda cymbaria* Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda quadrivalvis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda tremula* (Nees ex Steud.) Hack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda triandra* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thysanolaena maxima* (Roxb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachys muricata* (L.) Pers ex Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragus roxburghii* Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripogon bromoides* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripogon jacquemontii* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripogon lisboae* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripogon pungens* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripogon wightii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripsacum laxum* Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum aestivum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum dicoccum* Schubler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urochloa panicoides* P. Beauv and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vetiveria zizanioides* (L.) Nash and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vulpia bromoides* (L.) Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vulpia megalura* (Nutt.) Rydb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vulpia myuros* (L.) Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zea mays* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zenkeria elegans* Trin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zenkeria sebastinei* Henry & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zenkeria stapfii* Henrard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zoysia matrella* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zoysia pungens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon schoenanthus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon sorghum* BROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andropogon squarrosus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Androsace rotundifolia* HARDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema conspicuum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema lineolatum* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema nudiflorum* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema scapiflorum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneilema tuberosum* HAM. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemarrhena asphodeloides* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone falconeri* THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone narcissiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone obtusiloba* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone rivularis* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone rupicola* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone tetrasepala* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone vitifolia* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anethum foeniculum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anethum graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anethum sowa* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angelica archangelica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angelica archangelica* L. himalayana (C.B.CLARKE)BADHWAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angelica glauca* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angelica polymorpha* MAXIM. SINENSIS OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angelonia salicariaefolia* HUMB. & BONPL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angiopteris evecta* (FORST.) HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aniseia martinicensis* (JACQ.) CHOISY and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus carnosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus carnosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisochilus eriocephalus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisomeles indica* (L.) O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisomeles malabarica* R.BR. EX SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisomeles ovata* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anisonema multiflorum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona cherimola* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona muricata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona reticulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona squamosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anodendron paniculatum* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anoetochilus regalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anoetochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anoetochilus setaceus* (BLUME) LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anogeissus acuminata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anogeissus pendula* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anotis foetida* (DALZ.) BENTH.& HOOK.F. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anplectrum assamicum* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthemis cotula* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthemis gayana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthemis nobilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthemis odontostephana* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthemis pyrethrum* GOUAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthocephalus cadamba* MIQ.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthocephalus indicus* A. RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthoxanthum odoratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthriscus cerefolium* (L.) HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthriscus sylvestris* HOFFM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anthyrium filix-femina* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antiaris innoxia* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antiaris saccidora* DALZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antiaris toxicaria* (PERS.) LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anticharis glandulosa* ASCHERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma acidum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma buniis* (L.)SPRENG. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma diandrum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma menasu* (TULASNE) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antidesma zeylanicum* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antirrhinum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antirrhinum orantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apama siliquosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apama tomentosa* (BI.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphanamixis polystachya* (WALL.) PARKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphananthe cuspidata* (BL.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apium graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apium leptophyllum* F.MUELL. EX.BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aplotaxis auriculata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apluda mutica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apluda varia* HACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apocynum foetidum* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apollonias arnottii* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aponogeton monostachyon* L.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aponogeton natans* (L.) ENGL. & KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aporosa dioica* (ROXB.) MUELL.- ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aporosa lindleyana* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aquilaria agallocha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aquilaria malaccensis* LAM., NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aquilaria ovata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aquilegia fragrans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aquilegia vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arabidopsis thaliana* (L.) HEYNH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arabis chinensis* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arabis recta* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arabis tribetica* HK. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arachis hypogaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arachne cordifolia* (DECNE) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aralia armata* SEEM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aralia cachemirica* DECNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aralia pseudo-ginseng* BENTH and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aralia quinquefolia* DECNE. & PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aralia racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arbutus unedo* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arceuthobium minutissimum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archangelica himalaica* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archangelica officinalis* HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archidendron clypearia* (JACK) NIELSEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archidendron monadelphum* (ROXB.) NIELSEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arctium lappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arctostaphylos uva ursi* SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia colorata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia humilis* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia odontophylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia oxyphylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia solanacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Areca catechu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Areca concinna* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Areca nagensis* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Areca triandra* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenaria serpyllifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenga obtusifolia* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenga pinnata* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenga saccharifera* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenga wightii* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argemone alba* LESTIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argemone mexicana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia aggregata* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia argentea* ARN. EX CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia cuneata* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia daltonii* CLARKE IN HOOK.F. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia fulgens* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia imbricata* (ROTH) SANT. & PATEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia involucrata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia malabarica* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia nervosa* (BURM.F.) BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia petaloidea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia pomacea* (ROXB.) CHOISY and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia sericea* Dalz. & Gib. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia setosa* (ROXB.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia speciosa* SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aricennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arikuryroba schizophylla* BECC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema alba* N. E. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema curvatum* KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema decipiens* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema flavum* (FORSK.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema jacquemontii* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema leschenaultii* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema murrayi* (GRAHAM) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema speciosum* (WALL.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema tortuosum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema triphyllum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arisaema wallichianum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida adscensionis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida depressa* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida humilis* VAHL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristida setacea* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia bracteata* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia bracteolata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia labiosa* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia reticulata* NUTTAL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia rotunda* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia roxburghiana* KLOTZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia saccata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia serpentaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aristolochia tagala* CHAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Armoracia rusticana* GAERTN. MEY. & SCHERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arnebia euchroma* (ROYLE) JOHN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arnebia guttata* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arnica montana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artabotrys odoratissimus* R.BR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artabotrys suaveolens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artanema longifolia* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artanema longifolium* (L.) VATAKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artanema sesamoides* (VAHL) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia abrotanum* SAVI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia absinthium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia austriaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia biennis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia brevifolia* WALL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia capillaris* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia cina* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia dracunculus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia gmelinii* WEBER EX. STECHM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia indica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia japonica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia macrocephala* JACQ. EX BESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia maderaspatana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia maritima* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia moorcroftiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia nilagirica* (CLARKE) PAMP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia pallens* WALL. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia persica* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia roxburghiana* BESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia sacrorum* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia scoparia* WALDST.& KIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia sieversiana* EHRH. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia vestita* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia vulgaris* AUCT.NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthraxon nudus* (STEUD.) HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthrocnemum indicum* MOQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arthrophyllum blumeianum* ZOLL. & MOR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus chaplasha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus communis* J. & G. FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus gomezianus* WALL. EX TREC. zeylanicus JANET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus heterophyllus* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus hirsutus* LAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus integra* (THUNB.) MERRILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus integrifolia* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artocarpus lakoocha* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arum campanulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arum colocasia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arum macrorhizon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arum numphaeifolium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aruncus dioicus* (WALTER) FERNALD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundina graminifolia* (D.DON) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundinella nepalensis* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundo donax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arundo karka* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asagraea officinalis* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asarum europaeum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias asthmatica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias curassavica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias gigantea* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias lactifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias proliferata* ROTTLER EX W. AINSLIE and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias volubilis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias vomitoria* KOEN. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asechynanthus gracilis* PARISH EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aspalathus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus adscendens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus curillus* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus filicinus* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus gonoclados* BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus laevis* STEND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus punjabensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus racemosus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus rotleri* BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asparagus sarmentosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asperugo procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asphodelus fistulosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asphodelus tenuifolius* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aspidium polymorphum* (WALL.); BEDD. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium adiantoides* (L.) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium adiantum-nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium alternans* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium ceterach* L. ceterach Khullar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium dalhousiae* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium falcatum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium furcatum* THUMB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium laciniatum* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium nidus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium parasiticum* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium polyodon* G. FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium ruta-muraria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium septentrionale* HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium trichomanes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asplenium viride* HUDSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster amellus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster asteroides* (DC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster falconeri* HUTCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster indamellus* GRIERSON NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster tibeticus* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster trinervius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asteracantha longifolia* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asteriastigma macrocarpa* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astilbe rivularis* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astraeus hygrometricus* (PERS.) MORG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus aegacanthoides* PARKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus candolleanus* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus ciliolatus* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus graveolens* BUCH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus hamosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus heratensis* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus himalayanus* KLOTZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus jacquemontii* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus multiceps* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus munori* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus nivalis* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus psilocentrus* FISCH. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus rhizanthus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus sarcocolla* DYMOCK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus strobiliferus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus tribuloides* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Astragalus verus* OSKIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia coromandeliana* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia dalzelliana* SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia gangetica* (L.) T. ANDERSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia violacea* DALZ. EX CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atalantia monophylla* CORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atalantia racemosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Athyrium filix-femina* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Athyrium hohenackerianum* BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Athyrium puncticaule* (BL.) MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Athyrium schimperi* (FEE) MOUG. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atriplex hortensis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atropa acuminata* ROYLE EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atropa belladonna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia barbata* (BENTH.) BAKER and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia candollei* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia goensis* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia lineata* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia mollis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia platycarpa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia scarabeoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atylosia volubilis* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Auricularia sambucina* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avena fatua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avena sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Averrhoa acida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Averrhoa bilimbi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Averrhoa carambola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia alba* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia marina* (FORSK.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Avicennia tomentosa* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Azanza lampas* (CAV.) ALEF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Azima tetracantha* LAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baccaurea ramiflora* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanites aegyptiaca* (L.) DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanites roxburghii* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanocarpus utilis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora dioica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora involucrata* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanophora polyandra* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baliospermum axillare* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baliospermum calycinum* MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baliospermum montanum* (WILLD.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baliospermum sinuatum* MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baliospermum solanifolium* (J.BURM.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balsamodendron agallocha* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balsamodendron kataf* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balsamodendron mukul* HOOK. EX STOCKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balsamodendron myrrha* N.& E. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balsamodendron stocksiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa arundinacea* WILLD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa balcooa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa bambos* DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa nana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa oSkiniana* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa tulda* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bambusa vulgaris* SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barbarea vulgaris* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria acanthoides* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria acuminata* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria buxifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria courtallica* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria cuspidata* HEYNE EX. NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria involucrata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria longiflora* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria longifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria lupulina* LINDL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria montana* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria mysorensis* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria noctiflora* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria prattensis* SANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria prionitis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria strigosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia acutangula* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia asiatica* (L.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia racemosa* (L.) K.SPENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia speciosa* FORST. CHAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basella alba* L. *rubra* (L.) STEWART and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basella alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basella cordifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basella rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Basilicum polystachyon* (L.) MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bassia butyracea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bassia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bassia longifolia* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bassia malabarica* BEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia acuminata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia candida* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia diphylla* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia macrostachya* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia malabarica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia phoenicea* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia phoenicea* HEYNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia racemosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia retusa* HAM. EX. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia roxburghiana* VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia rufescens* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia tenuiflora* WATT EX CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia vahlii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia wallichii* MACBRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia cathcartii* J.D. HOOK. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia hatacoa* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia inflata* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia josephii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia laciniata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia luxurians* SCHEIDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia malabarica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia palmata* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia picta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia rex* PUTZEYS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia rubro-venia* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia thomsonii* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *NripaticmKalam chinensis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Benincasa cerifera* SAVI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Benincasa hispida* (THUNB.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Benkara malabarica* (LAM.) TIRVENGADUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bentinckia condapanna* BERRY EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis aristata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis asiatica* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis chitria* EDWARDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis insignis* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis jaeschkeana* SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis kashmiriana* AHRENDT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis kumaoensis* SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis lamberti* PARKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis lycium* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis nepalensis* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis petiolaris* WALL. EX G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis pseudumbellata* PARKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis tinctoria* LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis ulicina* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis umbellata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis wallichiana* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berchemia lineata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergenia ciliata* (HOW.) STERN. fa ligulata and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergenia ciliata* (HOW.) STERN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergenia ligulata* SENSU BAILEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergenia purpurascens* (HOOK.F. & TH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergera koenigii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergia capensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergia odorata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergia suffruticosa* (DEL.) FENZL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beta benghalensis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beta maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beta vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Betula alnoides* BUCH.-HAM. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Betula bhojpattra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Betula utilis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens biternata* (LOUR.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens cernua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens pilosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens tripartita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biebersteinia odora* STEPH. EX FISH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bignonia chelonoides* L.F. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bignonia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bigonia longifolia* (WILLD.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum apodisciac* TUREZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum candolleanum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum nervifolium* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum petersianum* KLOTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum sensitivum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bischofia javanica* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bistorta amplexicaulis* GREENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bixa orellana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blastania garcini* COG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blechnum orientale* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blechnum spicant* (L.) WITH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis boerhaviifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis edulis* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis linariaefolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis persica* (BURM.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharispermum subsessile* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharistemma serratum* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blighia sapida* KOEN. & SIMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea aurita* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea balsamifera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea densiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea eriantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea fistulosa* (ROXB.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea hieracifolia* HOOK.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea lacera* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea laciniata* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea lanceolaria* (ROXB.) DRUCE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea membranacea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea mollis* (D.DON) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea myriocephala* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea obliqua* DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea oxyodonta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea pubigeru* (L.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea riparia* (BLUME) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea sessiliflora* DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea wightiana* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumeopsis falcata* (D.DON) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumeopsis flava* (DC.) GAGNEP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bocagea dalzellii* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boehmeria macrophylla* HORN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boehmeria nivea* (L.) GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boehmeria repens* NEES & MART. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia diffusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia repKalam* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boerhavia verticillata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boesenbergia rotunda* (L.) MANSF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boletus crocatus* BATSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax ceiba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax cibaricum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax insigne* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax malabaricum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax pentandrum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bongardia chrysogonum* (L.) SPACH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bongardia rauwolfii* C.A.MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bonnaya oppositifolia* SPRENG. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bonnaya reptans* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borago officinalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borassus flabellifer* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borassus flabelliformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borreria articularis* (L.F.) WILLIAMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borreria hispida* (L.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Borreria pusilla* (WALL) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bosea amherstiana* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia carteri* BIRDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia frereana* BIRDW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia glabra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia ovalifoliolata* BAL & HENRY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia serrata* ROXB. *glabra* (ROXB.) BENNETT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia serrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia thurifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Botrychium lunaria* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Botrychium ternatum* (THUNB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Botrychium virginianum* SW. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boucerosia aucheriana* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bougainvillea spectabilis* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria ramosa* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachyactis roylei* WEND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bragantia tomentosa* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bragantia wallichii* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brasenia sachreberi* J.F. GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brasenia schreberi* J.F. GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassaiopsis glomerulata* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica alba* (L.) RABENH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica campestris* L. *glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica campestris* L. *rapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica campestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica integrifolia* (WEST) SCHULZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica juncea* (L.) CZERN. *integrifolia* (WEST)

SINSKAJA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica juncea* (L.) CZERN. SSP. JUNCEA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica nigra* (L.) KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica nigra* (L.) KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. *capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. *gongylodes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica rapa* L. *campestris* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica tournefortii* GOUAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia arvensis* (L.) LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia patens* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia retusa* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia rhamnoides* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Breynia vitis-idaea* (BURM.F.) FISCHER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia crenulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia montana* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia retusa* SPR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia scandens* (ROXB.) WILLD, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia squamosa* (LAM.) GEHRM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia stipularis* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bridelia tomentosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bromelia ananas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bromus unioloides* H.B.N.OV. GEN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Broussonetia papyrifera* (L.) VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brucea javanica* (L.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brucea mollis* WALL. EX KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bruguiera cylindrica* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bruguiera gymnorrhiza* (L.) SOVIGY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brunfelsia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brunfelsia calycina* BENTH. *MACRANTHA RAFFILL* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bruxanellia indica* DENNST. *EX KOSTEL.* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonia epigoea* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonia grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonia laciniosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonia rostrata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonia scaber* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonia umbellata* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryonopsis laciniosa* NAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryophyllum calycinum* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryophyllum pinnatum* (LAM.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryum bicolor* DICKSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchanania angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchanania axillaris* (DESR.) RAMAMOORTHY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchanania angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchanania latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja asiatica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja davidii* FRANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja macrostachys* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja neemda* HAM. EX ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buettneria herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum congestum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum neilgherrense* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbophyllum sterile* (LAM.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bulbostylis barbata* (ROTTB.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bunium persicum* (BOISS.) FEDT. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum falcatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum jucundum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum lanceolatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum longicaule* WALL. EX DC. *himalayense* (KI.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum setaceum* FENZL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum thompsoni* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bursera serrata* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea buteiformis* (VOIGT) GRIERSON & LONG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea frondosa* ROXB. ET KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea monosperma* (LAM.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea superba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butia yatay* (MART.) BECC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buxus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buxus wallichiana* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bytneria Kalammanensis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bytneria herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bytneria pilosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cacalia pentaloba* HAND.-MAZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cacalia sonchifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caccinia crassifolia* O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cachrys pabularia* (LINDL.) HERRNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cactus ficus-indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cadaba farinosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cadaba fruticosa* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cadaba indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cadaba trifoliata* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia bonduc* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia bonducella* (L.) FLEMING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia coriaria* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia crista* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia cuculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia decapetala* (ROTH) ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia digyna* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia jayabo* NAZA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia mimosoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia nuga* AIT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia paniculata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia pulcherrima* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia sappan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia spicata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesulia axillaris* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus bicolor* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus cajan* (L.) MILLSP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus indicus* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calacanthus grandiflorus* (DALZ.) RADLK.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caladium bicolor* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caladium sagittaeifolium* SUBER. EX ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamintha clinopodium* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamintha umbrosa* FISH. & MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus draco* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus erectus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus extensus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus huegelianus* MART, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus latifolius* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus rheedei* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus rotang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus tenuis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus thwaitesii* BECC. canaranus Becc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus travancoricus* BEDD. EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calamus viminalis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe masuca* (D.DON) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe sylvatica* (THOU.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe triplicata* (WILLEM.) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calendula arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calendula officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa arborea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa cana* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa lanata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa longifolia* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa macrophylla* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa psilocalyx* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa rubella* LINDL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa tomentosa* (L.) MURRAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calligonum polygonoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon lanceolatus* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callitris inophyllum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calonyction bona-nox* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calonyction muricatum* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum apetalum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum calaba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum elatum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum inophyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calosanthus indica* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calotropis gigantea* (L.) R.BR. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calotropis gigantea* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calotropis procera* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caltha alba* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caltha palustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calycotris floribunda* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calyptranthes caryophyllifolia* WILLD. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calyptranthes jambolana* MOON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Camellia kissi* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Camellia sinensis* (L.) O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Camellia thea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula colorata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Camphora officinarum* NEES. EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campsis grandiflora* (THUNB.)SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campsis radicans* (LINN.) SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cananga odorata* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium odoratum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium bengalense* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium commune* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium euphyllum* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium resiniferum* BRUCE EX KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium strictum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium vulgare* LEENH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia ensiformis* SENSU BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia gladiata* (JACQ.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia lineata* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia rosea* (SW.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia virosa* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canella alba* Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canella winterana* (L.) GAERTNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canna coccinea* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canna indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canna orientalis* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cannabis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cannabis sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora decussata* SCHULTES & SCHULTES.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora diffusa* (VAHL) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora perfoliata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cansjera rheedi* J.F. GMELIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium angustifolium* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium coromandelicum* (N.BURM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium dicoccum* (GAERTN.) TEIJSM. & BINN. dicoccum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium parviflorum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium rheedei* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium umbellatum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caoxylon indicum* (BL.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis aphylla* ROTH. NOV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis assamica* HK. F. & TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis bisperma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis corundas* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis decidua* (FORSK.) EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis diffusa* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis divaricata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis horrida* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis micrantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis moonii* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis olacifolia* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis pedunculosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis sepiaria* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsella bursa-pastoris* MEDIC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsella thomsoni* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum annuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum festigiatum* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum frutescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum grossum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum minimum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caragana crassicaulis* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caragana cuneata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caragana pygmaea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carallia brachiata* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carallia integerrima* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma adscendens* (ROXB.) HAW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma attenuata* WT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma edulis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma tuberculata* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma umbellata* HAW. SYN. PL. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carapa granatum* (KOENIG) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carapa gromatum* (KOENIG) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carapa moluccensis* LAM. EXCYCL. METH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carapa obovata* BL. BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine impatiens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine loxostemonoides* O.E. SCHULZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine pratensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine scutata* THUNB. flexuosa (WITH.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardanthera uliginosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardaria draba* (L.) DESV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardiocrinum giganteum* (WALL.) MAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardiospermum canescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardiospermum halicacabum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carduus edelbergii* RECH.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carduus gigas* UCRIA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carduus nutans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex atrata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex cernua* BOOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex nivalis* BOOTT NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex notha* KUNTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carex nubigena* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Careya arborea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Careya herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carica cKalammarcensis* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carica papaya* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa carKalams* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa congesta* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa opaca* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa paucinervia* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa spinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carmona microphylla* (LAM.) G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carmona retusa* (VAHL) MASAMUNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carpesium abrotanoides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carpesium cernuum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carpopogon pruriens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carthamus lanatus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carthamus oxyacantha* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carthamus tinctorius* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carum bulbocastanum* Auct. Non Koch:C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carum carvi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carum copticum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carum roxburghianum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carum strictocarpum* C.B.CLARK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caryophyllus aromaticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caryopteris odorata* ROBIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caryota mitis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caryota urens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *CascaNripati thevetia* (L.) LIPPOLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia elliptica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia esculentta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia graveolens* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia ovata* (LAM.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia tomentosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia vareca* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia zeylanica* (GAERTN.) RHW. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia absus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia acutifolia* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia angustifolia* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia arborea* MACFAD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia auriculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia didymobotrya* FRESEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia elongata* LEMAIRE - LIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia glauca* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia italica* (MILL.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia javanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia kleinii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia laevigata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia lanceolata* COLLAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia marginata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia mimosoides* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia montana* HEYNE EX. ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia obovata* COLLOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia obtusifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia occidentalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia pumila* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia senna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia siamea* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia sophora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia surattensis* BRUN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia tora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia uniflora* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassine glauca* (ROTTB.) O.KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassiope fastigiata* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassytha filiformis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanea sativa* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanopsis indica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanopsis tribuloides* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanospermum australe* A. CUNN. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casuarina equisetifolia* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catha edulis* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catharanthus pusillus* (MURR.) G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catharanthus roseus* (L.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catimbium malaccense* (BURM.F.) HOLTTUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catimbium speciosum* (WENDL.) HOLTTUM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catunaregam rugulosa* (THW.) TIRUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caulophyllum thalictroides* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia auriculata* (ROXB.) GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia carnosa* (WALL.) GAGNEP. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia mollissima* (WALL.) GAGNEP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia pedata* JUSS. EX GAGNEPAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia trifolia* (L.) DOMIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cedrela serrata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cedrela toona* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cedrus deodara* (ROXB.) LOUD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cedrus libani* BARREL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cedrus libani* BARREL deodara HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceiba pentandra* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celastrus paniculatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia argentea* L. cristata (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia argentea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celosia cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celsia coromandeliana* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis australis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis cinnamomea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis philippensis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis tetrandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis timorensis* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celtis wightii* PLANCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus barbatus* SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus biflorus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cenchrus ciliaris* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea behen* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea calcitrapa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea cyanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea iberica* TREV. EX SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea picris* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea solstitialis* ASSO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaureum centaurioides* (ROXB.) ROLLA RAO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaureum roxburghii* (G.DON) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centella asiatica* (L.) URBAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centipeda minima* (L.) A.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centipeda orbicularis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centranthera grandiflora* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centranthera indica* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centrathrum anthelminticum* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centrosema pubescens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cepa alba* RENAULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cepa flava* MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephaelis ipecacuanha* RICH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephalandra indica* NAUDIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephalanthera ensifolia* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephalanthera longifolia* (L.) FRITZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephalostachyum capitatum* MUNRO NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephalostachyum pergracile* MUNRO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cephalotaxus griffithi* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium cerastoides* (L.) BRITH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium fontanum* BAUMG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium glomeratum* THUILL.FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium indicum* THUILL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium thomsoni* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium vulgatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerasus hexagonus* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratocephalus falcatus* (L.) PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratonia siliqua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratophyllum demersum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratopteris siliquosa* COPELAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratopteris thalictroides* (L.) BRONGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerbera manghas* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerbera odollam* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cereus grandiflorus* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriops candolleana* ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriops roxburghiana* ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriops tagal* C.B. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriscoides turgida* (ROXB.) TIRUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia bulbosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia candelabrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia hirsuta* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia juncea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum diurnum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum nocturnum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum parqui* L'HERIT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceterach officinarum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chaerophyllum acuminatum* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chaerophyllum villosum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaemelum nobile* (L.) ALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaerops ritchieana* GRIFF. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Champereia griffithii* PLANCH. EX KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Champereia manillana* (BL.) MORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chassalia chartacea* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chassalia ophioxyloides* (WALL.) CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chavica betle* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chavica roxburghii* MIQ. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheilanthes albomarginata* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheilanthes farinosa* (FORST.) KAULF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheilanthes fragrans* (L.F.) SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheilanthes rufa* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheilanthes tenuifolia* (N.BURM.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheiranthus cheiri* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium ambrosioides* BERT. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium blitum* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium botrys* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chenopodium murale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chesneya nubigena* (D.DON)ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum segetum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cichorium endivia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cichorium intybus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L.

Chen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza aegyptiaca* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza bonariensis* (L.) Cronquist and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza japonica* (Thunb.) Less. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza leucantha* (D.Don) Ludlow & Raven and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza stricta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coreopsis grandiflora* Nutt. ex Chapm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coreopsis tinctoria* Nutt var. *tinctoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cosmos caudatus* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cosmos sulphureus* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crassocephalum crepidioides* (Benth.) S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dahlia coccinea* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dahlia imperialis* Roedel ex E. Ortgies and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendranthema x grandiflorum* (Ramat.) Kitam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrocephala chrysanthemifolia* (Blume) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrocephala integrifolia* (L.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicoma tomentosa* Cass. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinops echinatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eclipta prostrata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elephantopus scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia coccinea* (Sims) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia javanica* (Burm.f.) C. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia ramulosa* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia scabra* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia sonchifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia zeylanica* Clarke var. *zeylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia zeylanica* Clarke var. *paludosa* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilates divaricata* (L.) Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilates pygmaea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron karvinskianus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron multiradiatus* (DC.) C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron sublyratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium ianthinum* Hemsl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium repandum* Willd. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Filago arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flaveria contrayerba* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flaveria trinervia* (Spreng.) C. Mohr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaillardia pulchella* Foug. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galinsoga parviflora* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galinsoga quadriradiata* Ruiz. & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gamochaeta coarctata* (Willd.) M. Kerguelen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gamochaeta pensylvanica* (Willd.) Cavrera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gamochaeta purpurea* (L.) Cavrera and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gazania linearis* (Thunb.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gerbera jamesonii* Bolus ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossocardia bosvallea* (L.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossogyne bidens* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium hypoleucum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium luteo-album* L. subsp. *luteo-album* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium polycaulon* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniocaulon indicum* (Klein ex Willd.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grangea maderaspatana* (L.) Poir. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guizotia abyssinica* (L.f.) Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura aurantiaca* (Blume) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura bicolor* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura lycopersicifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura nitida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura pseudo-china* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura travancorica* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helianthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helianthus debilis* Nutt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helianthus tuberosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helichrysum buddleioides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helichrysum perlanigerum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helichrysum wightii* Clarke ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helipterum citrinum* Harv. & Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helipterum roseum* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypochoeris glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypochoeris radicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kleinia grandiflora* (Wall. ex DC.) Rani and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca hastata* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagascea mollis* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laggera crispata* (Vahl) Hepper & Wood and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea acaulis* (Roxb.) Bab. ex Kerr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea intybacea* (Jacq.) Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Montanoa bipinnatifida* C. Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moonia heterophylla* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myriactis wightii* DC. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Notonia shevaroyensis* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Notonia walkeri* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olearia cassiniae* F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oligochaeta ramosa* (Roxb.) Wagenitz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osteospermum ecklonis* (DC.) Norl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osteospermum moniliferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parthenium hysterophorus* L. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentanema cernuum* (Dalzell) Ling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentanema indicum* (L.) Ling and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum courtallense* (Wight) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum indicum* (Less.) Kirkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum phyllolaenum* (DC.) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum rangacharii* (Gamble) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum scabridum* (DC.) Kirkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum sengaltherianum* (Narayana) Narayana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picris hieracioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pluchea tomentosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Proustia pyrifolia* Lagasca and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pulicaria angustifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pulicaria wightiana* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rudbeckia maxima* Nutt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santolina chamaecyparissus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sclerocarpus africanus* Jacq.ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio ansteadii* Tad. & Jacob and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio articulatus* (Haw.) Sch.-Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio calcadensis* Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio candicans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio cineraria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio confusus* Elmer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio edgeworthii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio intermedius* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio kundaicus* Fishcher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio lavandulaefolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio lessingianus* (Wight & Arn.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio ludens* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio neelgherryanus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio polycephalus* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio tenuifolius* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio wightii* (DC.) Benth. ex Clarke and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio zeylanicus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sigesbeckia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silybum marianum* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solidago canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solidago gigantea* Aiton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solidago microglossa* Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solidago nemoralis* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solidago virga-aurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus asper* (L.) Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus wightianus* DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus africanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus amaranthoides* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus indicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes calva* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes radicans* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes uliginosa* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stokesia laevis* (Hill) Greene and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Struchium sparganophorum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synedrella nodiflora* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes lucida* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes minuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes patula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum parthenium* (L.) Sch. bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taraxacum javanicum* Soest and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taraxacum officinale* Weber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum cinerariaefolium* Sch.Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tithonia diversifolia* (Hemsl.) A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricholepis radicans* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tridax procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia albicans* Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia anamallica* Bedd. ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia anthelmintica* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia arborea* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia bourdillonii* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia bourneana* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia cinerascens* Sch.-Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia cinerea* (L.) Less. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia comorinensis* W.W.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia conyzoides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia dalzelliana* Drumm. & Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia divergens* (Roxb.) Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia elaeagnifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia fysonii* Calder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia gossypina* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia heynei* Bedd. ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia indica* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia malabarica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia membranacea* Bedd. ex S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia monosis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia pectiniformis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia pothigaiana* Chelladurai & Gopalan and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia ramosa* Hutchins. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia recurva* Bedd. ex S. Moore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia salvifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia setigera* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia shevaroyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia travancorica* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vittadinia australis* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia chinensis* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia trilobata* (L.) A. Hitchc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia urticaefolia* (Blume) DC. var. *wightii* DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthium indicum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Youngia fuscipappa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Youngia japonica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Youngia nilgiriensis* Babt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zinnia elegans* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaevola plumieri* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaevola sericea* Vahl and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asyneuma fulgens* (Wall.) Briq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula alphonсии* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula benthamii* Wall. ex Kitam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula drabifolia* Sibth. & Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula medium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula ramulosa* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula rapunculoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campanula wightii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurentia longiflora* (L.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wahlenbergia marginata* (Thunb.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia alsinoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia angulata* Forst.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia chinensis* Lour and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia courtallensis* K.K.N.Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia heyneana* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia leschenaultiana* (Presl) Skottsb. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenoclea zeylanica* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium leschenaultii* Wight var. *leschenaultii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium neilgherrense* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arbutus unedo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calluna vulgaris* (L.) Hull and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erica arborea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erica vagans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaultheria fragrantissima* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron indicum* (L.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron mucronatum* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron ponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron simsii* Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clethra arborea* Ait. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limonium sinuatum* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago auriculata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anagallis arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anagallis pumila* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lysimachia leschenaultii* Duby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lysimachia procumbens* Baudo and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aegiceras corniculatus* (L.) Blanco and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antistrophe serratifolia* (Bedd.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia amplexicaulis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia blatteri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia littoralis* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia missionis* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia pauciflora* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia rhomboidea* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia solanacea* Roxb. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ardisia sonchifolia* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia adnata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia basaal* (Roem. & Schultes) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia ribes* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maesa indica* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrsine wightiana* Wall. ex. A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rapanea daphnoides* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rapanea thwaitesii* Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacquinia barbasco* (Loefl.) Mez and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacquinia aculeata* Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysophyllum cainito* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysophyllum roxburghii* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isonandra lanceolata* Wight forma *lanceolata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isonandra montana* (Thw.) Gamble and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isonandra perrottetiana* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isonandra stocksii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca indica* J. F. Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca longifolia* (Koen.) Macbr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca neriifolia* (Moon) H.J. Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manilkara hexandra* (Roxb.) Dubard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manilkara roxburghiana* (Wight) Dubard and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manilkara zapota* (L.) P. Royen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimusops elengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Palaquium bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Palaquium ellipticum* (Dalz.) Baillon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros affinis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros assimilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros barberi* Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros bourdillonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros buxifolia* (Blume) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros candolleana* Wight and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros chloroxylon* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros cordifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros ebenum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros foliolosa* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros humilis* Bourd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros insignis* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros malabarica* (Desr.) Kostel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros melanoxylon* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros montana* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros nigresens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros nilgirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros oocarpa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros paniculata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros pruriens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros sylvatica* Roxb. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros walkeri* (Wight) Guerke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos anamallayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos authilingomii* Henry & Gopalan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos foliosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos monantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos nairii* Henry, Gopalan & Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos obtusa* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos oligandra* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos pendula* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos pulchra* Wight subsp. *pulchra* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos pulchra* Wight subsp. *coriacea* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos wynadense* (Kuntze) Nooteb. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus linocieroides* (Wight) Bennet & Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus macrophylla* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus mala-elengi* (Dennst.) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus ramiflorus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum arborescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum auriculatum* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum azoricum* L. var. *azoricum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum bignoniaceum* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum brevifolium* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum calophyllum* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum cordifolium* Wall. ex G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum cuspidatum* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum grandiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum malabaricum* Wight and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum mesnyi* Hance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum multiflorum* (Burm.f.) Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum polyanthum* Franch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum ritchiei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum rottlerianum* Wall. ex A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum sambac* (L.) Ait. var. *sambac* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum scandens* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum trichotomum* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum decaisnei* Clarke var. *decaisnei* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum gamblei* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum lucidum* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum perrottetii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum robustum* (Roxb.) Blume subsp. *walkeri* (Decne.) P.S. Green and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myxopyrum serratum* A.W. Hill and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea dioica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea paniculata* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea polygama* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schrebera swietenoides* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nyctanthes arbor-tristis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Azima tetracantha* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvadora persica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenium obesum* Roem & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma cymosa* (Roxb.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aganosma dichotoma* (Roth) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *AllamKalam cathartica* L. var. *nobilis* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *AllamKalam violacea* Gardn. & Field and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia scholaris* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alstonia venenata* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anodendron paniculatum* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beaumontia grandiflora* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Beaumontia jerdoniana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa carKalams* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa congesta* Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa grandiflora* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa hirsuta* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa inermis* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa paucinervia* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa salicina* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carissa spinarum* L. var. *spinarum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catharanthus pusillus* (Murr.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catharanthus roseus* (L.) G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerbera odollam* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chonemorpha fragrans* (Moon) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ellertonia rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Funtumia africana* (Benth.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ichnocarpus frutescens* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mandevilla laxa* (Ruiz & Pavon) Woodson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium oleander* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parsonsia alboflavescens* (Dennst.) Mabblerley and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumeria obtusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia hookeri* Srinivasan & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia micrantha* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia serpentina* (L.) Benth. ex Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia tetraphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia verticillata* (Lour.) Baill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strophanthus wightianus* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana divaricata* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana gamblei* Subram. & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana heyneana* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thevetia peruviana* K.Schum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vallaris solanacea* (Roth) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vinca major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Voacanga grandiflora* (Miq.) Rolfe and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia arborea* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia indica* Ngan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don)

Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asclepias curassavica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachystelma bourneae* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachystelma brevitybulatum* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachystelma maculatum* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brachystelma rangacharii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calotropis gigantea* (L.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calotropis procera* (Ait.) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma bhupinderana* Sarkaria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma diffusa* (Wight) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma indica* (Wight & Arn.) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma nilagiriana* Kumari & Subba Rao and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma pauciflora* (Wight) N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma procumbens* Grav. & Mayuranathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma stalagmifera* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caralluma umbellata* Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia barnesii* Bruce & Chatterjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia bulbosa* Roxb. var. *bulbosa* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia candelabrum* L. var. *candelabrum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia ciliata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia decaisneana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia elegans* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia ensifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia fimbriifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia hirsuta* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia intermedia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia juncea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia maculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia mannarana* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia metziana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia oculata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia omissa* Huber and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia pusilla* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia spiralis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceropegia thwaitesii* Hook. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cosmostigma racemosum* (Roxb.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum alatum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum callialatum* Buch.-Ham. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum tunicatum* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphocarpus fruticosus* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphocarpus physocarpus* E. Meyer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema alterniflorum* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema elegans* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema hirsutum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema tingens* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heterostemma tanjorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holastemma ada-kodien* Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya alexicaca* (Jacq.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya kanyakumariana* Henry & Swamin. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya ovalifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya pauciflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya wightii* Hook.f. subsp. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptadenia reticulata* (Retz.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia brunoniana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia tenacissima* (Roxb.) Moon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia tirunelvelica* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentatropis capensis* (L.f.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pergularia daemia* (Forrsk.) Chiov. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Raphionacme purpurea* Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma acidum* (Roxb.) Voigt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma brunonianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma intermedium* Decne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma secamone* (L.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Secamone emetica* (Retz.) R.Br. ex Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stapelia gigantea* N.E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stapelia grandiflora* Masson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Telosma minor* (Andr.) Craib and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Telosma pallida* (Roxb.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toxocarpus beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toxocarpus kleinii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toxocarpus palghatensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora capparidifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora macrantha* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora mollissima* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora multiflora* (Wight & Arn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora pauciflora* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora rotundifolia* Buch.-Ham. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora subramanii* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora tertrapetala* (Dennst.) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora zeylanica* Decne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wattakaka volubilis* (L.f.) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptolepis buchananii* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptolepis grandiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptostegia grandiflora* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Decalepis hamiltonii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Decalepis arayalpathra* Joseph & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utleria salicifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagraea ceilanica* Thub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardneria ovata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitrasacme indica* Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spigelia anthelmia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos lenticellata* Hill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos minor* Dennst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos nux-vomica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos potatorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos vanprukii* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos wallichiana* Steud. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja asiatica* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja davidii* Franch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja madagascariensis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buddleja volubilis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora decurrens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora decussata* (Roxb.) Schultes & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora heteroclita* (L.) Gilg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora perfoliata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canscora roxburghii* Arn. ex Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enicostema axillare* (Lam.) Raynal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum anamallayanam* Bedd. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum atropurpureum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum courtallense* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum grande* Klack. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum lawii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum pedunculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum petiolare* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum pumilum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum sessile* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum tetragonum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum travancoricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum wightianum* Arn. var. *wightianum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halenia perrottetii* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoppea dichotoma* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoppea fastigiata* (Griseb.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia beddomei* Clarke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia densifolia* (Griseb.) Kashyapa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia minor* (Griseb.) Knobl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides aurantiacum* (Dalz.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides hydrophylla* (Lour.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides indicum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrolea zeylanica* (L.) Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wigandia canacasana* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlox drummondii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carmona retusa* (Vahl) Masamune and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coldenia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia alba* Roem. & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia diffusa* Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia domestica* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia evolutior* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia monoica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia obliqua* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia wallichii* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia sebestena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia subcordata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia aspera* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia canarensis* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia laevis* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia wightiana* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium arborescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium bracteatum* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium curassavicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium marifolium* Retz. subsp. *marifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium marifolium* Retz. subsp. *wallichii*

(Clarke) Kazmi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium ovalifolium* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium peruvianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium rottleri* Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium supinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium zeylanicum* (Burm.f.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotula aquatica* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symphytum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tournefortia argentea* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tournefortia heyneana* Wall. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tournefortia reticosa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tournefortia wightii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichodesma indicum* (L.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichodesma inaequale* Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichodesma zeylanicum* (Burm.f.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aniseia martinicensis* (Jacq.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyrea argentea* Choisy var. *venusta* (Choisy) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia coonoorensis* W.W. Smith & Ramaswami and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia cuneata* (Willd.) Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia cymosa* (Roxb.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia daltonii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia elliptica* (Roth) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia fulgens* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia imbricata* (Roth) Sant. & Patel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia involucrata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia kleiniana* (Roem. & Schultes) Raizada and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia nellygherya* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia nervosa* (Burm.f.) Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia osyrensis* (Roth) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia pilosa* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia pomacea* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia populifolia* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia sericea* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyreia setosa* (Roxb.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bonamia evolvuloides* (Choisy) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bonamia Semidigyna* (Roxb.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus flavus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus rottlerianus* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cressa cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta campestris* Decne. ex Engelm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta chinensis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta hyalina* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta reflexa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erycibe paniculata* Roxb. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evolvulus alsinoides* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evolvulus nummularius* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hewittia sublobata* (L.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea aquatica* Forssk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea barlerioides* (Choisy) Benth.ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea batatas* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea cairica* (L.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea campanulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea carnea* Jacq. subsp. *carnea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea deccana* Austin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea dichroa* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea diversifolia* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea eriocarpa* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea hederifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea indica* (Burm.f.) Merr. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea involucrata* Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea marginata* (Desr.) Verdc . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea mauritiana* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea nil* (L.) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea obscura* (L.) Ker-Gawl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea pes-tigridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea pileata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea purpurea* (L.) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea quamoclit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea rumicifolia* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea sepiaria* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea sinensis* (Desr.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea staphylina* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea tuberculata* Ker - Gawl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea turbinata* Lag. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea violacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea wightii* (Wall.) Choisy and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacquemontia caerulea* Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacquemontia paniculata* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacquemontia pentantha* (Jacq.) D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepistemon leiocalyx* Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia aegyptia* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia dissecta* (Jacq.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia emarginata* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia hederacea* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia quinata* (R.Br.) Ooststr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia quinquefolia* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia tridentata* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia umbellata* (L.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia umbellata* (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia vitifolia* (Burm.f.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Operculina turpethum* (L.) Silva Manso and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porana paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porana racemosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rivea hypocrateriformis* (Desr.) Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rivea ornata* (Roxb.) Choisy and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stictocardia tiliifolia* (Desr.) Hall.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Browallia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Browallia speciosa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Browallia viscosa* Kunth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brugmansia arborea* (L.) Lagerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brugmansia versicolor* Lagerh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brunfelsia undulata* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum annuum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsicum frutescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum aurantiacum* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum corymbosum* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum diurnum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum elegans* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum fasciculatum* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum nocturnum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cestrum parqui* L'Herit. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyphomandra betacea* (Cav.) Sendtner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura cornigera* Hook. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura innoxia* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura metal* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura ferox* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura sanguinea* Ruiz & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura stramonium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iochroma coccinea* Scheid. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycium barbatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopersicon esculentum* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicandra physalodes* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana alata* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana glauca* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana glutiniosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana plumbaginifolia* Viv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana repKalam* Willd. ex Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana tabacum* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nierembergia gracilis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petunia axillaris* (Lam.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petunia x hybrida* Vilm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis ixocarpa* Brot. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis angulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis lagascae* Roem. & Schult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis pruinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis peruviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizanthus pinnatus* Ruiz & Pav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizanthus wisetonensis* Hort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanandra grandiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum americanum* Mill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum anguivi* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum ariculari* G. Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum barbisetum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum capsicastrum* Link & Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum capsicoides* Mart. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum clavatum* Rusby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum convolvulus* Sendtner and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum elaeagnifolium* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum erianthum* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum giganteum* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum grandiflorum* Ruiz & Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum hispidum* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum jasminoides* Paxt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum kurzii* Brace ex Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum macrocarpon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum macrophyllum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum marginatum* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum mauritianum* Scop. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum melongena* L. var. *melongena* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum insanum* J.B.Fisch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum lasiocarpum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum pubescens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum robustum* H. Wendl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum seforthianum* Andr. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum sisymbriifolium* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum stramoniiifolium* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum torvum* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum trilobatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum tuberosum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum vagum* Heyne ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum viarum* Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum violaceum* Ortega Subsp. *violaceum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum wendlandii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum wrightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Streptosolon jamesonii* (Benth.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Withania somnifera* (L.) Dunal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenosma indianum* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angelonia biflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antirrhinum majus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antirrhinum orontium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Antirrhinum purpureum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artanema longifolia* (L.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bacopa floribunda* (R.Br.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bacopa hamiltoniana* (Benth.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bacopa monnieri* (L.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchnera hispida* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calceolaria gracilis* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celsia arcturus* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centranthera indica* (L.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centranthera tranquebarica* (Spreng.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbalaria muralis* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitalis purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dopatrium lobelioides* (Retz.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dopatrium nudicaule* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossostigma diandrum* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hebe speciosa* (A.Cunn) Andersen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hebe andersonii* Cockayne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kickxia ramosissima* (Wall.) Janchen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila aromatica* (Lam.) Merr. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila chinensis* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila heterophylla* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila indica* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila polystachya* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila repens* (Benth.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila rugosa* (Roth) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindenbergia indica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia anagallis* (Burm.f.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia antipoda* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia caespitosa* (Blume) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia ciliata* (Colsm.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia crustacea* (L.) F.v.Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia hyssopioides* (L.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia minima* (Benth.) Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia nummulariifolia* (D.Don) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia oppositifolia* (Retz.) Mukerjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia parviflora* (Roxb.) Haines and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia procumbens* (Krock.) Philcox and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia rotundifolia* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia ruellioides* (Colsm.) Pennell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia srilankana* Cramer & Philcox and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia sessiliflora* (Benth.) Wettst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia tenuifolia* (Colsm.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia viscosa* (Hornem.) Boldingh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maurandya barclaiana* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maurandya erubescens* (D.Don) Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maurandya lophospermum* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maurandya semperflorens* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mazus pumilus* (Burm.f.) Steenis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mecardonia procumbens* (Mill.) Small and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micrargeria wightii* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microcarpaea minima* (Koen.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paulownia tomentosa* (Thunb.) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis perrottetti* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis zeylanica* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Penstemon azureus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Penstemon campanulatus* (Cav.) Willd. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peplidium maritimum* (L.f.) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Russelia equisetiformis* Schlecht. & Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scoparia dulcis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sopubia stricta* G.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sopubia trifida* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stemodia viscosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga angustifolia* (D.Don) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga asiatica* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga densiflora* (Benth.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga gesnerioides* (Willd.) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga masuria* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sutera dissecta* (Del.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia bicolor* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia cordifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia courtallensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia fournieri* Linden ex Fourn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia hirsuta* Willd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia travancorica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia vagans* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbascum chinense* (L.) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbascum thapsus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbascum virgatum* Stokes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica javanica* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica polita* Fries and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica speciosa* R.Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica persica* Poir.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeginetia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeginetia pedunculata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christisonia bicolor* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christisonia neilgherrica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christisonia saulierei* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christisonia subacaulis* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orobanche cernua* Loefl. var. *nepalensis* Reut. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia aurea* Lour. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia australis* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia bifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia caerulea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia exoleta* R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia graminifolia* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia hirta* Klein ex Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia minutissima* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia nayarii* Jana. & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia polygaloides* Edgew. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia reticulata* J.E.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia roseo-purpurea* Stapf ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia scandens* Benj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia smithiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia stellaris* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia striatula* J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia uliginosa* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia wightiana* Taylor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynanthus ceylanica* Gard. var. *pinguis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynanthus perrottetii* A.DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus fischeri* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus gambleanus* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus humboldtianus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus innominatus* Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus lyrata* Wight var. *lyrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus meeboldii* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus missionis* Wall. ex R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus repens* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus tomentosus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus wightii* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gesneria cardinalis* Lehm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jerdonia indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchoglossum notonianum* (Wall) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchochloa permolle* (Nees) Burt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arrabidaea magnifica* Sprague ex Steenis Bull and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bignonia megapotamica* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Campsis radicans* (L.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catalpa bignonioides* Walter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clytostoma callistegioides* (Cham.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmentiera alata* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crescentia cujeta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone arcuata* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone falcata* (Wall.ex DC.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haplophragma adenophyllum* (DC.) Dop and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *JacarKalam mimosifolia* D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kigelia africana* (Lam.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macfadynea unguis-cati* (L.) A. Gentry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Markhamia stipulata* Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millingtonia hortensis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nyctocalos cuspidata* (Blume) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oroxylum indicum* (L.) Benth. ex Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pandorea jasminoides* (Lindl.) K. Schum. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaedranthus buccinatorius* (DC.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllarthron bojerianum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleonotoma jasminifolia* (H.B.K.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podranea ricasoliana* (Tranf.) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrostegia venusta* (Ker-Gawl.) Presl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Radermachera xylocarpa* (Roxb.) K.Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spathodea campanulata* Beauv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley var. *colais* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabblerley var. *angustifolium* (Haines) Chandrasekaran and 10 crop weeds based Green Spray

on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabebuia rosea* (Bertol.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabebuia arjentea* Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabebuia pallida* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabebuia palmeri* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecoma stans* (L.) Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecomaria capensis* (Thunb.) Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cobaea scandens* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedaliium murex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum alatum* Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum laciniatum* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum prostratum* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum radiatum* Schumach. & Thonn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Martynia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthus ilicifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthus mollis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis affinis* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis alata* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis atropurpurea* (Dennst.) A. Alston and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis ceylanica* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis echiioides* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis elongata* (Vahl) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis explicata* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis lineata* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis lobelioides* Wight var. *lobelioides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis lobelioides* Wight var. *composita* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis macrobotrys* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis neesiana* Wight var. *neesiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis neesiana* Wight var. *producta* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis rothii* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis stellulata* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis stenophylla* Clarke and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Andrographis viscosula* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphelandra deppeana* Schlecht. & Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia chelonoides* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia crispata* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia dalzelliana* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia gangetica* (L.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Asystasia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria acuminata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria buxifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria courtallica* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria cristata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria cuspidata* Heyne ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria gibsonii* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria involucrata* Nees var. *elata* (Dalz.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria longiflora* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria montana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria mysorensis* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria nitida* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria noctiflora* L.f. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria paniculata* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria pilosa* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria prattensis* Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria prionitis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria strigosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria tomentosa* Roth var. *tomentosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria tomentosa* Roth var. *glandulosa* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barleria vestita* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis maderaspatensis* (L.) Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharis repens* (Vahl) Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinacanthus nutans* (Burm.f.) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crossandra infundibuliformis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera cuneata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera foetida* (Forssk.) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera verticillata* (Forssk.) Christensen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diotacanthus albiflorus* (Bedd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipteracanthus patulus* (Jacq.) Nees and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipteracanthus prostratus* (Poir.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dyschoriste madurensis* (Burm.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dyschoriste nagchana* (Nees) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dyschoriste vagans* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium ligustrinum* (Vahl) Vollesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium viride* (Forssk.) Alston var. *viride* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium viride* (Forssk.) Alston var. *dentata* (Klein ex Link) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elytraria acaulis* (L.f.) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum capense* L. var. *capense* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum purpurascens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum roseum* (Vahl) R.Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Graptophyllum hortense* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnostachyum canescens* (Nees) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnostachyum ceylanicum* Arn. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnostachyum latifolium* (Dalz.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haplanthodes neilgherryensis* (Wight) Majumdar and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haplanthodes verticillatus* (Roxb.) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila balsamica* (L.f.) Rafin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila heinei* Sreemadh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila salicifolia* (Vahl) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacobinia carnea* (Lindl.) G. Nicholson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia adhatoda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia beddomei* (Clarke) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia betonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia diffusa* Willd. var. *diffusa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia gendarussa* Burm.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia glabra* Koen.ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia glauca* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia latispica* (Clarke) Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia neesii* Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia prostrata* (Roxb. ex Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia salsoloides* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia santapau* Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia simplex* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia tranquebariensis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia trinervia* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia vahlii* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia wynaadensis* (Nees) Heyne ex T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis cristata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis cuspidata* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis diffusa* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis fasciculata* (Retz.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis incurva* Buch.-Ham. ex D.Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis mitis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis pungens* Nees and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis scariosa* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis spinosa* Wight ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis subarmata* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptostachya wallichii* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meyenia hawtayneana* (Wall.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monothecium aristatum* (Wall. ex Nees) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neuracanthus neesianus* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristrophe montana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristrophe paniculata* (Forssk.) Brummitt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petalidium barlerioides* (Roth) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaulopsis imbricata* (Forssk.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseuderanthemum malabaricum* (Clarke) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia colorata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia apiculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia crenata* T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia laeta* Clarke and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia latior* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia parviflora* (Retz.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia pectinata* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia repens* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia sisparensis* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia wightiana* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sanchezia nobilis* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sanchezia parvibracteata* Sprague & Hutchinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santapaua madurensis* Balakr. & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Staurogyne glauca* (Nees) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Staurogyne zeylanica* (Nees) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenosiphonium confertum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenosiphonium cordifolium* (Vahl) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenosiphonium parviflorum* T.And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenosiphonium russellianum* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenosiphonium wightii* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes asperimus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes amabilis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes anamallai* J. R. I. Wood and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes andersonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes barbatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes bolampattiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes ciliatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes consanguineus* (Nees) T. Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes cuspidatus* (Benth.) Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes decurrens* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes foliosus* (Wight) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes gracilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes heyneanus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes heteromallus* T. Anderson ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes homotropus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes humilis* (Nees) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes isophylla* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes ixiocephala* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes kunthianum* (Nees) Anders. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes lanatus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes lawsonii* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes lupulinus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes luridus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes matthewiana* R. W. Scotland and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes micranthes* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes microstachya* Benth. ex Hohen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes neoasper* Venu & P. Daniel and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes neilgherrensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes papillosus* T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes perrottetianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes pulneyensis* C. B. Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes rubicundus* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes sessilis* Nees var. *sessilis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes sexennis* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes tristis* (Wight) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes urceolaris* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes violaceus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes wightianus* Nees and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes wightianus* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes zenkerianus* (Nees) T. Anderson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia alata* Boj. ex Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia bicolor* (Wight) Lindau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia erecta* (Benth.) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia fragrans* Roxb. var. *fragrans* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia fragrans* Roxb. var. *vestita* Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia mysorensis* (Wight) T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia tomentosa* Wall. ex Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aloysia triphylla* (L'Herit.) Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bouchea hyderabadense* Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callicarpa tomentosa* (L.) Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citharexylum fruticosum* L. forma *suberratum* (Sw.) Moldenke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum aculeatum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum cordatum* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum indicum* (L.) Kuntze and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum inerme* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum infortunatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum nerifolium* Wall.ex Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum paniculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum philippinum* Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionachne koenigii* (SPRENG.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus macrophylla* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chionanthus mala-elengi* (DENNST.) GREEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chondrus crispus* LYNGBYE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloranthus elatior* LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloranthus glaber* (THUNB.) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloranthus inconspicuus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloranthus officinalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris barbata* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloris virgata* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophora excelsa* BENTH. & HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum arundinaceum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum attenuatum* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum laxum* R.Br. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chlorophytum tuberosum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloroxylon dupada* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloroxylon swietenia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chondrus crispus* STACKH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chonemorpha fragrans* (MOON) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chonemorpha macrophylla* (ROXB.) G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chorchorus trilocularis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christella arida* (DON) HOLT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christella crinipes* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christella parasitica* (L.) LEV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christella subpubescens* (BL.) HOLTUM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrozophora plicata* A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrozophora prostrata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrozophora rotleri* (GEIS.) A.JUSS. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrozophora tinctoria* A.JUSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthellum americanum* (L.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthellum indicum* DC. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum cinerariifolium* (TREV.) VIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum coccineum* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum coronarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum roxburghii* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysobalanus icaco* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysophyllum cainito* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysophyllum roxburghii* DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon aciculatus* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chukrasia tabularis* A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cibotium barometz* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cicca acida* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cicca disticha* L.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cicer arietinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cicer microphyllum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cichorium endivia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cichorium intybus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cichorium noeanum* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cicuta virosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cimicifuga foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cimicifuga racemosa* NUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona calisaya* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona excelsa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona ledgeriana* MOENS EX TRIMEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona robusta* HOWARD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona succirubra* PAV. EX KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum aromaticum* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum camphora* (L.) PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum cassia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum cecidodaphne* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum glanduliferum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum impressinervium* MEISSN. NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum iners* REINW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum javanicum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum macrocarpum* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum malabathrum* BATKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum obtusifolium* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum parthenoxylon* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum pauciflorum* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum sulphuratum* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum tamala* NEES & EBERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum travancoricum* GAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum verum* PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum wightii* C.F.W.MEISSN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinnamomum zeylanicum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cipadessa baccifera* (ROTH.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Circaea alpina* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Circaea cordata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirsium argyranthum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirsium arvense* (L.) SCOP and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirsium sinense* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirsium verutum* (DON) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cirsium wallichii* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissampelos pareira* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus acida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus adnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus discolor* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus javanica* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus lanceolata* MALME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus latifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus pallida* (WIGHT & ARN.) PLANCHON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus pedata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus repKalam* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus repens* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus setosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus trilobata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus vitiginea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cistanche tubulosa* WGT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cistus creticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citharexylum suberratum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus colocynthis* (L.) SCHRADER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus vulgaris* SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus acida* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus aurantifolia* (CHRISTM.) SWINGLE and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus aurantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus aurantium* L. bergamia and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus bergamia* RISSO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus bigaradia* LOISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus decumana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus grandis* (L.) OSBECK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus hystrix* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus jambhiri* LUSH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus karna* RAFIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus latipes* (SWINGLE) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus limetta* RISSO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus limon* (L.) BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus limonum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus macroptera* Montr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus madurensis* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus maxima* MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus medica* L. *medica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus medica* L. *limetta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus medica* L. *limonum* and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus medica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus paradisi* MACF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus pyxidata* (LINN.) FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus reticulata* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus sinensis* (L.) OSBECK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cladonia alpestris* (L.) RABH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claoxylon indicum* HASSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claoxylon polot* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena dentata* (WILLD.) ROEM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena excavata* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena heptaphylla* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena lansium* (LOUR.) SKEELS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena pentaphylla* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena wampi* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena willdenowii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claviceps purpurea* (FR.) TUL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Claxylon indicum* (BL.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleidion nitidum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleisostoma tenuifolium* (L.) GARAY and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleisostoma williamsonii* (RCHB.F.) GARAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis barbellata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis buehneriana* DC. *vitifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis connata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis gouriana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis grata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis hedysarifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis montana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis smilacifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis triloba* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis wightiana* WALL. EX WT. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome brachycarpa* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome burmanni* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome chelidonii* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome felina* L. F. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome gynandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome heptaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome icosandra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome monophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome vahliana* FAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome viscosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum colebrookianum* WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum indicum* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum inerme* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum infortunatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum multiflorum* (Burm.f.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum paniculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum philippinum* SCHAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum phlomides* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum serratum* (L.) MOON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum siphonanthus* R.BR. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum splendens* G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum viscosum* H.W. MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clerodendrum wallichii* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinogyne dichotoma* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinogyne grandis* BENTH. HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinopodium umbrosum* (BIEB.) KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinopodium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clitoria mariana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clitoria ternatea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccinia cordifolia* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccinia glauca* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccinia grandis* (L.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccinia indica* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccoloba uvifera* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus cordifolius* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus hirsutus* (L.) DIELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus laurifolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus leaeba* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus macrocarpus* W. & A. PRODR. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus pendulus* (JR. & G. FORST) DIELS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus suberosus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus villosus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cochlearia armoracia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cochlearia cochlearioides* (ROTH) SANTAPAU & MAHESHWARI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cochlospermum gossypium* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cochlospermum religiosum* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocos nucifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocos schizophylla* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Codiaeum variegatum* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Codonacanthus pauciflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Codonopsis clematidea* (SCHR.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Codonopsis ovata* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelodepas calycinum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne cristata* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne ovalis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne punctulata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coelogyne stricta* (DON) SCHL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea travancorensis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coix gigantea* KOENIG EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coix lachryma* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coix lacryma-jobi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cola nitida* (VENT.) SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colchicum autumnale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colchicum luteum* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colchicum variegatum* BIVONA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coldenia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colebrookea oppositifolia* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus ambonicus* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus aromaticus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus barbatus* (ANDR.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus forskohlii* (POIR.) BRIQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus osmirrhizon* W.ELLIOT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus scutellarioides* (L.) BENTH. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus vettiveroides* K.C. JACOB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coleus zeylanicus* (BENTH.) CRAMEV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colocasia antiquorum* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colocasia esculenta* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colocasia macrorrhiza* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colocasia virosa* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colophospermum mopane* KIRK EX LEON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colubrina asiatica* (L.) BRONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colutea arborescens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colutea nepalensis* SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum acuminatum* (ROXB.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum decandrum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum extensum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum latifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum nanum* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum pilosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum roxburghii* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina benghalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina communis* EUGELM. EX KUNTH and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina diffusa* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina longifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina nudiflora* (L.) BRENAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina obliqua* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina paludosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina salcifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commelina suffruticosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commicarpus chinensis* (L.) HEIMERL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commicarpus verticillatus* STANDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora abyssinica* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora agallocha* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora berryi* (ARN.) ENGLR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora molmol* ENGL. EX. TSCHIRAH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora myrrha* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora opobalsamum* (L.) ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora playfairii* HOOK. F. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora roxburghii* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora schimperi* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora stocksiana* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora wightii* (A.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conium maculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Connarus monocarpus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conocarpus latifolia* ROXB. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conocephalus suaveolens* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Consolida ajacis* (L.) SCHUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Consolida regalis* S.F. GRAY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convallaria majalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus gemellus* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus grandiflorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus malabaricus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus microphyllus* SIEB.EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus nil* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus paniculatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus pluricaulis* CHOIS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus prostratus* FORSSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus scammonia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus speciosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus spinosus* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Convolvulus turpethum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza bonariensis* (L.) CRONQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza cinerea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza japonica* (THUNB.) LESS. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Conyza stricta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Copernicia cerifera* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coptis teeta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corallocarpus epigaea* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corallocarpus epigaeus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corbichonia decumbens* EXELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus acutangulus* AUCT.NON FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus aestuans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus antichorus* ROEUSCH. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus capsularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus depressus* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus fascicularis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus olitorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus trilocularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus urticifolius* WIGHT & ARM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia dichotoma* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia gharaf* (FORSK.) EHRENB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia grandis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia macleodii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia monoica* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia myxa* SENU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia obliqua* WILLD. wallichii (G.DON) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia obliqua* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia rothii* ROEM.& SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia sebestena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia vestita* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordia wallichii* G.DON and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordyceps sinensis* (BERK.)SAAC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordyline fruticosa* GOEPPERT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cordyline terminalis* (L.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coriandrum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coriaria nepalensis* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coronilla picta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coronopus didymus* (L.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cortia depressa* (DON) NORM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis adiantifolia* HK.F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis flabellata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis govaniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis meifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis ramosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis rutifolia* (SMITH) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis vaginans* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corylus avellana* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corylus colurna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corylus jacquemonti* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corymbis veratrifolia* RCHB.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corymborkis veratrifolia* (REINW.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corypha umbraculifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coscinium fenestratum* (GAERTN.) COLEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cosmostigma racemosa* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Costus arabicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Costus speciosus* (KOEN. EX RETZ.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotinus coggygria* SCOP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotinus racemiflora* (DESF.) C. KOCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster bacillaris* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster buxifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster microphylla* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster microphyllus* WALL. EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster nummularia* FISCH. & MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotula anthemoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotula aurea* Loefl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cousinia thomsonii* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crambe cordifolia* STEVEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crassocephalum crepidioides* (BTH.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataegus laevigata* (POIR.) DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataegus oxyacantha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataegus songarica* KOCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataeva adansonii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataeva magna* (LOUR.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataeva marmelos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataeva nurvala* SENSU KANJ. & DAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataeva religiosa* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crataeva tapia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cratogeomys cochinchinense* (LOUR.) BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cratoxylum neriifolium* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cremanthodium arnicoides* DC. *GOOD trigida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cremanthodium decaisnei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cremastra appendiculata* (D.DON) MAKINO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cremastra wallichiana* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crepidium acuminatum* (D.DON) SZLAC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crepis flexuosa* (DC) BETH. & HK.F. EX CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crepis japonica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crescentia cujete* VELL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cressa cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum amoenum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum asiaticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum defixum* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum powellii* HORT. album HORT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum pratense* HERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum revolutum* HERB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crinum viviparum* (LAM.) HEMADRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crocus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crossandra infundobuliformis* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crossandra undulaefolia* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria albida* HEYNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria anagyroides* H.B. & K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria angulosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria benghalensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria bialata* SCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria biflora* LINN. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria burhia* BUCH-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria calycina* SHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria juncea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria laburnifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria linifolia* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria medicaginea* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria mucronata* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria mysorensis* ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria pallida* DRY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria paniculata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria prostrata* ROTTL. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria pulchra* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria quinquefolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria ramosissima* ROXB. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria saltiana* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria sericea* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria spectabilis* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria striata* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria trifoliastrium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria verrucosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton argyratus* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton aromaticus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton bonplandianum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton caudatus* GEISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton joufra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton malabaricus* BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton oblongifolius* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton plicatum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton polyandrum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton reticulatus* HEYNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton roxburghii* BALAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton sebiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton sparsiflorus* MORONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton tiglium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Croton zeylanicus* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocarya wightiana* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptocoryne spiralis* FISCH. EX WYDLER and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptolepis buchananii* ROEMER & SCHULTES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptolepis elegans* WALL. EX G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptolepis grandiflora* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cryptostegia grandiflora* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ctenolepis cerasiformis* NAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ctenolepis garcinii* BENTH. & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cubeba officinalis* RAFIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucubalus baccifer* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis acutangulus* DESCOURT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis agrestis* NAUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis anguinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis callosus* (ROTTL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis colocynthis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis hardwickii* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis lagenarius* DUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis madraspatanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis melo* L. *momordica* DUTHIE & FULLER

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis melo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis momordica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis myriocarpus* NAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis prophetarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis pseudo-colocynthis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis pubescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis trigonus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis utilisissimus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita citrullus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita lagenaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita maxima* DUCHESNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita pepo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cudrania javanensis* TREC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cullenia exarillata* ROBYNS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuminum cyminum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cupressus sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curanga amara* JUSS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curanga fel-terrae* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curculigo capitulata* (LOUR) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curculigo crassifolia* GEARTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curculigo orchoides* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curculigo recurvata* DRYAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma amada* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma angustifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma aromatica* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma caesia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma domestica* (MEDIK) VALH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma inodora* BLAT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma leucorhiza* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma longa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma montana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma pseudomontana* GRAHAM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma rubescens* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma zedoaria* (CHRIST.) ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Curcuma zerumbet* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta capitata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta chinensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta europaea* BOVE & ENGELM. indica ENGELM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta hyalina* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuscuta reflexa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyamopsis psoralioides* (LAM). DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyamopsis tetragonoloba* (L.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyamopsis tetragonolobus* (L.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis axillaris* (L.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis concanensis* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis cristata* (L.) DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathia albo-setacea* (BEDD.) COPEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathia gigantea* (WALL. EX HOOK.) HOLT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathia spinulosa* WALL. EX HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathocline purpurea* (DON) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathostemma micranthum* J.SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathula prostrata* BLUME and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathula tomentosa* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathus limbatus* TULSANE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathus stercoreus* (SCHW.) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cycas beddomei* DYER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cycas circinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cycas revoluta* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cycas rumphii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclamen europaeum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclamen persicum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea arnotii* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea bicristata* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea burmanni* (DC.) HOOK.F. TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea fissicalyx* DUNN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclosorus dentatus* (FORSK.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclosorus gongylodes* (SCH.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclosorus parasiticus* (L.) FOREWELL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cydonia oblonga* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cydonia vulgaris* PERS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cylista scariosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbalaria muralis* G.M. SCHREB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium aloifolium* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium aloifolium* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium grandiflorum* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium hookerianum* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbidium pendulum* (ROXB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon caesius* STAPH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon citratus* (DC.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon coloratus* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon flexuosus* WATS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon jwarancusa* (JONES) SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon martini* (ROXB.) WATS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon nardus* (L.) RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cymbopogon schoenanthus* (L.) SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum arnotianum* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum extensum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum heydei* HOOK.F.CYNAN and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanchum vincetoxicum* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynanthus lobatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynara scolymus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynodon dactylon* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynodon linearis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum glochidiatum* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum lanceolatum* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum micranthum* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum wallichii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynoglossum zeylanicum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra cauliflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra iripa* KOSTEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra mimosoides* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra ramiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynosurus coracanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus alopecuroides* ROTTL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus amabilis* VAHL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus bulbosus* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus compactus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus compressus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus corymbosus* ROTTLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus cyperoides* (LINN.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus denticulatus* SCHRAD EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus diffusus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus distans* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus exaltatus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus haspan* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus inundatus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus iria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus jeminicus* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus juncifolius* ROTTLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus kyllingia* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus laevigatus* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus longus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus malaccensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus michelianus* (L.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pangorei* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pedunculatus* (R.BR.) KERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pectenatus* BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus pilosus* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus platystylis* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus rohita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus rotundus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus scariosus* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus stoloniferus* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus triceps* (ROTTB.) ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus tuberosus* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyperus undulatus* KUKENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyphostemma setosum* (ROXB.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtomium caryotideum* (WALL.) PRESL NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtomium falcatum* (L. F.) BERNH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyrtophyllum peregrinum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cythocline purpurea* (DON.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus scoparius* (L.) LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dactylis glomerata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dactyloctenium aegyptium* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dactyloctenium indicum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dactylorhiza hatagirea* (DON.) SOO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daedalacanthus roseus* T. ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daemia cordata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daemia extensa* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daeonorops draco* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dahlia rosea* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia arborea* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia candanensis* (DENNST.) PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia emarginata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia horrida* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia lanceolaria* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia latifolia* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia oogeinensis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia pinnata* PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia sissoo* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia stipulacea* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia sympathetica* NIMMO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia tamarindifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia volubilis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalechampia indica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalhousiea bracteata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphne cannabina* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphne oleo* SCHRAB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphne oleoides* SCHREB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphne papyracea* WILLD. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphniphyllum himalayense* MUELL.- ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daphniphyllum neilgherrense* ROSENTH and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datisca cannabina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura alba* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura fastuosa* L. alba (NEES) C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura fastuosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura innoxia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura metel* L. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura metel* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura nilhummatu* DUN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura stramonium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Datura tatula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daucus carota* L. sativa DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daucus carota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Davallia tenuifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Davallia trichomanoides* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Decalepis hamiltonii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Decaspermum fruticosum* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Deeringia amaranthoides* (LAMK.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delima scandens* (L.) MERR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delonix elata* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delonix regia* (L.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium denudatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium altissimum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium bruonianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium caeruleum* JACQ. EX CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium cashmirianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium glaciale* HOOK.F. & THOMSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium kashmirianum* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium kohatense* (BRUHL.) MUNZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium paciflorum* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium roylei* MUNZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium saniculifolium* AUCT NON BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium semibarbatum* BLENERT EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium speciosum* JANKA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium vestitum* WALL. EX ROYLE. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium viscosum* HK. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium zalil* AITCH & HEMSL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium aduncum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium aggregatum* - JENKINSII K. & P. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium amoenum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium chrysanthum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium coerulescens* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium crumenatum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium crumentum* SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium densiflorum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium jenkinsii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium macraei* AUCTIONEER. NON LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium moschatum* (BUCH.-HAM.) SW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium nobile* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium ovatum* (L.) KRAENZL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrobium paxtonii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrocalamus hamiltonii* NEES EX ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrocalamus strictus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrocnide sinuata* (BL.) CHEW and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe elastica* (DESR.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe falcata* (L.F) ETTING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dendrophthoe pentandra* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dentella repens* (L.) J.R. & G. FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris elliptica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris ferruginea* (ROXB.) BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris indica* (LAM.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris malaccensis* PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris robusta* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris scandens* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris trifoliata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris uliginosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Descurainia sophia* (L.) WEBB. EX PRANTL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmanthus cinereus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmanthus virgatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmochaeta atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium biarticulatum* (L.) F.V.MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium dichotomum* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium elegans* BENTH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium gangeticum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium gyrans* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium gyroides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium heterocarpon* - *strigosum* VAN MEEWUEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium heterocarpon* (LINN.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium heterophyllum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium lasiocarpum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium latifolium* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium laxiflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium microphyllum* (THUNB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium motorium* (HOUTT.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium oojeinense* (ROXB.) OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium polycarpum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium pseudotriquetrum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium pulchellum* BENTH.EX. BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium retroflexum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium styracifolium* (OSB.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium tiliaefolium* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium triangulare* (RETZ.) MERR. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium triflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium triquetrum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium umbellatum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium velutinum* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmos chinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmos cochinchinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmos dumosa* (ROXB.) SAFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmos longiflorus* (ROXB.) SAFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmostachya bipinnata* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmotrichum fimbriatum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Deutzia scabra* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dianthus anatolicus* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dianthus caryophyllus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dianthus chinensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicaelospermum ritchiei* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicentra chrysantha* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicentra thalictrifolia* HF.& T. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium caricosum* (L.) A. CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichanthium pertusum* CLYTON and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichopsis ellipticum* BENTH & HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichroa febrifuga* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrocephala integrifolia* (L.F.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrocephala latifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrostachys cinerea* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera bupleuroides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera cuneata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera micranthus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera roxburghiana* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicoma tomentosa* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicranopteris linearis* (BURM.F.) UNDERW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dictamnus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus aromaticus* WALL. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Didymocarpus pedicellata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dieffenbachia seguine* (L.) SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dienia muscifera* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digera arvensis* FORSK. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digera muricata* (L.) MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitalis lanata* EHRH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Digitalis purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia aurea* SIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia bracteata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia pentagyna* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimocarpus longan* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimorphocalyx glabellus* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dinebra arabica* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dinebra retroflexa* (VAHL) PANZER retroflexa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dinochloa Kalammanica* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dionysia diapiensiaefolia* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea alata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea belophylla* VOIGT EX HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea bulbifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea composita* HEMSL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea crispata* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea daemona* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea deltoidea* WALL. EX KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea esculanta* (LOUR.) BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea glabra* AUCT. NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea globosa* ROXB. ET. PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea hamiltonii* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea hirsuta* DENNST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea hispida* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea prazeri* PRAIN & BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea puber* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea purpurea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea rubella* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea sativa* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea tomentosa* KOEN. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea triphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dioscorea wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros bourdilloni* BRANDIS and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros buxifolia* (BLUME) HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros candolleana* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros chloroxylon* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros cordifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros ebenum* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros embryopteris* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros exsculpta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros ferrea* (WILLD.) BATCH. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros glutinosa* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros insignis* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros kaki* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros lancaefolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros lotus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros malabarica* (DESR.) KOSTEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros melanoxylon* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros montana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros oocarpa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros paniculata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros peregrina* (GAERTN.) GURKE. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros quaesita* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros racemosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros sylvatica* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros tomentosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diospyros toposia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipcadi erythraeum* WEBB & BERTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplazium esculentum* (RETZ.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplazium stoliczkae* BEDD. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplocisia glaucescens* (BL.) DIELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplocyclos palmatus* (L.) JAFFREY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diploknema butyraceae* (ROXB.) H.J. LAMK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplospora singularis* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplospora sphaerocarpa* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipsacus fullonum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipsacus inermis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipsacus mitis* D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipteracanthus patulus* (JACQ.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipteracanthus prostratus* (POIR.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipteracanthus suffruticosus* (ROXB.) VOIGT and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus alatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus bourdillonii* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus gracilis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus indicus* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus laevis* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus pilosus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus tuberculatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus turbinatus* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dischidia rafflesiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Disporum cantoniense* (LOUR.)MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Distemon indicum* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dittelasma raraka* (DC.) HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dodonaea angustifolia* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dodonaea burmanniana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dodonaea viscosa* (L.) JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone arcuata* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone falcata* SEEMANN and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone spathacea* (L.F.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichandrone stipulata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos biflorus* SENSU AUCTION. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos bulbosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos catiangu* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos catjang* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos cylindricus* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos falcatus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos gladiatus* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos lablab* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos lablab* L. *typicus* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos pruriens* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos trilobus* (L.) AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos uniflorus* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolomaea macrocephala* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya cayeuxii* HORT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Donax connaeformis* (FORST.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dopatrium junceum* HAM. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dopatrium lobelioides* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dopatrium nudicaule* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dorema ammoniacum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dorema aureum* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Doronicum falconeri* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Doronicum hookeri* C.B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Doronicum pardalianches* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Doronicum roylei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dorstenia indica* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dosma bracteatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Douepia tortuosa* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Draba muralis* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Draba setosa* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena angustifolia* (MEDIC.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena cinnabari* BALF NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena petiolata* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena terminalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracaena terniflora* ROXB. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracocephalum heterophyllum* BENTH. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracocephalum moldavica* LINN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracocephalum royleanum* ROYLE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracocephalum stamineum* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dracontium polyphyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drimia indica* (ROXB.) J.P. JESSOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drimys winteri* FORST. CHAR. GEN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera burmannii* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera lunata* HAM. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera peltata* SM.WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drymaria cordata* (L.) WILLD. EX R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drymaria cordata* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drymaria diandra* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drymoglossum carnosum* (WALL.)SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drynaria quercifolia* (L.) J.SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryobalanops aromatica* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris barbigera* (MOORE) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris blanfordii* (HOPE) C. CHR. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris cochleata* (DON) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris filix-mas* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris marginata* (WALL.) CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dryopteris sparsa* (DON)KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes roxburghii* (WALL.) HURUSAWA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Duboisia myoporoides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Duchesnea indica* (ANDR.) FOCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Duranta repens* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Durio zibethinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dyschoriste madurensis* (BURM.F.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysophylla auricularia* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysophylla rugosa* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysophylla stelata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysophylla stellata* BENTH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum binectariferum* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum hamiltonii* HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum malabaricum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum procerum* HIERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ebermaiera glutinosa* CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium linneanum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium viride* (FORSK.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ecbolium virids* (FORSSK.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echeveria glauca* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinacea angustifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa colona* LINK. *frumentacea* BLATTER & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa crusgalli* (L.) P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa frumentacea* LINK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinops cornigerous* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echinops echinatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Echites dichotoma* ROTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eclipta alba* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eclipta erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eclipta parviflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eclipta prostrata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Edgeworthia tomentosa* NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Edwardsia griffithii* (STOCKS) PHILIP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia acuminata* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia aspera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia buxifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia canarensis* MIQ. EX CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia laevis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia laevis* ROXB. pubescens and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia microphylla* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ehretia obtusifolia* HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eichhornia crassipes* SOLMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Codariocalyx motorius* (Houtt.) H. Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria acicularis* Buch.-Ham. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria agatiflora* Engler and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria alata* Buch.-Ham & Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria albida* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria anagyroides* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria angulata* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria barbata* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria berteriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria bidiei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria bifaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria bourneae* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria calycina* Schrank and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria candicans* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria clarkei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria clavata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria conferta* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria digitata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria dubia* Graham ex benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria epunctata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria evolvuloides* Wight ex Wight & Arn. var.

acutifolia Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria formosa* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria fysonii* Dunn var. *fysonii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria fysonii* Dunn var. *glabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria globosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria grahamiana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria hebecarpa* (DC.) Rudd and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria heyneana* Grahma ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria hirta* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria humifusa* Graham ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria juncea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria laburnifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria laevigata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria beddomeana* Thoth. & A. A. Ansari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria spectabilis* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria linifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria longipes* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria lunulata* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria madurensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria medicaginea* Lam. var. *medicaginea* and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria multiflora* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria mysorensis* Roth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria nana* Burn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria notonii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria orixensis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria ovalifolia* Wall. ex Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria pallida* Dryand. var. *pallida* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria paniculata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria peduncularis* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria priestleyoides* Benth ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria prostrata* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria pulchra* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria pusilla* Neyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria quinquefolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria ramosissima* Roxb. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria rigida* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria salicifolia* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria scabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria scabrella* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria semperflorens* Vent. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria shevaroyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria speciosa* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria subperfoliata* Wight ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria tecta* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria trifoliatum* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria triquetra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria umbellata* Wight ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria verrucosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria walkeri* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria wightiana* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyamopsis tetragonoloba* (L.) Taub. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus canariensis* Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus hirsutus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus monspessulanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus multiflorus* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus proliferus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus scoparius* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cytisus supinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia congesta* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia coromandeliana* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia gardneriana* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia horrida* (Dennst.) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia lanceolaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia latifolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia malabarica* Prain and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia melanoxylon* Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia paniculata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia pseudo-siso* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia rubiginosa* Roxb. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia sissooides* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia sissoo* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia spinosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia tinneveli* Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dalbergia volubilis* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris benthamii* (Thw.) Thw. var. *benthamii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris brevipes* (Benth) Baker var. *brevipes* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris brevipes* (Benth) Baker var. *coriacea* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris canarensis* (Dalz.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris scandens* (Roxb.) Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris thothathrii* Bennett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Derris trifoliata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium alysicarpoides* Van Meeuwen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium dichotomum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium dolabriforme* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium ferrugineum* Wall ex Thw. subsp.

wynaadense (Bedd. ex Gamble) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium gangeticum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium heterophyllum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium laxiflorum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium laxum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium microphyllum* (Thunb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium oojeinense* (Roxb) Ohashi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium pryonii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium pulchellum* (L.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium repandum* (Vahl) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium styracifolium* (Osbeck) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium tortuosum* (Sw.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium triangulare* (Retz.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium triflorum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium triquetrum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium velutinum* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmodium zonatum* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicerma biarticulatum* (L.) DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dolichos trilobus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dumasia villosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dunbaria ferruginea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dunbaria heynei* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleiotis monophylla* (Burm.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina crista-galli* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina stricta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina suberosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina subumbrans* (Hassk.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia grahamiana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia lineata* (L.) Roxb. Ex Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia macrophylla* (Willd.) Prain ex Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia Semialata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia stricta* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia strobilifera* (L.) R. Br. ex Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia tuberosa* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia wallichii* Wight & Arn. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia wightiana* Grahams ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galactia longifolia* Benth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geissaspis cristata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycine max* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hardenbergia comptoniana* (Link) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera aspalathoides* Vahl ex DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera astragalina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera caerulea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera cassioides* Rottl. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera colutea* (Buem. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera constricta* (Thwaites) Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera cordifolia* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera glandulosa* Roxb. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera hochstetteri* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera karnatakana* Sanjappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera karuppiana* Pallithanam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera linifolia* (L.f.) Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera linnaei* Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera longiracemosa* Boiv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera mysorensis* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera nummularifolia* (L.) Skina ex Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera oblongifolia* Forsk. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera parviflora* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera pedicellata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera prostrata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera spicata* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera stachyodes* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera tinctoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera tirunelvelica* Sanjappa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera trita* L.f. var. *trita* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera trita* L. f. var. *maffeii* (Chiov.) Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera uniflora* Buch. - Ham. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera vicioides* Jaub. & Spach and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera wightii* Graham ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera zollingeriana* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lablab purpureus* (L.) Sweet var. *purpureus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laburnum anagyroides* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus aphaca* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus latifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus odoratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lens culinaris* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptodesmia congesta* (Wight) Benth. ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lespedeza cuneata* (Dum. Cours.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonchocarpus violaceus* Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus angustifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus luteus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus pilosus* Murray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macroptilium atropurpureum* (DC.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macroptilium lathyroides* (L) Urban var. *semierectum* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrotyloma ciliatum* (Willd.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrotyloma uniflorum* (Lam.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medicago sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melilotus alba* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia racemosa* (Wight & Arn.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia rubiginosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia splendens* Wight & Arn. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna gigantea* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna monosperma* DC. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna pruriens* (L.) DC. var. *pruriens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mundulea sericea* (Willd.) A. Cheval and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ormocarpum cochinchinense* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ormosia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ougeinia oojeinensis* (Roxb.) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paracalyx scariosa* (Roxb.) Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parochetus communis* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus coccineus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus lunatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllodium pulchellum* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pongamia pinnata* (L.) Pierre and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudarthria viscida* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psophocarpus tetragonolobus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psoralea corylifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psoralea pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocarpus marsupium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocarpus santalinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pueraria triloba* (Lour.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pueraria tuberosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnospora lutescens* (Poir.) Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia albiflora* (Sims) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia aurea* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia cana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia capitata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia densiflora* (Roth) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia filipes* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia heynei* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia jacobii* Chandrabose & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia minima* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia nummularia* DC. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia rothii* Benth ex Aitch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia rufescens* (Willd.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia suaveolens* (L.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia velutina* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia viscosa* (Roth) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Robinia pseudo-acacia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rothia indica* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania bispinosa* (Jacq.) W. F. Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania grandiflora* (L.) Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania procumbens* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania sesban* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania speciosa* Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Shutteria involucrata* (Wall.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia bigemina* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia capitata* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia conferta* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia gracilis* Benth. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia hirsuta* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia sensitiva* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia setulosa* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora glauca* Lesh.ex DC. Ann. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora interrupta* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora wightii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spartium junceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stylosanthes fruticosa* (Retz.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stylosanthes sunaica* Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia barberi* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia calophylla* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia candida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia canarensis* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia fusca* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia hookeriana* Wight & Arn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia maxima* Pres. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia pumila* (Lam.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia purpurea* (L.) Pers. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia spinosa* (L.f.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia tinctoria* Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia vegellii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia villosa* (L.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teramnus labialis* (L.F.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teramnus mollis* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium alexandrium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium cernuum* Brot. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium dubium* Sibth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium incarnatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium subterraneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella foenum-graecum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ulex europaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria alopecuroides* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria lagopodioides* (L.) Desv. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria rufescens* (DC.) Schind. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia faba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia hirsuta* (L.) S. F. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia villosa* Roth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna aconitifolia* (Jacq.) Marechal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna adenantha* (G. F. W. Meyer) Marechal, *Mascherpa* & *Stainier* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna bourneae* Ganble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna dalzelliana* (Kuntze) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna grahamiana* (Wight & Arn.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna hosei* (Craib) Backer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna khKalamlensis* (Sant.) Ragh. & Wadhwa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna mungo* (L.) Hepper and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna radiata* (L.) Wilczek var. *radiata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna radiata* (L.) Wilczek var. *sublobata* (Roxb.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna subramaniana* (Raizada) Raizada and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna trilobata* (L.) Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna unguiculata* (L.) Walp. subsp. *cylindrica* (L.) Eselt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna vexillata* (L.) A. Rich. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna wightii* Benth. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Virgilia oroboides* (Berg.) Salter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wisteria sinensis* (Sims) Sweet. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zornia diphylla* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zornia gibbosa* Span. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrocarpus fraxinifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amherstia nobilis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia acuminata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia malabarica* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia phenicea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia racemosa* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia vahlii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bauhinia variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brownea grandiceps* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brownea macrophylla* Linden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia bonduc* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia coriaria* (Jacq.) Willd. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia cucullata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia decapetala* (Roth) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia mimosoides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia pulcherrima* (L.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Caesalpinia sappan* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia fistula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia grandis* L. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia javanica* L. var. *javanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia montana* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia siamea* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassia spectabilis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceratonia siliqua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista absus* (L.) H. Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista auricoma* (Graham ex Benth.) Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista lechenaultiana* (DC.) O. Deg. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista mimosoides* (L.) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista nigricans* (Vahl) Greene and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chamaecrista pumilla* (Lam.) K. Larsen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra cauliflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cynometra travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delonix elata* (L.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delonix regia* (Boj. ex Hook) Rafin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hardwickia binata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia bourdillonii* Prian and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia brunonis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia decurrens* Bedd. ex Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia unijuga* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia vahliana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkinsonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peltophorum africanum* Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peltophorum pterocarpum* (DC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saraca asoca* (Roxb.) Wilde and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saraca thaipingensis* Cantley ex. Prain. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizolobium parahybum* (Vell.) S. F. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna alata* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna alexandrina* Gars. ex Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna auriculata* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna didymobotrya* (Fresn.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna hirsuta* (L.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna intermedia* (Sharma et al.) Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna italica* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna occidentalis* (L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna pallida* (Wall) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna septumtrionalis* (Viv.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna sophora* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna surattensis* (Burm.f) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna timoriensis* (DC.) Irwin & Barneby and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna tora* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarindus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia armata* R. Br. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia auriculiformis* A. Cunn ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia baileyana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia caesia* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia catechu* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia chundra* (Roxb. ex Rottl.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia confusa* Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia cultriformis* A. Cunn. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia concurrens* Pedley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia dealbata* Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia decora* Reichb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia decurrens* (Wendl.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia eburnea* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia elata* Cunn. Ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia farnesiana* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia ferruginea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia grahamii* Vajravelu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia hohenackeri* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia homalophylla* A. Cunn. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia holosericea* A.Cunn. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia horrida* (L.f.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia leucophloea* (Roxb.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia longifolia* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia maidenii* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia mearnsii* Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia melanoxylon* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia myrtifolia* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia neriifolia* A. Cunn. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pennata* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia planifrons* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia podalyriifolia* A. Cunn ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia polyacantha* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pruinescens* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pruinosa* A. Cunn ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pulchella* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia pycnantha* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia retinodes* Schlecht. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia saligna* (Labill.) H. L. Wendl. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia sinuata* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia tomentosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia torta* (Roxb.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia verticillata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acacia wightii* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenanthera pavonina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia amara* (Roxb.) Boivin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia chinensis* (Osbeck.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia lathamii* Hole and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia lebbeck* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia procera* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia Kalamn* (Jacq.) F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Albizia thompsonii* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archidendron clypearia* (Jack) Nilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Archidendron monadelphum* (Roxb.)Nielsen var. *gracile* (Bedd.) Sanj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calliandra brevipes* Benth. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calliandra calothyrsus* Meisn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calliandra haematocephala* Hassk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calliandra inmeris* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cathormion umbellatum* (Wall) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmanthus virgatus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrostachys cinerea* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrostachys muelleri* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichrostachys santapau* Sebastine & Raman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Entada pursaetha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enterolobium cyclocarpum* Griseb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haematoxylum campechianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucaena leucocephala* (L.) Gills and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa intsia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa hamata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa pudica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia prostrata* (Lam.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia plena* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia triquetra* (Willd.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paraserianthes falcata* (L.) I.C. Nielsen and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkia biglandulosa* Wight Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium dulce* (Roxb.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis cineraria* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis juliflora* (Sw.) Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alchemilla indica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chaenomeles speciosa* (Sweet) Nakai and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster bacillaris* Wall ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster buxifolia* Wall ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster microphyllus* Wall ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cotoneaster transiens* G. Klotz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriobotrya japonica* (Thunb.) Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fragaria chiloensis* (L.) Duchesne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fragaria nilgerrensis* Schlecht. ex Gay and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fragaria vesca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kerria japonica* (L.) Dc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malus baccata* (L.) Borkh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malus sylvestris* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Photinia integrifolia* Lindl. var. *sublanceolata* Miq.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla indica* (Andr.) Wolf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla leschenaultiana* Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla sundaica* (Blume) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prinsepia utilis* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus armeniaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus avium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus cerasoides* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus ceylanica* (Wight) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus domestica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus laurocerasus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus persica* (L.) Batsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus salicina* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus serrulata* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quillaja saponaria* Molina and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa banksiae* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa brunonii* Lindl. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa x centifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa x damascena* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa gigantea* Collett ex Crop. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa laevigata* Michx. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa multiflora* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus ellipticus* Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus fairholmianus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus glomeratus* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus idaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus indicus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus micropetalus* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus niveus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus racemosus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus rugosus* Smith var. *rugosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus rugosus* Smith var. *thwaitesii* Focke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea canescens* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea cantoniensis* Lour. var. *cantoniensis* and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea japonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea nipponica* Maxim. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atuna indica* (Bedd.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atuna travancorica* (Bedd.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysobalanus icaco* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saxifraga stolonifera* Meerb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vahlia dichotoma* (Murr.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vahlia digyna* (Retz.) Bullock and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parnassia mysorensis* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parnassia wightiana* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Deutzia scabra* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrangea macrophylla* (Thunb.) Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Philadelphus coronarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Escallonia rubra* (Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Escallonia montevidensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeonium arboreum* (L.) Webb & Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crassula multicava* Lam. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crassula quadrifida* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe bhidei* Cooke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe olivacea* Dalz. & Gibs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe pinnata* (Lam.) Pers. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe schweinfurthii* Penzig and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe tubiflora* Hamet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rochea coccinea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum mexicanum* Britton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tillaea pentandra* Royle ex Edgew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera burmannii* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drosera peltata* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liquidambar styraciflua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurembergia coccinea* (Blume) Kan. var. *coccinea*

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callitriche stagnalis* Scop. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bruguiera cylindrica* (L.) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bruguiera gymnorhiza* (L.) Savigny and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carallia brachiata* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassipourea ceylanica* (Gard.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriops decandra* (Griff.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriops tagal* (Perr.) Robins and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kandelia candel* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhizophora x annamalayana* Kathir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhizophora apiculata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhizophora mucronata* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calycopteris floribunda* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum albidum* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum coccineum* (Sonner.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Combretum nanum* Willd. Buch. - Ham. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lumnitzera racemosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quisqualis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quisqualis malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia bellirica* (Gaertn.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia catappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia chebula* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia cuneata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia elliptica* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia gella* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia pallida* Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia paniculata* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia travancorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acca sellowiana* (Berg) Burret and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agonis flexuosa* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angophora costata* (Gaertn.) Britt. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angophora intermedia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angophora lanceolata* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Angophora subvelutina* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Baeckea virgata* (Forst.) Andr. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon brachyandrus* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon citrinus* (Curtis) Stapf and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon polandii* Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon rigidus* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon salignus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistemon viminalis* (Gaertn.) Don ex Loudon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus alpina* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus amygdalina* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus blakelyi* Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus bosistoana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus botryoides* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus bridgesiana* R. T. Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus calophylla* R. Br. ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus camaldulensis* Dehnh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus cephalocarpa* Blakely and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus citriodora* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus cladocalyx* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus crebra* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus cypellocarpa* L.A.S. Johnson and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus elata* Dehnh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus diversicolor* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus eugenioides* Sieb. ex Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus ficifolia* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus globulus* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus grandis* W.Hill ex Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus hemiphloia* F. v. Muell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus leucadendron* Reinz. ex DeVriese and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus leucoxydon* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus longifolia* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus macarthurii* Deane & Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus maculata* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus megacornuta* C. A. Gardener and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus microcorys* F. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus melliodora* A. Cunn ex Schau. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus nitida* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus nova-anglica* Deane & Maiden and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus obliqua* L. Her. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus ovata* Labill. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus paniculata* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus pauciflora* Sieb ex Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus pipertia* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus polyanthemus* Schauer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus ptychocarpa* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus punctata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus radiata* Sieb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus regnans* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus resinifera* Sm and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus robusta* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus saligna* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus siderophloia* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus tereticornis* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus torelliana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus viminalis* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia bracteata* (Willd.) Roxb ex DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia calcadensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia discifera* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia floccosa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia indica* (Wight) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia mabaeoides* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia manickamia* Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia rottleriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia singampattiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia thwaitesii* Duthie and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia uniflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptospermum flavescens* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptospermum scoparium* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptospermum stellatum* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lophostemon confertus* (R.Br.) Peter G. Wilson & J.T. Waterh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca armillaris* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca hypericifolia* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca leucadendron* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca nesophylla* F.v. Muell and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca quinquenervia* S. T. Blake and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca styphelioides* Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrtus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimenta dioica* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium cattleianum* Sabine and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium guajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodomyrtus tomentosa* (Ait.) Hassk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syncarpia glomerulifera* (Sm.) Nied. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syncarpia laurifolia* Tenore and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium alternifolium* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium aqueum* (Burm. F.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium aromaticum* (L.) Merr. & Perry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium beddomei* (Duthie) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium benthamianum* (Wight ex Duthie) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium calophyllifolium* Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium caryophyllatum* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium chandrasekharanii* Chandrabose & Chandr.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium courtallense* (Gamble) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium cumini* (L.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium densiflorum* Wall ex. Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium fergusonii* (Trimen) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium gambleanum* Rathakr. & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium gardneri* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium hemisphericum* (Wight) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium jambos* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium laetum* (Buch. - Ham.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium lanceolatum* (Lam.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium malabaricum* (Bedd.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium malaccensis* (L.) Merr. & Perry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium megacarpum* (Craib) Rathakr. & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium mundagam* (Bourd.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium munronii* (Wight) Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium rama - varmae* (Bourd.) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium revolutum* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium rubicundum* Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium scoparium* Wallich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium spathulatum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium sriganesanii* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium tamilnadensis* Rathakr. & Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium travancoricum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium venosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium zeylanicum* (L.) DC. var. *lineare* (Duthie) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Couroupita guianensis* Aubl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gustavia superba* Berg and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia acutangula* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia asiatica* (L.) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barringtonia racemosa* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Careya arborea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medinilla beddomei* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medinilla fuchsioides* Gard. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medinilla malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melastoma malabathricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon angustifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon bremeri* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon depressum* Benth ex Triana and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon edule* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon flavescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon gracile* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon gracillimum* Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon grande* Retz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon heyneanum* Benth ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon kollimalayana* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon leucanthemum* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon lushingtonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon molestum* (Clarke) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon randerianum* S.M. & M.R. Almeida and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon rivulare* Bremer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon rostratum* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon sisparens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon subcordatum* Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon subramanii* Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon talbotianum* Brandis & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon umbellatum* Burm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon varians* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia aspera* (L.) Blume var. *aspera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia brachystemon* Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia buxifolia* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia gracilis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia leschenaultiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia muralis* Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia reticulata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia rubicunda* Arn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia parvifolia* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia tirunelvelica* Manickam & Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia virgata* D. Don ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia wynaadensis* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia zeylanica* L f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila brunonis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila clarkei* Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila devicolamensis* Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila elegans* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila grandiflora* R. Br. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila inaequalis* Murugan et Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila kanyakumariana* Gopalan & Henry and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila parameswaranii* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila pulneyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila rheedii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila rotundifolia* Bedd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila sadasivanii* Nayar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila speciosa* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila tenera* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila tinneveliense* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila versicolor* Wight var. *versicolor* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila wallichii* Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila zeylanica* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tibouchina urvilleana* (DC.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammania baccifera* L. subsp. *baccifera* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammania multiflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ammania octandra* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuphea hyssopifolia* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuphea ignea* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuphea platycentra* Lemaire and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia microcarpa* Wight and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia reginae* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lawsonia inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nesaea brevipes* Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pemphis acidula* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala fimbriata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala illecebroides* (Arn. ex Clarke) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala indica* (Willd.) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala macrKalam* Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala rosea* (Roiret.) C. Cook and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala verticillaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonneratia apetala* Buch. -Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Punica granatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuchsia arborescens* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuchsia boliviana* Carr. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fuchsia magellanica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia adscendens* (L.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia hyssopifolia* (G. Don) Exell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia perennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia peruviana* (L.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia prostrata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera biennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera glazioviana* Mich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera nocturna* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera odorata* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera rosea* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera stricta* Ledeb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera tetraptera* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turnera subulata* Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turnera ulmifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia hondala* (Gaertn.) Wilde and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenia wightiana* (Wall. ex Wight & Arn.) Engler

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora alba* Link & Otto and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora antioquiensis* Karsten and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora caerulea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora edulis* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora holosericea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora laurifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora ligularis* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora mollissima* (H. B. K.) Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora suberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora subpeltata* Ortega and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carica papaya* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Benincasa hispida* (Thunb.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus colocynthis* (L.) Schrader and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coccinia grandis* (L.) Voigt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ctenolepis garcinii* (Burm.f.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis melo* L. var. *melo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis melo* L. var. *utilissimus* (Roxb.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis prophetarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucumis trigonus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita maxima* Duchesne ex Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cucurbita pepo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diplocyclos palmatus* (L.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnopetalum wightii* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynostemma pentaphyllum* (Thunb.) Makino and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kedrostis courtallensis* (Arn.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kedrostis foetidissima* (Jacq.) Cogn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenaria siceraria* (Molina) Standley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa acutangula* (L.) Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa cylindrica* (L.) M.Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica charantia* L. var. *charantia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica charantia* L. var. *muricata* (Willd.)

Chakravarty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica cymbalaria* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica dioica* Roxb. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica subangulata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mukia leiosperma* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mukia maderaspatana* (L.) M. Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sechium edule* (Jacq.) Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solena amplexicaulis* (Lam.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solena angulata* (Chakravarty) Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes anaimalaiensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes cucumerina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes lobata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes nervifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes tricuspidata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria maysorensis* (Wight & Arn.) Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria scabra* (L.f.) Sond. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria thwaitesii* (Schweinf.) Jeffrey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia albo-coccinea* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia aliciae* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia anamalayana* Bedd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia cordifolia* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia floccifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia integrifolia* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia malabarica* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Begonia subpeltata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrameles nudiflora* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cereus pterogonus* Lem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cylindropuntia ramosissima* (Engler) Knuth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epiphyllum oxypetalum* (DC.) Haw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hylocereus undatus* (Haw.) Britton & Rosc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nopalea cochenillifera* (L.) Salm-Dyck and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia elatior* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia ficus - indica* (L.) Miller and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia vulgaris* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pereskia aculeata* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lampranthus spectabilis* (Haw.) N. E. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesuvium portulacastrum* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema portulacastrum* L. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema triquetra* Rottl. var. *triquetra* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema salsoloides* Oliv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zaleya decandra* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corbichonia decumbens* (Forsk.) Exell and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gisekia pharnaceoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glinus lotoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glinus oppositifolius* (L.) A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo cerviana* (L.) Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo disticha* Ser. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo nudicaulis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo stricta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anethum graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apium graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum distichophyllum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum plantaginifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum wightii* Mukh. var. *wightii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carum nothum* Clarke and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centella asiatica* (L.) Urban and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coriandrum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cuminum cyminum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Daucus carota* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Foeniculum vulgare* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum aquilegifolium* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum candolleianum* (Wight & Arn.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum ceylanicum* Gard. ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum courtallense* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum hookerianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum rigens* Wall ex DC. var. *rigens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum sprengeianum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle conferta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle javanica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle sibthorpioides* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pastinaca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petroselinum crispum* (Mill.) Nyman ex auct.non. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peucedanum anamallayense* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella candolleana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella heyneana* (Wall ex DC.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella pulneyensis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella wallichiana* (Miq.) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sanicula elata* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachyspermum ammi* (L.) Sprague and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachyspermum roxburghianum* (DC.) Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vanasushava pedata* (Wight) Mukh. & Constance and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aralia malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedera australiana* F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedera helix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyscias acuminata* (Wight) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyscias fruticosa* (L.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentapanax leschenaultii* (DC.) Seem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera capitata* (Wight & Arn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera clarkiana* Craib. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera maduraiensis* Ravikumar & Lakshmanan

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera racemosa* (Wight) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera rostrata* (Wight) Harms var. *rostrata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera roxburghii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera stellata* (Gaertn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera venulosa* (Wight & Arn.) Harms var. *venulosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera venulosa* (Wight & Arn.) Harms var. *obliquinervia* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera wallichiana* (Wight & Arn.) Harms and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrapanax papyrifer* (Hook.) Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cornus capitata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diervilla florida* Sieb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera caprifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera etrusca* Santi. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera leschenaultii* Wall. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera ligustrina* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera periclymenum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera sempervirens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum cylindricum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum erubescens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum hebanthum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum punctatum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sambucus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acranthera anamallica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acranthera grandiflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aidia gardneri* (Thw.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostemma courtallense* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Agrostemma verticillatum* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Benkara malabarica* (Lam.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium angustifolium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium ficiforme* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium neilgherrense* Wight var. *neilgherrense* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium neilgherrense* Wight var. *chartacea*

(Gamble) Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium coromandelicum* (Burm. F.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canthium travancoricum* (Bedd.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catesbaea spinosa* Linn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Catunaregam spinosa* (Thunb.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceriscoides turgida* (Roxb.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxyloides* (Wall.) Deb & Krishna and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona calisaya* Wedd. var. *calisaya* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cinchona succirubra* Pav. ex Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea canephora* Pierre ex A. Froehner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coffea travancorensis* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dentella repens* (L.) Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dentella serpyllifolia* Wall. ex Craib and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fergusonia tetracocca* (Thw.) Baill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium asperifolium* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia angusta* (L.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia gummifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia latifolia* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia resinifera* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geophila repens* (L.) I.M. Johnston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guettarda speciosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haldina cordifolia* (Roxb.) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hamelia patens* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis affinis* Roem. & Schultes and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis albo-nervia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis aspera* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis auricularia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis barberi* (Gamble) Henry & Subram. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis biflora* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis brachiata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis buxifolia* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis caerulea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis corymbosa* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis devicolamensis* Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis diffusa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis erecta* Manilal & Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis gamblei* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis gracilis* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis graminifolia* L.f. var. *graminifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis herbacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis hirsutissima* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis lessertiana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis nitida* Wight & Arn. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis ovatifolia* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis pruinosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis pterita* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis puberula* (G.Don) Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis pumila* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis shettyi* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis sisparensis* Gage and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis leschenaultiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis swertioides* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis viscida* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrophylax maritima* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenodictyon obovatum* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenodictyon orixense* (Roxb.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora brachiata* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora coccinea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora cuneifolia* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora elongata* Heyne ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora finlaysonianana* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora johnsoni* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora leucantha* Heyne ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora malabarica* (Dennst.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora monticola* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora nigricans* R.Br. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora notoniana* Wall.ex G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora pavetta* Andr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus acuminatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus blumeanus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus capitulatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus ciliatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus cinereus* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus dichotomous* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus jackianus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus oblongifolius* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus parvifolius* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus rostratus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus strigillosus* Hook.f. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus truncatus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus venulosus* (Wight & Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luculia grandifolia* Ghose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luculia gratissima* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luculia pinceana* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitracarpus villosus* (Sw.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitragyna parvifolia* (Roxb.) Korth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitragyna tubulosa* (Arn.) Hav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda citrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda pubescens* J.E. Smith var. *pubescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda reticulata* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda belilla* Buch.-Ham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda frondosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda tomentosa* Wight ex Wall. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mycetia acuminata* (Wight) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis decipiens* (Hook.f.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis hutchinsonii* Deb & R. Dutta and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis nummularia* (Arn.) W.H. Lewis and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis richardiana* (Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis tubulosa* (G.Don) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolamarckia cadamba* (Roxb.) Bosser and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neonauclea purpurea* (Roxb.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Octotropis travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza brunonis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza eriantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza grandiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza hirsutula* Wight ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza incarnata* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza mungos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza pectinata* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza pykarensis* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza roxburghiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza tirunelvelica* Henry & Subram. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxyceros rugulosus* (Thw.) Tirvengadam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta blKalam* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta breviflora* DC. var. *breviflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta breviflora* DC. var. *pubescens* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta brunonis* Wall. ex G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta calophylla* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta hispidula* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta hohenackeri* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta indica* L. var. *indica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta indica* L. var. *minor* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta laeta* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta oblanceolata* Bremek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta praeterita* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta tomentosa* Roxb. ex J.E. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta wightii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentas lanceolata* (Forssk.) Deflers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentas zanzibarica* (Klotzsch) Vatke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portlandia grandiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudaidea speciosa* (Bedd.) Tirv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria anamallayana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria beddomei* Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria bisulcata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria connata* Wall. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria flavida* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria fosbergii* Sohmer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria globicephala* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria johnsonii* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria macrocarpa* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria nigra* (Gaertn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria octosulcata* Talbot and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria sarmentosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria subintegra* (Wight & Arn.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria truncata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psydrax dicoccos* Gaertn. var. *dicoccos* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psydrax ficiformis* (Hook.f.) Bridson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psydrax umbellata* (Wight) Bridson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Richardia brasiliensis* Gomes and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Richardia scabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubia cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saprosma corymbosum* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saprosma foetens* (Wight) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saprosma fragrans* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saprosma glomeratum* (Gard.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce articularis* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce assurgens* Ruiz et Pavon and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce hispida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce latifolia* Aubl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce mauritiana* Osea Gideon ex Verdc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce pusilla* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce ramanii* Sivarajan & Nair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamilnadia ulginosa* (Retz.) Tirvengadam & Sastre and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna alpestris* (Wight) Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna asiatica* (L.) Kuntze ex K. Schum. var.

asiatica forma rigida (Wight) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna canarica* (Bedd.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna monosperma* (Wight & Arn.) Raju. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna nilagirica* (Bedd.) Bremek. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricalysia apiocarpa* (Dalz.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricalysia sphaerocarpa* (Dalz.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urophyllum ceylanicum* (Wight) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia angustifolia* Wight ex Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia thyrsoidea* (Schultes) Steud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana arnottiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana hookeriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana moonii* Arn.ex Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipsacus leschenaultii* Coult. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scabiosa atropurpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acanthospermum hispidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Achillea millefolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acroclinium roseum* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenoon indicum* Dalz. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenostemma lavenia* (L.) Kuntze var. *madurensense* (DC.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ageratina adenophora* (Spreng.) R. King & H. Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ageratum conyzoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ageratum houstonianum* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Amberboa ramosa* (Roxb.) Jafri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis aristata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis beddomei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis bournei* Fyson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis brevifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis elliptica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis lawii* (Hook.f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis leptophylla* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis marcescens* (Wight) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis meeboldii* W.W. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis notoniana* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis subdecurrens* (DC.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis travancorica* W.W.Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anaphalis wightiana* (DC.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arctotis venusta* Norl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argyranthemum frutescens* Sch. Bip. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia nilagirica* (Clarke) Pamp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia japonica* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia pallens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artemisia sieversiana* Ehrh. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster indamellus* Grierson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster laevis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster cordifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aster rotundifolius* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens biternata* (Lour.) Merr. & Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens pilosa* L. var. *pilosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens pilosa* L. var. *minor* (Blume) Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blainvillea acmella* (L.) Philipson and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharispermum petiolare* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blepharispermum subsessile* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea alata* (D.Don) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea aurita* (L.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea barbata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea Nripatingeriana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea bifoliata* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea clarkei* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea eriantha* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea fistulosa* (Roxb.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea lacera* (Burm.f.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea lanceolaria* (Roxb.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea malcolmii* (Clarke) Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea membranacea* Wall. ex DC. var. *membranacea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea membranacea* Wall. ex DC. var.

jacquemontii (Hook.f.) Randeria and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea mollis* (D.Don) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea obliqua* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea oxyodonta* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea virens* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Blumea flava* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bracteantha bracteata* (Vent.) Andr. var. *albidum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calendula officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Callistephus chinensis* (L.) Nees and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carpesium cernuum* L. var. *nilagiricum* Clarke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Carthamus tinctorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centaurea cyanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centrantherum punctatum* Cass. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centipeda minima* (L.) A. Braun & Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chromolaena odorata* (L.) King & Robinson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum anethifolium* Brouss. ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chrysanthemum coronarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus angustifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA

caudata and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus conferta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus hortensis* M. BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus indica* SERV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus kologa* SCHLECHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus parvifolia* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus pyriformis* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeagnus umbellata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus floribundus* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus ganitrus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus lanceolatus* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus munronii* (WIGHT.) MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus oblongus* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus serratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus tuberculatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeodendron glaucum* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeodendron roxburghii* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema lineolatum* WT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema platyphyllum* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatostema sessile* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCHEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elephantopus scaber* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria cardamomum* MATON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria cardamomum* MATON major THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria cardamomum* MATON minor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria cardamomum* MATON miniscula and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elettaria repens* BAILLOL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleusine aegyptiaca* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleusine coracana* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleusine indica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia blKalam* (BTH.) BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia ciliata* (THUNB.) HYLAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia densa* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia pilosa* BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia polystachya* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elsholtzia strobilifera* BTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elytraria acaulis* (L.F.) LINDAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elytrophorus spicatus* (WILLD.) CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia ribes* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia robusta* C.B.CLARK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia subcoriacea* (CL.) MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embelia tsjeriam-cottam* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emblica officinalis* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Embryopteris glutinifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Emilia sonchifolia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Engelhardia polystachya* RADLK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Engelhardtia roxburghiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Engelhardtia spicata* LESCHEN EX. BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enhydra fluctuans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enhydra fluctuns* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eniada scandens* AUCT. NON BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enicostemma axillare* (LAM.) RAYNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enicostemma hyssopifolium* (WILLD.) VERDOORN

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enicostemma littorale* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enicostemma verticillatum* (L.) ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Entada phaseoloides* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Entada pursaetha* DC. *pursaetha* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Entada rheedii* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Entada scandens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilates divaricata* (L.) CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra equisetina* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra gerardiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra intermedia* SCHR. & MEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra major* HOST NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra nevadensis* WATS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra peduncularis* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra saxatilis* STAPF sikkimensis STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra sinica* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephedra vulgaris* HOOK.F. NON A.RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epidendrum retusum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epidendrum tenuifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilobium angustifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilobium hirsutum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilobium roseum* SCHREB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epilobium royleanum* HOUSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epimedium elatum* MORR. & DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Epipactis latifolia* ALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Equisetum arvense* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Equisetum debile* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Equisetum diffusum* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Equisetum ramosissimum* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis amabilis* (L.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis ciliata* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis cynosuroides* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis gangetica* (ROXB.) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis tremula* HOCHST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eragrostis viscosa* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum bicolor* SCHRANK. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum purpurascens* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eranthemum roseum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erechtites valerianaefolia* (WOLF.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremostachys acanthocalyx* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremostachys lasifolia* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremostachys superba* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremostachys vicaryi* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eremurus himalaicus* Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria calamifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eria pannea* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erianthus munja* JESW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron alpinus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron asteroides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron bellidioides* (DON) BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron bonariensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron canadensis* TENORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron multiradiatus* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erigeron sublyratus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriglossum rubiginosum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriobotrya japonica* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriobotrya latifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon setaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon sexangulare* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriocaulon sieboldianum* S. & Z. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriodendron anfractuosum* BC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erioglossum rubiginosum* (ROXB.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriolaena hookeriana* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriolaena quinquelocularis* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriosema chinense* VOG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriosema himalaicum* OHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eritrichium canum* (BTH.) KITAMURA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erodium moschatum* L'HERIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eruca sativa* GARS. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eruca vesicaria* (LINN.) CAV. *sativa* (mill.)thell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ervatamia coronaria* (JACQ.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ervatamia dichotoma* (ROXB.) BLATTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ervatamia heyneana* T.COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ervatamia orientalis* (R.BR.) TURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ervatamia divaricata* (LINN.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erycibe paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erygium caeruleum* BEIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erygium coeruleum* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eryngium billardieri* DELAR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eryngium caeruleum* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eryngium foetidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erysimum altaicum* C.A. MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erysimum repandum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erysimum sisymbrioides* C.A. MEY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythraea roxburghii* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina arborescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina corallodendron* L. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina fusca* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina indica* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina resupinata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina stricta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina suberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina variegata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythrina variegata* L. *orientalis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythronium indicum* ROTTL. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythralum scandens* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum coca* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum areolatum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum lucidum* MOON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum monogyneum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum monogynum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum monogynum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum moonii* HOCHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum retusum* BAUER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum retusum* BAUER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ethulia conyzoides* L. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus camaldulensis* DENST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus citriodora* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus globulus* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euchrestia buxifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eucomis undulata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia aromatica* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia bracteata* (WILD.)ROXB. EX. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia caryophyllaea* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia hemispherica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia jambolana* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia jambos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia malaccensis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia munroii* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia occidentalis* BOURD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia operculata* SENSU DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia spicata* LAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eugenia uniflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia Kalammanensis* REICHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia campestris* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia cullenii* (WIGHT) BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia dabia* (D.DON) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia epidendrea* (KOENIG) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia explanata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia herbacea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia nuda* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia pratensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia ramentacea* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eulophia spectabilis* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus atropurpureus* JACQ.B.P. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus crenulatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus hamiltonianus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus indicus* HEYNE EX. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus javanicus* BL.BIJDR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus pendulus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus serratifolius* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus theophrasti* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus tingens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium adenophorum* SPRENG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium ayapana* VENT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium birmanicum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium cannabinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium glandulosum* SCH. BIP. EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium odoratum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium perfoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eupatorium triplinerve* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia acaulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia antiquorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia atoto* G.FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia bombaiensis* SANT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia caducifolia* HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia chamaesyce* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia cognata* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia dracunculoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia granulata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia helioscopia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia hirta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia hispida* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia hypericifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia inaequilatera* SOND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia laeta* HEVNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia lathyris* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia ligularia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia longan* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia longifolia* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia microphylla* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia milii* DESMOUL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia neriifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia nivulia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia onicrophylla* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia orbiculata* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia pilosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia pilulifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia prostrata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia pulcherrima* WILLD. EX KLOT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia resinifera* BERQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia rosea* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia rothiana* SPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia royleana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia sanguinea* HOCHST. & STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia splendens* BOI EX HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia stracheyi* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia thomsoniana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia thymifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia tibetica* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia tirucalli* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia tortilis* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia trigona* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia turcomanica* BOISS. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia uniflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia wallichii* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphorbia longana* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphrasia himalaica* WETTST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphrasia odontites* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphrasia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euphrasia platyphylla* PENNEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eurya acuminata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eurya japonica* AUCT. NON THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eurya nitida* KOTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euryale ferox* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euryangium sumbul* KAUFFMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eurycoma longifolia* JACK. ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evodia fraxinifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evodia lunu-ankenda* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evodia meliaefolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evodia roxburghiana* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evodia rutaecarpa* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evodia trichotoma* (LOUR.) PLANCH. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evolvulus alsinoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evolvulus emarginatus* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Evolvulus nummularius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum bicolor* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum lawii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum pedunculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exacum tetragonum* ROXB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria acerifolia* F. DIDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria agallocha* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Excoecaria crenulata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Exogonium purga* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fabiana imbricata* RUIZ & PAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagonia arabica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagonia bruguieri* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagonia cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagonia indica* L. *schweinfurthii* HADIDI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagopyrum cymosum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagopyrum dibotrys* (DON) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagopyrum esculentum* MOENCH and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagopyrum tataricum* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagraea ceilanica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagraea imperialis* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagraea obovata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagraea racemosa* JACK, ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Farsetia aegyptiaca* TURRA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Farsetia hamiltonii* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Feronia elephantum* CORREA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Feronia limonia* (L.) SWINGLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula alliacea* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula assa-foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula foetida* REGEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula galbaniflua* BOISS. & BUHSE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula jaeschkeana* VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula narthex* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula orientalis* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula persica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula suaveolens* AITCH. & HEMSEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula sumbul* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ferula thomsoni* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Festuca indica* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fibraurea chloroleuca* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fibraurea tinctoria* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus altissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus amplissima* SMITH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus arnottiana* (MIQ.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus asperrima* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus auriculata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus bengalensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus benamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus callosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus carica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus cunia* HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus dalhousiae* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus drupacea* THUNB. pubescens (ROTH)

CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus elastica* ROXB. EX. HORNEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus exasperata* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus fistulosa* REINW. EX BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus fulva* REINW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus gibbosa* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus glabella* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus glomerata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus heterophylla* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus hirta* VAHL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus hispida* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus infectoria* SENSU ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus lacor* BUCH.- HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus lacor* BUCH.- HAM. *infectoria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus lacor* BUCH.- HAM. *lambertiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus lacor* BUCH.- HAM. *wightiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus lucescens* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus microcarpa* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus mollis* VAHL and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus oppositifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus palmata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus racemosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus religiosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus retusa* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus ribes* REINW. EX BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus rumphii* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus scandens* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus talboti* G.KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tinctoria* FORST. F. *parasitica parasitica* (WILLD.) CORNER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tinctoria* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tomentosa* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tsiela* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus tsjakela* BURM .F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus virens* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ficus wightiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Filago arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Filicium decipiens* (WIGHT & ARN.) THW. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis argentea* (ROTTB.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis diphylla* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis falcata* (VAHL) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis junciformis* KUNTH ENUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis miliacea* L. & VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis ovata* (BURM.F.) KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis polytrichoides* (RELZ.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fimbristylis sietiniana* KUNTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fioria vitifolia* (L.) MATTEI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Firmiana colorata* (ROXB.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fissendocarpa linifolia* (VAHL) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fissistigma polyanthum* MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia cataphracta* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia indica* (BURM.F.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia jangomas* (LOUR.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia ramontchi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia sapida* WALL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flagellaria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flaveria australasica* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia bracteata* (ROXB.) WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia chappar* BUCH.-HAM. EX BTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia congesta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia grahamiana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia nana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia paniculata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia procumbens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia semialata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia stricta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia strobilifera* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia tuberosa* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fleurya interrupta* (L.) GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flickingeria fugax* (RCHB.F.) SEODEMF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flickingeria macraei* (LINDL.) BENNET and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flickingeria nodosa* (DALZ.) SEIDENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Floscopa scandens* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fluegea leucopyrus* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fluegea leucopyrus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fluegea microcarpa* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fluegea virosa* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Foeniculum capillaceum* GILB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Foeniculum vulgare* GAERTN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Foeniculum vulgare* GAERTN dulce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fomes officinalis* (VIL EX. FR.) LLOYD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fortunella japonica* (THUNB.) SWINGLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fragaria indica* ANDR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fragaria nilgherrensis* SCHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Francoeria crispa* CASS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Frankenia pulverulenta* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fraxinus excelsior* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fraxinus floribunda* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fraxinus hookeri* WENZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fraxinus ornus* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fritillaria cirrhosa* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fritillaria imperialis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fritillaria roylei* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fucus distichus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fucus nodosus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fucus vesiculosus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fumaria indica* PUGSLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fumaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fumaria parviflora* AUCT. NON. LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fumaria vaillantii* LOISEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Furcraea foetida* (L.) HAW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fynura bicolour* (WILLD.)DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaillonia aucheri* JAUB. & SPACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galega purpurea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galega spinosa* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galeopsis tetrahit* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galidium cartilagineum* (L.) GAILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galinsoga parviflora* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium acutum* EDGEW. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium aparine* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium asperifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium elegans* BLOCKI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium mullugo* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium triflorum* MICHX. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galium verum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ganophyllum falcatum* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia cambogia* GAERTN. DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia cornea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia cowa* ROXB. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia dulcis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia echinocarpa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia gummi-gutta* (L.) ROBS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia hanburyi* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia heterandra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia indica* (DUP.) CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia kydia* ROXB. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia mangostana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia morella* (GAERTN.) DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia pedunculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia pictoria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia purpurea* G.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia rubro-echinata* KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia talbotii* RAIZADA EX SANTAPAU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia travancorica* BEDDOME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia wightii* T.ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia xanthochymus* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia augusta* (L.) MERR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia campanulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia dumetorum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia floribunda* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia florida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia gummifera* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia incida* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia jasminoides* ELLIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia latifolia* AITON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia lucida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia nummularioides* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia resinifera* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gardenia turgida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garuga pinnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gastrochilus longiflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gastrochilus pandurata* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaultheria fragrantissima* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaultheria nummularioides* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaultheria procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gaultheria trichiphylla* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gelidium cartilagineum* GAILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gelonium bifarium* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gelsemium elegans* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gelsemium semepervirens* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gemphostemma ovatum* WALL. EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gendarussa vulgaris* NEES and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geniosporum gracilo* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geniosporum prostratum* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geniosporum tenuiflorum* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana algida* PALLAS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana argentea* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana borealis* GRISEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana carinata* GRISEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana chirayta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana decumbens* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana desonasa* (ROTTB.) G. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana kurroo* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana lutea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana olivieri* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana quadrifaria* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana renella* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana stipitata* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana tenella* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentiana thianschanica* RUPR. EX KUSN. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentianella pedunculata* (ROYLE) H. SM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentianella tenella* (ROTTB.) BORNER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gentianopsis detonsa* (ROTTB.) MA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geodorum densiflorum* (LAM.) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geodorum dilatatum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geophila herbacea* KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geophila reniformis* D. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geophila repens* (L.) I.M.JOHNSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium himalayense* KLOT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium lucidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium mascatense* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium molle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium nepalense* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium ocellatum* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium pusillum* BURM.F.SPEC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium rivulare* VILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium robertianum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium rotundifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium sibiricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium wallichianum* DON EX SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gerbera gossypina* (ROYLE) BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gerbera lanuginosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gerbera piloselloides* (L.) CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geum alatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geum elatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geum roylei* WALL. EX BOLLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geum urbanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Giesekia pharnacoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ginkgo biloba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia diversifolia* (LINK) FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia heterophylla* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia leschenaultiana* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia zeylanica* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia cuspidata* (BL.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Girardinia reticulata* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Giesekia pharnaceoides* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Givotia rottleriformis* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gleditsia sinensis* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gleditsia triacanthos* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gleichenia longissima* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glinus dictamnoides* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glinus lotoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glinus oppositifolius* (L.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba clarkei* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba marantina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba multiflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba orixensis* ROXB. ASIAT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Globba pauciflora* KING EX BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion calocarpum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion calocarpum* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion ellipticum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion heyneanum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion hohenackeri* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion lanceolarium* VOIGT. NON DALZ. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion multiloculare* MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion oblatum* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion sumatrana* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion tomentosum* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glochidion zeylanicum* A. JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gloriosa superba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossocardia bosvallea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossocardia linearifolia* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossogyne bidens* (RETZ.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossogyne pinnatifida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glossonema varians* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gluta travancorica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycine labialis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycine max* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycine pentaphylla* DLAZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycine soja* SIEB. & ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis arborea* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis cochinchinensis* PIERRE EX ENGLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis macrocarpa* WT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis mauritiana* (LAMK.) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis mauritiana* (LAMK.) TANAKA *Kalammanensis* (NARAY.) TANAKA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis pentaphylla* (RETZ.) DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycyrrhiza glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycyrrhiza glabra* L. violace and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycyrrhiza radix* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycyrrhiza uralensis* FISCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina arborea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina elliptica* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina parviflora* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gmelina philippensis* CHAMP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium indicum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium luteo-album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnaphalium polycaulon* PER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnetum edule* (WILLD.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnetum gnemon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnetum montanum* MARKGRAF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnetum scandens* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnetum ula* BRONGN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gnidia glauca* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goldfussia thomsonii* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphia angustifolia* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphia serrata* (GAERTN.) KANIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma crinitum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma parviflora* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphostemma wallichii* PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphrena celosioides* MART. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphrena globosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gonatanthus pumilus* (DON) E. & KRAUSE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniothalamus sequipedalis* HK.F.& TH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniothalamus waynaadensis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniothalamus wightii* HOOK.F. & THOMAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gonostegia hirta* (BL.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goodyera repens* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goodyera schlechtKalamliana* RCHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goodyera secundiflora* (GRIFF.) LINDL. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gordonia obtusa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium acuminatum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium arboreum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium barbadense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium herbaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium hirsutum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium indicum* TOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium obtusifolium* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium purpurascens* POIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium religiosum* WATT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium stocksii* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gouania leptostachya* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gouania microcarpa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gouania tiliaefolia* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gouania leptostachya* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gracilaria lichenoides* GERV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grangea maderaspatana* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Graptophyllum hortense* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Graptophyllum pictum* (L.) GRIFF. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gratiola monniera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grevillea robusta* A. CUNN. EX R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia abutilifolia* VENT. EX JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia asiatica* L. vestita MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia asiatica* MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia carpinifolia* JUSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia elastica* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia helicterifolia* WALL. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia heterotricha* MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia hirsuta* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia microcos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia obtusa* WALL. EX GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia oppositifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia optiva* DRUMMOND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia orbiculata* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia polygama* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia populifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia rhamnifolia* HEYNE. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia rothii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia salvifolia* HEYNE. EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia sapida* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia scabrophylla* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia sclerophylla* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia subinaequalis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia tenax* (FORSK.) FIORI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia tiliaefolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia umbellata* AUCT.NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia villosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guaiacum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guazuma tomentosa* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guazuma ulmifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guettarda speciosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guilandina bonducella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guizotia abyssinica* CASS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnadenia himalayica* SCHLTR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnadenia orchidis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema aurantiaca* WALL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema balsamicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema hirsutum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema khKamlense* SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema lactiferum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema latifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema montanum* (ROXB.) HOOK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema spartium* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnema sylvestre* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnocladus assamicus* Kanjilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnopetalum wightii* WT. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnosporia montana* (ROTH.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnosporia royleana* M.LAWS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnosporia spinosa* MERILL & ROLFE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gymnostachyum febrifugum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynandropsis gynandra* BRIQUET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynandropsis pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynocardia odorata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynostemma pentaphyllum* (THUNB.) MAKINO

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura angulosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura cusimbua* (D.DON) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura hispida* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynura pseudo-china* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gyrocarpus americanus* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria commelinifolia* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria crinifera* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria diphylla* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria edgeworthii* HOOK. F. EX COLLETT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria grandiflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria intermedia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria longicorniculata* GRAH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria orchidis* (LINDL.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria ovalifolia* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria plantaginea* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria rariflora* A.RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria rotundifolia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Habenaria roxburghii* (PERS.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hackelochloa granularis* (L.) KUNTZE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haemanthus multiflorus* MARTYN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haematoxylon campechianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hagenia abyssynica* GMEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haldina cordifolia* (ROXB.) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Halophila ovalis* (R.BR.) HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haloxylon multiflorum* (MOQ.) BUNGE EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haloxylon recurvum* BUNGE EX BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haloxylon salicornicum* BUNGE EX BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hamamelis virginiana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hamelia patens* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hamiltonia suaveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haplanthus tentaculatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Haplanthus verticillata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hardwickia binata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hardwickia pinnata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Harpagophytum procumbens* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Harpullia arborea* (BLANCO) RADLK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hebanthe paniculata* MART. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedeoma pulegioides* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedera helix* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedera nepalensis* C. KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedgsonia macrocarpa* (BL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium acuminatum* ROSCOE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium coccineum* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium coronarium* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium ellipticum* HAMILT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium gardnerianum* SHEPPARD EX KER-GAWLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium glaucum* ROSC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium gracile* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium marginatum* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium spicatum* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedychium wardii* C.E.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis auricularia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis auriculata* (LINN.). AURICULARIA ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis biflora* (L.) LAMK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis capitellata* WALL. EX. G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis corymbosa* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis costata* (ROXB.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis diffusa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis glabra* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis herbacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis hispida* (BENTH.) RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis lineata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis pinifolia* WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis pruinosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis puberula* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis tenelliflora* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis umbellata* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis uncinella* HK. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis verticillata* (L.) LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedyotis vestita* R.BR. EX G. DON NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum sennoides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum alhagi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum gangeticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum purpureum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum sennoides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum triflorum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hedysarum tuberosum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helianthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helianthus tuberosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicanthes elastica* (DESR.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicia excelsa* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicia robusta* (ROXB.) R. BR. EX BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicteres isora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicteres isora* L. *glabrescens* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicteres isora* L. *tomentosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliophyllum indicum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium bacciferum* FORSK. *tuberculosis* (BOISS.) KAZMI *bacciferum* NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium brevifolium* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium curassavicum* L. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium eichwaldi* STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium ellipticum* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium keralense* SIV. & MANL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium ophioglossum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium ovalifolium* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium peruvianum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium rariflorum* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium strigosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium subulatum* HOCHST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium supinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium tuberosum* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium undulatum* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helixanthera wallichiana* (SCHULT.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helleborus niger* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helleborus viridis* BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helminthostachys zeylanicus* (L.) HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heliotropium ophioglossum* STOCKS. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemarthria compressa* (L.F.) BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemerocallis fulva* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemidesmus indicus* (L.) SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemidictyum ceterach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemigraphis latebrosa* NESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hemionitis arifolia* (BURM.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum cachemiricum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum candicans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum canescens* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum lanatum* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum nepalense* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum pinda* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum pinnatum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum rigens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heracleum wallichii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heritiera littoralis* AITON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heritiera minor* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heritiera papilio* BEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hermodactylus tuberosus* (L.) MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hernandia ovigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hernandia peltata* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Herniaria glabra* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Herniaria hirsuta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Herpestis monniera* (L.) H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hesperethusa alata* (W. & A.) ALST and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hesperethusa crenulata* (ROXB.) M. ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heteropogon contortus* (L.) Beauv. ex R. & S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heynea trijuga* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus abelmoschus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus aculeatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus cancellatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus cannabinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus esculentus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus ficulneus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus furcatus* ROXB. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus hirtus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus hispidissimus* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus lampas* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus lunariifolius* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus manihot* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus micranthus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus mutabilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus obtusifolius* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus ovalifolius* (FORSK.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus platanifolius* (WILLD.) SWEET and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus populneus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus rosa-sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus sabdariffa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus surattensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus syriacus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus tiliaceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus trionum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus vitifolias* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus vitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hieracium umbellatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hieracium virosum* PALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hieracium vulgatum* (FR.) ALMQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippocratea indica* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippophae rhamnoides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippophae rhamnoides* L. *saticifolia* (D.DON) SARVETTAZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippophae salicifolia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hippophae tibetana* SCHLECT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hiptage benghalensis* (L.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hiptage madablota* GAERTN and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hitchenia caulina* BAKER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hodgsonia macrocarpa* (BI.) COGN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holarrhena antidysenterica* (ROTH.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holarrhena mitis* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holboellia latifolia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna arnottiana* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna ferruginea* MARCHAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna grahamii* (WGT.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna nigra* BOURD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holmskioldia sanguinea* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holoptelea integrifolia* (ROXB.) PLANCHON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holostemma ada-kodien* SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holostemma annulare* (ROXB.) K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holostemma rheedianum* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holostemma rheedii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holosteum umbellatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homalomena aromatica* SCHOTT and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homalomena rubescens* KUNTH ENUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homonoia retusa* (GRAH. EX WT.) MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homonoia riparia* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea glabra* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea odorata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea parviflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea ponga* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea wightiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea dichotoma* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hordeum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hornstedtia costata* (ROXB.) K. SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Horsfieldia glabra* (BL.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Horsfieldia irya* (GAERTN.) WARB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Horsfieldia kingii* (HK.F.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Houttuynia cordata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hovenia acerba* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya carnosa* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya globulosa* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya multiflora* BLUME NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya ovalifolia* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya pendula* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya viridiflora* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hoya wightii* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hugonia mystax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia unijuga* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humboldtia vahliana* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Humulus lupulus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hunteria corymbosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hunteria legocii* SKINA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Huperzia phlegmaria* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hura crepitans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hybanthus enneaspermus* (L.F.) MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyderangea macrophylla* (THUNB.) SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus alpina* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus anthelminthica* PIERRE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus inebrians* VAHL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus kurzii* (KING) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus laurifolia* (DENNST.) STEUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus macrocarpa* (BEDD.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus octandra* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus venenata* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus wightiana* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnophytum Kalammanense* BECC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnophytum formicarium* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrangea arborescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrastis canadensis* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrilla verticillata* (L.F.) ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocharis dubia* (BL.) BACKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle javanica* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle javanica* THUNB. *PODUNTHA*

MOLKENBOER EX C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle rotundifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocotyle sibthorpiodes* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrolea zeylanica* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila auriculata* (SCHUMACH.) HEINE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila erecta* (Burm.f.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila heinei* SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila phlomoides* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila polysperma* (ROXB.) AND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila salicifolia* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila schulli* (HAM.) M.R. & S.M. ALMEIDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila spinosa* T. ANDER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hygrophila aristata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenaea courbaril* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenaea hornemannianum* (HAYNE) D. DIETR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenocrater sessilifolius* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenodictyon excelsum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenodictyon obovatum* WALL. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenodictyon orixense* (ROXB.) MABBERLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyoscyamus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyoscyamus muticus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyoscyamus niger* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyoscyamus pusillus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyoscyamus reticulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyoscyamus squarrosus* GRIFF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypocoum leptocarpum* HOOK. F. & THOMS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypocoum pendulum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypochaeris procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyperanthura moringa* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum cernuum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum chinense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum elodeoides* CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum humifusum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum japonicum* THUNB. EX MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum laxum* (BL.) KOIDZUMI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum monanthemum* HK. F. & TH. EX DYER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum monogynum* L. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum oblongifolium* CHOISY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum patulum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum perforatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum sampsoni* HANCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum uralum* BACH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypobathrum microcarpum* (Bl.) Bakh.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypochaeris glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypodematium crenatum* (FORSK.) KUHN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypolepis punctata* (THUNB.) METT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypolytrum nemorum* (VAHL) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypoxis aurea* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypoxis orchioides* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyptis brevipes* POIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyptis capitata* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyptis pectinata* POIT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyptis suaveolens* POIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyssopus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hyssopus parviflora* BENTH. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ichnocarpus frutescens* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex denticulata* WALL. EX. WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex godajam* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex paraguariensis* A.ST.HIL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex wightiana* WALL. EX. WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illecebrum lanatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illicium anisatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illicium griffithii* HOOK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illicium religiosum* S. & L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illicium verum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illigera appendiculata* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Illigera villosa* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilysanthes oppositifolia* (ROXB.) URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilysanthes reptans* (ROXB.) URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens balsamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens brachycentra* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens gigantea* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens glandulifera* ROYLE. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens minor* (DC.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens roylei* WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens scabrida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens tilo* (DC.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens tripetala* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Imperata arundinacea* CYR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Imperata cylindrica* (L.) RAEUSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Incarvillea emodi* (LINDL.) CHATTERJ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera anil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera argentea* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera articulata* GONAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera aspalathoides* VAHL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera astragalina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera caerulea* ROXB. *caerulea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera cassioides* ROTTL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera ennaephylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera galegoides* DC. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera gerardiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera glabra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera glandulosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera hebeptala* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera heterantha* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera linifolia* RETZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera linnaei* ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera nil* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera oblongifolia* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera paucifolia* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera pulchella* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera suffruticosa* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera sumatrana* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera tinctoria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera trita* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indigofera uniflora* HAM. EX ROXB. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indoneesiella echicides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indoneesiella echiodides* (L.) SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Indoneesiella intermedia* SREEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Intsia bijuga* (Colebr.) O. Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula cappa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula cuspidata* C.B. CL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula grandiflora* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula grantioides* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula graveolens* DESF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula helenium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula obtusifolia* KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula racemosa* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Inula royleana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ionidium enneaspermum* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ionidium suffruticosum* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iphigenia indica* (L.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea aquatica* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT.

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea batatas* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea biloba* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea bona-nox* HEYNE EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea burmanni* CHOISY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea cairica* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea campanulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea candicans* SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea carnea* JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea coccinea* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea coptica* (L.) ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea cymosa* ROEM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea dasysperma* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea digitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea dissecta* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea eriocarpa* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea fastigiata* (ROXB.) SWEET NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea fistulosa* MART EX CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea glaberrima* BOJ. EX HOOK. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea grandiflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea hederacea* AUCT. NON JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea hederifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea hispida* ROEM. & SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea illustris* (CLARKE) PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea involucreata* BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea marginata* (DESR.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea mauritiana* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea maxima* G. DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea muricata* (L.) JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea nil* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea obscura* KER.-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea paniculata* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea pes-caprae* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea pes-tigridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea petaloidea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea purga* (WEND.) HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea purpurea* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea quamoclit* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea reniformis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea reptans* (L.) POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea sepiaria* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea sindica* STAPP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea staphylina* R, BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea tridentata* (L.) ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea turbinata* LAG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea turpethum* (L.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea uniflora* ROEM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea violacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ipomoea vitifolia* SWEET. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris decora* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris ensata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris florentina* KUNZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris foetidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris germanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris kashmiriana* BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris kemaonesis* D.DON EX ROYLE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris nepalensis* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris songarica* SCHRENK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iris versicolor* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isachne globosa* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum muticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum pilosum* HACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ischaemum rugosum* SALISH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isopyrum acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isopyrum anemonoides* KAR. & KIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Isopyrum thalictroides* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Itea chinensis* HOOK. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora arborea* ROXB. EX J.E. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora brunnescens* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora coccinea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora cuneifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora grandiflora* Zoll. & Mor. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora nigricans* BR. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora parviflora* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora pavetta* ANDR. BOT. REPOS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora polyantha* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora sub-sessilis* WALL. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ixora undulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *JacarKalam acutifolia* HUMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jacobinia tinctoria* HEMSL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jaeschkea gentianoides* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jaeschkea oligosperma* (GRISEB.) KNOBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum anastomozans* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum angustifolium* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum arborescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum auriculatum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum azoricum* L. *azoricum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum bignoniaceum* WALL. EX. G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum calophyllum* WALL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum chrysanthemum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum cuspidatum* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum diversifolium* KOBUSKI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum flexile* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum grandiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum humile* SENSU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum malabaricum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum multiflorum* (BURM.F.) ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum nervosum* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum pubescens* (RETZ.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum ritchiei* CLARKE IN HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum rottlerianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum sambac* (L.) AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum sambac* AIT. heyneana WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum scandens* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum subhumila* W.W. SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum trichotomum* HEYNE. EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jasminum undulatum* KER-GAWLER and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jateorhiza palmata* (LAM.) MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha curcas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha glandulifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha glandulosa* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha glauca* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha gossypifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha montana* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha nana* DALZ. & GIBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jatropha panduraefolia* ANDR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Joannesia princeps* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juglans regia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juglans regia* L. *kumaonia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncellus inundatus* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus inflexus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus lampocarpus* EHRH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juncus prismatocarpus* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus excelsa* BIEB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus indica* BERTOL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus macropoda* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus polycarpus* C. KOCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus recurva* BUCH.-HAM. EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jurinea dolomiaea* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jurinea himalaica* STEWART NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jurinea macrocephala* (ROYLE) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jurinea macrophylla* BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jussiaea repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jussiaea suffruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Jussiaea tenella* BURM. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia acaulis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia adhatoda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia beddomei* (CL.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia betonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia bicalyculata* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia bilvalvis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia ecboium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia gendarussa* BURM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia madurensis* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia nasuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia paniculata* (VAHL) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia picta* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia prostrata* (CL.) GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia repens* DELESS. EX NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia simplex* DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia tranquebariensis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Justicia vasculosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kaempferia angustifolia* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kaempferia galanga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kaempferia rotunda* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe integra* (MEDIK.) KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe laciniata* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe pinnata* (LAM.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe rosea* C.B. CLARKE and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalanchoe spathulata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kallstroemia pubescens* (DON) DANDY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kandelia candel* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kandelia rheedei* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kandelia rheedii* W.&A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kedrostis foetidissima* (JACQ.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kedrostis rostrata* (ROTTL.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kickxia ramosissima* (WALL.) JANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kigelia africana* (LAMK.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kigelia pinnata* (JACQ.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kirganelia reticulata* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kleinhovia hospita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kleinia grandiflora* (WALL. EX DC.) RANI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knema angustifolia* (ROXB.) WARB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knema attenuata* (WALL.) WARB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knema linifolia* (ROXB.) WARB. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia brachycarpa* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia corymbosa* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia roxburghii* (SPRENG.) M.A. RAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kochia indica* WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kochia scoparia* (L.) SCHRAD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kochia sedoides* SCHRAD NEUES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Koelpinia linearis* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kokoona zeylanica* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kopsia flavida* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kopsia fruticosa* A. DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kurrimia bipartita* M.LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kydia calycina* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kyllinga brevifolia* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kyllinga monocephala* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kyllinga nemoralis* HUTCH. & DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kyllinga squamulata* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kyllinga triceps* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lablab purpureus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca dissecta* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca gracilis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca heyneana* D.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca orientalis* (BOISS.) BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca remotiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca runcinata* DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca scariola* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca serriola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca tatarica* C.A.REY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lactuca virosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagasea mollis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagasea spinosissima* COV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenandra ovata* (L.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenandra toxicaria* (L.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenaria leucantha* RUSBY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenaria siceraria* (MOLINA) STANDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagenaria vulgaris* SER. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia flos-reginae* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia hirsuta* (LAM.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia microcarpa* W. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia parir-flosh* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia reginae* PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagerstroemia speciosa* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laggera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laggera aurita* (WILD.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laggera crispata* (VAHL) HEP. & WD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laggera flava* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laggera pterodonta* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lagotis glauca* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lallemantia royleana* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lamarkia aurea* MOENCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laminaria saccharina* LAM. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lamium album* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lamium amplexicaule* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lamprachaenium microcephalum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lancea tibetica* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Safed Musli farming for hyperglycemia formulations: Impact of *Lanea coromandelica* (HOUTT.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lanea grandis* (DENNST.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lansium domesticum* JACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana camara* L. *aculeata* (L.) MOLDENKE and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana camara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lantana indica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laportea crenulata* GANDICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laportea interrupta* (L.) CHEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Larrea tridentata* (SESSE & MOC.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasia aculeata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasia heterophylla* SCHOTT MELET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasia spinosa* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasianthus Kalammanicus* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasiophora eriocephala* (MEISNER) DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lasiurus hirsutus* (FORSK.) BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lastrea filix-mas* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathraea squamaria* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus altaicus* LED. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus aphaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus inconspicuus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus luteus* BAKER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus odoratus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus pratensis* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lathyrus sphaericus* RETZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea aspleniifolia* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea capitata* (SPRENG.) DANDY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea chondrilloides* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea glomerata* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea nudicaulis* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea pinnatifida* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea remotiflora* (DC.) STEBBINS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea resedifolia* (LINN.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launaea sarmentosa* (WILLD.) ALST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launea acaulis* (ROXB.) KERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launea procumbens* (ROXB.) RAM. & RAJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Launea sarmentosa* ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens chandrasekharanii* Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens chinensis* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens clavicornu* Turez. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens cordata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens crenata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens cuspidata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens dasysperma* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens debilis* Turez. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens denisonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens disotis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens diversifolia* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens elegans* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens floribunda* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens fruticosa* Lesch. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens goughii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens grandis* Heyne and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens hensloviana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens herbicola* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens hookeriana* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens inconspicua* Benth ex. Wight & Arn. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens jerdoniae* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens laticornis* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens lawsonii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens lenta* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens leptura* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens levingei* Gamble ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens ligulata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens maculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens minor* (DC.) Bennet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens modesta* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens munronii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens neo-barnesii* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens nilgirica* Fischer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens orchioides* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens parasitica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens parvifolia* Bedd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens phoenicea* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens rufescens* Benth. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens scabriuscula* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens scapiflora* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens tangachee* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens tenella* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens tomentosa* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens trichocarpa* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens umbellata* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens uncinata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens verticillata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens viridiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens viscida* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens viscosa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens wightiana* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acronychia pedunculata* (L.) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aegle marmelos* (L.) Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atalantia monophylla* (L.) Correa and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atalantia racemosa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Atalantia wightii* Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chloroxylon swietenia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Choisya ternata* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus aurantifolia* (Christm.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus aurantium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus limon* (L.) Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus maxima* (Burm.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus medica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus nobilis* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus reticulata* Blanco and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Citrus sinensis* (L.) Osbeck. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena austro-indica* B. C. Stone and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena dentata* (Willd.) M. Roem and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena indica* (Dalz.) Oskin and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clausena lansium* (Lour.) Skeels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euodia fraxinifolia* (D. Don.) Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-*

ankenda and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fortunalla japonica* (Thunb.) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis angustifolia* Lindl. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis macrocarpa* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis mauritiana* (Lam.) Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis pentaphylla* (Retz.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glycosmis tirunelveliensis* Murugan & Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limonia acidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luvunga eleutherandra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melicope indica* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murraya koenigii* (L.) Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murraya paniculata* (L.) Jack and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naringi crenulata* (Roxb.) Nicolson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pamburus missionis* (Wight) Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paramigyna beddomei* Tanaka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paramignya monophylla* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleiospermium alatum* (Wall ex. Wight & Arn.)

Swingle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruta chalepensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toddalia asiatica* (L.) Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triphasia trifolia* (Burm. f.) P. Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vepris bilocularis* (Wight & Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum armatum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum ovalifolium* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum rhetsa* (Roxb.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum limonellia* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus excelsa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ailanthus triphysa* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quassia amara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suriana maritima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphia serrata* (Gaertn.) Kanis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna integerrima* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna jabotapita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna lanceolata* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna obtusata* DC. var. *obtusata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna gamblei* King ex Brandis and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Boswellia serrata* Roxb. ex Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium strictum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canarium vulgare* Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora berryi* (Arn.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garuga pinnata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia apiocarpa* (Thw.) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia barberi* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia bourdillonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia domestica* (Correa) Pellegrin Lecomte and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia elaeagnoidea* (Juss.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia edulis* (Roxb.) Wall and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia lawii* (Wight) Saldanha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia tomentosa* Teijsm. & Binn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia odorata* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aglaia simplicifolia* (Bedd.) Harms and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphanamixis polystachya* (Wall.) Parker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Azadirachta indica* A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chukrasia tabularis* A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cipadessa baccifera* (Roth) Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum ficiforme* (Wight) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dysoxylum malabaricum* Bedd. ex Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melia azedarach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naregamia alata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reinwardtiadendron anamallayanum* (Bedd.) Saldahnha and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sandoricum koetjape* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Soymida febrifuga* (Roxb.) A. Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swietenia macrophylla* King and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swietenia mahagoni* (L.) Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toona ciliata* M. Roem. var. *ciliata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turraea villosa* Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Walsura trifolia* (A. Juss.) Harms and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylocarpus granatum* Koen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dichapetalum gelonioides* (Roxb.) Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anacolosa densiflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax scandens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax imbricata* Roxb. var. *imbricata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax imbricata* Roxb. var. *nigrescens* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strombosia ceylanica* Gard. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ximenia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cansjera rheedii* Gmel. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opilia amentacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Apodytes dimidiata* E. Meyer ex Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphandra coriacea* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miquelia dentata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothapodytes nimmoniana* (Graham) Mabberley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrenacantha volubilis* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostigma kleinii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythralpalum populifolium* (Arn.) Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex aquifolium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex denticulata* Wall ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex gardneriana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex malabarica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex opaca* Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex walkeri* Wight & Gard. ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ilex wightiana* Wall ex. Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bhesa indica* (Bedd.) Ding and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassine glauca* (Rottb.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cassine paniculata* (Wight & Arn.) Lobr.-Callen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celastrus paniculatus* Willd. var. *paniculatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Celastrus paniculatus* Willd. subsp. *aggregatus* K.T.Mathew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus angulatus* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus barberi* C. Murugan & V. S. Manickam and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus crenulatus* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus dichotomous* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus indicus* Heyne ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus japonicus* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus kanyakumariensis* Murugan & Manickam

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus paniculatus* Wight ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Euonymus serratifolius* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glyptopetalum grandiflorum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glyptopetalum lawsonii* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Glyptopetalum zeylanicum* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loeseneriella bourdillonii* (Gamble) Raju and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lophopetalum wightianum* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus emarginata* (Willd.) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus heyneana* (Roth) Raju & Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus rufa* (Wall.) Hara and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis microcarpa* Wight var. *microcarpa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis latifolia* Wight ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis ovalifolia* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis ramiflora* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis stocksii* Gamble and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtropis wallichiana* Wight ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleurostyliia opposita* (Wall.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reissantia grahamii* (Wight) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reissantia indica* (Willd.) Halle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia fruticosa* Heyne ex Lawson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia macrosperma* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia oblonga* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alphitonia excelsa* Reiss ex Endlicher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colletia cruciata* Gill. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colletia ferox* Gill. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Colubrina asiatica* (L.) Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gouania microcarpa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hovenia acerba* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maesopsis eminii* Engler and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pomaderris apetala* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pomaderris lanigera* Sims and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus cathartica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus dahuricus* Pall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus virgatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus wightii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sageretia hamosa* Brongn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sageretia parviflora* (Klein) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutia myrtina* (Burm. f.) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago denticulata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago gamblei* Suesseng and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago goughii* Gamble and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago madraspatana* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus glabrata* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus horrida* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus incurva* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus mauritiana* Lam. var. *mauritiana* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus oenopia* (L.) Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus rugosa* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus xylopyrus* (Retz.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus indica* (L.) Planch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus latifolia* (Roxb.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ampelocissus wightiana* Shetty & Singhand 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia auriculata* (Roxb.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia japonica* (Thunb.) Gagnep. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia mollissima* (Wall.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *glabra* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cayratia trifolia* (L.) Domin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus arnottiana* B.V.Shetty & P.Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus adnata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus discolor* Blume. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus latifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus glyptocarpa* (Thw.) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus heyneana* (Wall. ex Lawson) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus quadrangularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus repKalam* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus repens* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissus vitiginea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyphostemma setosum* (Roxb.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parthenocissus neilgherriensis* (Wight) Planch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parthenocissus semicordata* (Wall.) Planchon var.

roylei (King) Raizada & Saxina and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma gamblei* Shetty & Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma leucostaphylum* (Dennst.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma nilagiricum* (Miq.) Shetty and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma sulcatum* (Lawson) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis vinifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea asiatica* (L.) Ridsdale and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea guineensis* G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea indica* (Burm. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea macrophylla* Roxb. ex Hornem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Allophylus cobbe* (L.) Raeusch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardiospermum canescens* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardiospermum halicacabum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dimocarpus longan* Lour. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dodonaea viscosa* (L.) Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Filicium decipiens* (Wight & Arn.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Harpullia arborea* (Blanco) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepisanthes erecta* (Thw.) Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepisanthes tetraphylla* (Vahl.) Radlk. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litchi chinensis* Sonner. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Otonephelium stipulaceum* (Bedd.) Radlk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapindus emarginatus* Vahl and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapindus trifoliata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schleichera oleosa* (Lour.) Oken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aesculus indica* (Cambess.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer caesium* Wall. ex Brandis and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer oblongum* Wall. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acer pseudo-platanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanthus major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turpinia malabarica* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turpinia cochinchinensis* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anacardium occidentale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchanania axillaris* (Desr.) Ramam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Buchanania lanzan* Spreng. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gluta travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna arnottiana* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna beddomei* Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna ferruginea* Marchand and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna grahamii* (Wight) Kurz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Holigarna nigra* Bourd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Safed Musli farming for hyperglycemia formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mangifera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia aureo-fulva* Bedd. ex Hook. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia beddomei* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia colebrookeana* (Wight) Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia heyneana* (Hook. f.) Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia travancorica* Bedd ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia vajravelui* Ravikumar & Lakshmanan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus mysorensis* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus paniculata* Wall. ex Hook. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schinus molle* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schinus terebinthifolius* Raddi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus anacardium* L. var. *anacardium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus anacardium* L. var. *cuneifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus auriculata* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spondias pinnata* (L.f.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corynocarpus laevigata* Forst. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moringa concanensis* Nimmo ex Gibs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moringa pterygosperma* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Connarus monocarpus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Connarus wightii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ellipanthus tomentosus* Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rourea minor* (Gaertn.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abrus fruticulosus* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abrus precatorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abrus pulchellus* Wall ex Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynomene americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynomene aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aeschynomene indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus beddomei* Schind. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus longifolius* Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus monilifer* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus ovalifolius* (Schumac) J. Leon. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus racemosus* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus roxburghianus* Thoth. & Pramanik and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus glumaceus* (Vahl) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arachis hypogaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea acuminata* (Benth.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea monosperma* (Lam.) Taub. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea parviflora* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Butea purpurea* (Benth. ex Baker) Blatter and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus albicans* (Wight & Arn) Maesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus goensis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus lineata* (Wight & Arn) van der. Maesen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus cajan* (L.) Millsp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus rugosus* (Wight & Arn) Maesen and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus scarabaeoides* (L.) Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cajanus trinervius* (DC.) van der. Maesen. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calopogonium mucunoides* Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calpurnia aurea* (Ait.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia cathartica* Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia gladiata* (Jacq.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia maritima* (Aubl.) Thouars and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia mollis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Canavalia virosus* (Roxb.) Wight & Arn. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Castanospermum australe* A. Cunn. & Fraser ex Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Centrosema pubescens* Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chorizema ilicifolium* Labill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christia obcordata* (Poir.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Christia vespertilionis* (L.f.) Bakh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cicer arietinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clinanthus puniceus* Soland ex. Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clitoria ternatea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurentia longiflora* (L.) PETERMANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurus cassia* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurus cinnamomum* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Laurus nobilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula bipinnata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula burmanni* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula carnosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula stoechas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavandula vera* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lavatera kashmiriana* CAMB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lawsonia alba* LAM. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lawsonia inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lawsonia spinosa* L.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lechea verticillata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea aequata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea alata* EDGEW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea arguata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea asiatica* (L.) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea aspera* EDGE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea bracteata* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea compactiflora* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea crispa* V. ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea guineensis* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea hirta* ROXB EX HORNEIM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea indica* MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea macrophylla* ROXB. EX HORN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea robusta* ROXB. HORT. BENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leea sambucina* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemanea australis* ATKINS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemna globosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemna obcordata* BOJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lemna perpusilla* TORREY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lens culinaris* MEDIC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lens esculenta* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonotis nepetaefolia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leontopodium jacotianum* BEAUVERD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus cardiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus hamiltoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus incurva* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus japonicus* HOUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus sibiricus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leonurus stelligera* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepeocercis serrata* TRIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepianthes umbellata* (L.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis cristata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis hamiltoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis incurva* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis pungens* NEES and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis scariosa* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis trinervia* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidagathis trinervis* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium apetalum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium capitatum* HOOK. F. & THOMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium draba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium iberis* L. alba and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium iberis* POLL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium latifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium perfoliatum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium ruderalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium virginicum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepionorus sylvestris* BL. BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepionurus sylvestris* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepisanthes Kalammanica* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptadenia pyrotechnica* DCNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptadenia spartium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochilus decurrens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptochloa malabarica* (L.) VELDKAMP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptodermis lanceolatus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptonychia heteroclita* (ROXB.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lespedeza sericea* MIQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lettsomia aggregata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lettsomia atropurpurea* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lettsomia elliptica* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lettsomia mysorensis* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lettsomia nervosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lettsomia setosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucaena glauca* (L.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas aspera* (WILLD.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas capitata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas cephalotes* (ROTH.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas ciliata* BENTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas indica* (L.) R.BR. EX VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas lanata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas lavandulifolia* J.E. SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas linifolia* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas martinicensis* (JACQ.) R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas mollissima* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas plukenetii* (ROTH) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas stelligera* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas stricta* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas urticaefolia* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas zeylanica* (L.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leuconotis eugenifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucosceptum canum* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucostegia immersa* (HK.) PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucostegia nodosa* BEDD.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leucas rosmarnifolia* CIRUTUMPAI benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Levisticum officinale* W.D.J. KOCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Licuala spinosa* WURMB. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligularia amplexicaule* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligularia jacquemontiana* (DECNE) RAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligusticum elatum* C.B. CL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum indicum* (LOUR.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum lucidum* (LOUR.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum nicum* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum perrottetii* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ligustrum robustum* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium candidum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium giganteum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium martagon* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium neilgherrense* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium polyphyllum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lilium wallichianum* SCHULT. & SCHULT. F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnanthemum cristatum* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnanthemum indicum* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnanthemum nymphaeoides* LINK FL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila aromatica* (L.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila gratioloides* R.BR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila gratissima* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila indica* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila polystachya* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila racemosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila roxburghii* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila rugosa* (ROTH) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophila sessiliflora* (VAHL) BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnophyton obtusifolium* (L.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limodrum spatulatum* WLLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limonia acidissima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limonia alata* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limonia crenulata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linaria cirrhosa* H.K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linaria minor* DESF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linaria ramosissima* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindelofia longiflora* (BENTH.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindenbergia indica* (L.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindenbergia urticaefolia* LEHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindera caudata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindera neesiana* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindera pulcherrima* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia anagallis* (BURM.F.) PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia antipoda* (L.) ALSTON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia caespitosa* (BL.) PANIGRAHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia ciliata* (COLESM.) PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia cordifolia* (COLSM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia crustacea* (L.) F. V. MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia hyssopioides* (L.) HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia oppositifolia* (RETZ.) MUKH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia procumbens* (KROCK.) BORBAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia pyxidaria* ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia rotundifolia* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindernia ruellioides* (COLSM) PENNEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lindsaea cultrata* (WILLD.) SW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linociera malabarica* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linociera ramiflora* (ROXB.) WALL. EX G. DON

NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linum perenne* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linum strictum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linum usitatissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis nervosa* (THUNB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liparis parviflora* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lippia geminata* H.B.K. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lippia javanica* (BURM.F.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lippia nodiflora* MICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liquidambar orientalis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liquidambar styraciflua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liquistrium indicum* (LOUR.) NERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Liriodendron tulipifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litchi chinensis* SONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lithocarpus pachyphyllus* (KURZ) REHDER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lithospermum arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lithospermum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea chinensis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea citrata* BL. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea cubeba* (LOUR.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea glutinosa* (LOUR.) C.B. ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea glutinosa* (LOUR.) ROBINSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea lancifolia* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea monopetala* (ROXB.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea polyantha* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea quinqueflora* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea sebifera* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea stocksii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea umbrosa* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Litsea zeylanica* C. & T. NESS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia alsinoides* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia chinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia cordigera* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia excelsa* LESCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia inflata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia leschenaultiana* (PRESL) SKOTTSB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobelia pyramidalis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobularia maritima* DESV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lochnera pusilla* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lochnera rosea* REICHB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lodoicea maldivica* (POIR.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lodoicea seychellarum* LABILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lomatogonium carinthiacum* (WULF.) BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera glauca* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera japonica* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera leschenaultii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera macrantha* (D.DON) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera semenovii* REGEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lonicera webbiana* WALL. EX DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lophopetalum wallichii* KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loranthus coriaceus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loranthus elasticus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loranthus falcatus* L.F. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loranthus longiflorus* DESR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lotus corniculatus* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Loxococcus rupicola* WENDL.& DRUDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia adscendens* (L.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia hyssopifolia* (DON) EXCELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia octovalvis* (JACQ.) RAVEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHEL) RAVEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia perennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia peruviana* (L.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ludwigia prostrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa acutangula* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa acutangula* ROXB. amara (ROXB.) CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa aegyptiaca* MILL. EX. HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa amara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa cylindrica* (L.) M.J. ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa echinata* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa graveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa graveolens* ROXB. *longystyla* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa pentandra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luffa umbellata* (KLEIN) ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luisia tenuifolia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lumnitzera racemosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus albus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus angustifolius* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus digitatus* FORSK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lupinus luteus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luvunga eleutherandra* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luvunga scandens* (BLUME) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Luzula campestris* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lychnis apetala* L. SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lychnis coronaria* LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycianthes laevis* (DUNAL) BITTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycium barbarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycium europaeum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycium ruthenicum* MURR. EX DUNAL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycoperdon gemmatum* BATSCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycoperdon pusillum* PER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopersicon esculentum* MILL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopersicon lycopersicum* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopersicum esculentum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopodium cernum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopodium clavatum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopodium phlegmaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycopus europaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lycoris radiata* (L'HERIT.) HERBERT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lygodium circinatum* (BURM) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lygodium flexuosum* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lygodium japonicum* (THUNB.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lygodium microphyllum* (CAV.) R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lygodium pinnatifidum* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lygodium scandens* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lyonia ovalifolia* (WALL.) DRUDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maba bauxifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maba buxifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macadamia ternifolia* F. MUELL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga indica* W. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga nicobarica* BALAKR. & CHAKRAB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga peltata* (ROXB.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga roxburghi* WRIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga tanarius* (L.) M. & A. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macaranga tetracoccus* (ROXB.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Machilus bombycina* KING EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Machilus macrantha* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Machilus villosa* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macropanax dispermus* (BI.) KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrosolen parasiticus* (L.) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrotomia benthamii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrotomia perennis* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrotomia speciosa* AITCHET HEMST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Macrotyloma uniflorum* (LAM.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca butyracea* (ROXB.) MACBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca diplostemon* (CLARKE) ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca indica* GMEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca insignis* (RADLK) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca longifolia* (KOEN.) MACLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca malabarica* (BEDD.) R.N.PARKAR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Madhuca neriifolia* (MOON) LAM and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maerua apetala* (ROTH) JACOBS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maerua arenaria* HOOK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maerua oblongifolia* (FORSK.) A.RICH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maesa chisia* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maesa indica* (ROXB.) A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maesa montana* DC, and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maesa ramentacea* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maharanga emodi* (WALL.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia acanthifolia* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia borealis* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia manipurensis* TAKEDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia pycnophylla* (FEDDE) TAKEDA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia sikkimensis* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia simonsii* TAKEDA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Majorana hortensis* MOENCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malachra capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malaxis acuminata* D.DON and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malaxis biloba* (LINDL.) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malaxis mackinnonii* (DUTHIE) AMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malaxis muscifera* (LINDLEY) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malaxis rheedei* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus philippensis* (LAM.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus repandus* (WILLD.) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malpighia glabra* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malpighia punicifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malus pumila* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malus sylvestris* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva neglecta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva parviflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva rotundifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva sylvestris* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva verticillata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malvastrum americanum* (L.) TORR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malvastrum coromandelianum* GARCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mammea americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mammea longifolia* PLANCH. & TRIANA. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mandragora autumnalis* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mandragora officinalis* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mangifera caesia* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mangifera domestica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mangifera indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mangifera sylvatica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manihot esculenta* CRANTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manihot utilisima* POHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manilkara hexandra* (ROXB.) DUBARD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manilkara kauki* (L.) DUBJ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manilkara zapota* (L.) VAN ROYEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Manisuris granularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maoutia puya* WEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mappia foetida* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maranta arundinacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marchantia palmata* - NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marchantia polymorpha* - NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus concinnus* SCHRADER EX NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marlea tomentosa* ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marrubium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia brunoniana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia hamiltonii* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia lucida* EDGEW. EX MADDEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia roylei* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia tenacissima* (ROXB.) MOON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia tinctoria* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsdenia volubilis* (L.F.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsilea dentata* KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsilea grandifolia* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsilea minuta* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Marsilea quadrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Martnia diandra* GLOX. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Martynia annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Martynia diandra* GLOX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mastersia assamica* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mastixia arborea* CB. CLARK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mathiola incana* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matricaria chamomilla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matricaria lasiocarpa* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matricaria recutita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matthiola flavida* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matthiola incana* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matthiola tristis* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mattiastrum thomsonii* (CL.) KAZMI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus emarginata* (WILLD.) DING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maytenus senegalensis* (LAM.) EXELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mazus japonicus* (THUNB.) KTZE. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mazus pumilus* (BURM.F.) VAN STEENIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis aculeata* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis paniculata* (D.DON) PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis robusta* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis simplicifolia* (G.DON) WALP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis wallichii* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meconopsis nepaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medicago lupulina* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medicago minima* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medicago polymorpha* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Medicago sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Megacarpaea polyandra* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca cajaputi* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melaleuca leucadendron* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanorrhoea curtisii* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanorrhoea usitata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanorrhoea wallichii* HOOK.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanthesa rhamnoides* (RETZ.) BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanthesa turbinata* (ROXB.) WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanthium indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melasma thompsonii* (HK.F.) WETTST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melastoma affine* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melastoma asperum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melastoma decemfidum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melastoma malabathricum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melia azadirachta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melia azedarach* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melia composita* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melia dubia* HIERN, NON CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melanthus major* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melica ciliata* DUTHIE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melica jacquemontii* DCNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melilotus indica* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melilotus officinalis* (L.) PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melilotus parviflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meliosma arnottiana* WALP. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meliosma simplicifolia* (ROXB.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melissa axillaris* (BENTH.) BAKH. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melissa officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melissa parviflora* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melocanna bambusoides* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melocanna bambusoides* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melochia corchorifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melodinus monogynus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melothria heterophylla* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melothria indica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melothria maderaspatana* (L.) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melothria perpusilla* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon amplexicaule* ROXB. *malabarica* CLARKE IN HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon angustifolium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon edule* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon gracile* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon heyneanum* BENTH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon malabaricum* (CLARKE) COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon sessile* BENTH. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon talbotianum* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Memecylon umbellatum* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Menanthes sumatrana* (MIQ.) BREMEK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Menispermum cocculus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Menispermum columba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Menispermum cordifolium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Menispermum glabrum* BRUM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha aquatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha cordifolia* OPHIZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha crispa* GARSAULT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha dumetorium* SCHULT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha longifolia* (L.) HUDS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha mulleriana* SCH.-BIP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha niliaca* JACQ. *alopecuroides* NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha piperita* STOKES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha pulegium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha rotundifolia* (L.) HUDS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha sativa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha spicata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha verticillata* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mentha viridis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meriandra benghalensis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meriandra strobilifera* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia dissecta* (JACQ.) HALLIER F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia emarginata* (BURM.F.) HALL.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia gangetica* (L.) CUFO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia hastata* (DESR.) HALLIER. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia hederacea* (N.BURM.) H.HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia mammosa* (LOUR.) HALL. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia peltata* (Linn.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia tridentata* (L.) HAILLIER tridentata and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia tridentata* (L.) HALL. F. hastata (DESR.) OOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia tridentata* (L.)H. HALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia tuberosa* (LINN.) RENDLE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia turpethum* RENDLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia umbellata* (L.) HALLIER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Merremia vitifolia* (BURM. F.) HALL. F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mesembryanthemum crystallinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mesua ferrea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mesua nagassarium* (BURM.F.) KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Metathelypteris gracilescens* (BL.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meyna laxiflora* ROBYNS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meyna spinosa* ROXB. EX LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mezoneuron sumatranum* W.A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Michelia champaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Michelia doltsopa* BUCH.- HAM. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Michelia montana* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Michelia nilagirica* ZENK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micranthus oppositifolius* WENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microcos paniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microglossa pyrifolia* (LAM.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microglossa volubilis* DC. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microlepis puberula* VAVR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microlepis speluncae* (L.) MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromelum hirsutum* OSKIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromelum integerrimum* (Buch-Ham) Roem. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromelum minutum* (FORST. F.) WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromelum pubescens* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromeria biflora* (DON) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micromeria capitellata* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micrometum integerrimum* (BUCH.-HAM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Micropus xanthopus* (FR.) KUNT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microhynchus nudicaulis* LESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microsorium alternifolium* COPEL.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microsorium punctatum* (L.) COPEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstegium ciliatum* A.CAMUS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstylis muscifera* RIDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstylis saprophyta* KING & PANTL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstylis versicolor* (LINDL.) ABEYW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microstylis wallichii* LINDL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Microula tibetica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mikania micrantha* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Milium ramosum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa roxburghiana* (GRIFF.) HK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa tomentosa* (ROXB.) SINCLAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa velutina* HOOK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia auriculata* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia caudata* (BENTH.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia extensa* (BENTH.) BAKER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia pachycarpa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia piscidia* WIGHT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millettia racemosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Millingtonia hortensis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa abstergens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa amara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa cineraria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa cinerea* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa ferruginea* ROTTLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa flexuosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa hamata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa intsia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa invisa* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa lucida* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa paniculata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa pudica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa pudica* L. hispida BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa pudica* L. tetrandra (WILLD.)DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa pudica* L. unijuga (DUCHASS. & WALP.)GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa rubicaulis* AUCT. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa rubicaulis* LAMK. himalayana (GAMBLE) DHASHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa spinisilqua* KLEIN. EX POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimosa suma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimulus moschatus* DOUGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimulus strictus* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimusops elengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimusops hexandra* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimusops indica* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mimusops kauki* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mirabilis jalapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mischocarpus sundaicus* Bl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitracarpus villosus* (SW.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitragyna parvifolia* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitragyna parvifolia* KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitragyna rotundifolia* KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mnesithea laevis* (RETZ.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Modecca palmata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Modecca trilobata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Modecca wightiana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania bracteata* HIU-LIN-LI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania chappar* KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania macrophylla* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania nana* MUKHSJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania phursia* O.KTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania semialata* (ROXB.) MUKHERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania stricta* (ROXB.) KUNTZE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania strobilifera* J.ST. HILAIRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moghania tuberosa* KTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Molineria crassifolia* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Molinia coerulea* MOENCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo cerviana* SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo hirta* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo lotoides* (L.) O. KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo nudicaulis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo nudicaulis* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo oppositifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo pentaphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo spargula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mollugo stricta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica balsamina* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica charantia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica charantia* L. *charantia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica cochinchinensis* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica cymbalaria* HK.F. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica dioica* ROXB. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica exserta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica muricata* VELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica tuberosa* COGN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Momordica umbellata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monetia barlerioides* L HERIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moniera cuneate* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moniera cuneifolia* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monochoria hastaefolia* PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monochoria hastata* SOLMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Monotropa uniflora* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morchella esculenta* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morina coulteriana* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morina longifolia* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morina persica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda angustifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda citrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda coreia* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda pubescens* J.E.SMITH IN REES pubescens VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda pubescens* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda tomentosa* HEYNE EX ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morinda umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moringa conconensis* NIMMO. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moringa oleifera* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moringa pterygosperma* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus acedosa* GRIFF. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus australis* POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus laevigata* WALL. EX BRAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Morus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moschosma polystachyum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Moullava spicata* (DALZ.) NICOLS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna atropurpurea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna bracteata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna capitata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna cochinchinensis* Cheval and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna gigantea* (WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna hirsuta* WIGHT & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna monosperma* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna nigricans* (LOUR.) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna pruriens* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna prurita* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mucuna utilis* Wall. ex Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mukia maderaspatana* (L.) M.ROEMER and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mukia scabrella* (L..F.) ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mundulea suberosa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Munronia pinnata* (WALL.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Muntingia calabura* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia edulis* (STOKES) FADEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia elata* (VAHL) BRUECKNER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia japonica* (THUNB) FADEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia nudiflora* (L.) BRENNAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia scapiflora* (ROXB.) ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia semiteres* (DALZ.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murdannia vaginata* (L.) BRUECK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Muricia cochinchinensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murraya exotica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murraya koenigii* (L.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Murraya paniculata* (L.) JACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa balbisiana* COLLA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa chinensis* SWEET. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa ornata* ROXB. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa paradisiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa rosacea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa sapientum* O.KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa sapientum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa superba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa textilis* NEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa troglodytarum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Musa velutina* WENDL. & DRUDE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda belilla* BUCH.- HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda erythrophylla* SCHUM. & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda frondosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda glabra* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda glabrata* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda macrophylla* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mussaenda roxburghii* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mutilla occidentalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mylitta lapidescens* HORAN. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myosoton aquaticum* (L.) MOENCH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrica cerifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrica esculenta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrica integrifolia* ROXY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrica nagi* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrica pensylvanica* LOISEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrica sapida* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myricaria bracteata* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myricaria coulteriana* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myricaria elegans* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myricaria germanica* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myriogyne minuta* LESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrioneuron nutans* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myriophyllum spicatum* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica argentea* WARB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica dactyloides* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica fragrans* HOUTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica laurifolia* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica malabarica* LAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica moschata* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myristica officinalis* L..F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myropyrum similacifolium* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrsine africana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrsine capitellata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrsine semiserrata* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrsine serrata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrtus caryophyllata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myrtus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myxopyrum serratum* A.W. HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Myxopyrum smilacifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nannorrhops ritchieana* H. WENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naravelia zeylanica* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Narcissus tazetta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nardostachys grandiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nardostachys jatamansi* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naregamia alata* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naringi crenulata* (ROXB.) NICOLSON and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nasturtium fontanum* ASCHERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nasturtium indicum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nasturtium officinale* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nasturtium palustre* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nasturtium herpeticum* BUCH.-HAM. EX ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nauclea aculeata* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nauclea cadamba* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nauclea missionis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nauclea orientalis* (L.) L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nauclea ovalifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nauclea sessilifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis hirsuta* (L.F.) LEWIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neillia thyrsiflora* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nelsonia canescens* (LAM.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nelumbium speciosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nelumbo nucifera* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neodissochaeta celebica* (Bl.) Bakh.f. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolamarckia cadamba* (ROXB.) BOSSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea cassia* (L.) KOSTERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea chinensis* (LAM.) CHUN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea umbrosa* (NEES) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neolitsea zeylancia* (NEES) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepenthes distillatoria* AUCT. EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepenthes khasiana* KH.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta cataria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta ciliaris* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta coerulascens* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta connata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta discolor* ROYLE EX BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta elliptica* ROYLE EX BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta eriostachya* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta glomerulosa* BOISS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta glutinosa* BENTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta hindostana* (ROTH) HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta leucophylla* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta longibracteata* (BENTH.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta malabarica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta podostachys* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta royleana* STEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta ruderalis* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nepeta spicata* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephelium lappaceum* LINN. MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephelium litchi* (LOUR.) GAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephelium longana* CAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephelium stipulaceum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephrolepis biserrata* SCHOTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephrolepis cordifolia* (L.) PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia natans* (L. F.) DRUCE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia oleracea* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia prostrata* (LAM.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neptunia triquetra* BENTH. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium antidysentericum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium coronarium* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium indicum* MILLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium odorum* SOLANED and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium oleander* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nerium tomentosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia aragoana* GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia plicata* SCHLTR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nesaea lanceolata* (WT. &ARN.) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nesaea prostrata* (DILLWYN) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neuracanthus sphaerostachyus* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Neuracanthus trinervis* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicandra physalodes* (L.) GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana macrophylla* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana plumbaginifolia* VIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana rustica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nicotiana tabacum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Niebuhreria linearis* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nigella damascena* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nigella sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nilgirianthus ciliatus* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nilgirianthus heyneanus* (NEES) BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nipa fruticans* WURMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nomocharis nana* (KLOTZ.) WILSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nopalea cochenillifera* (L.) LYONS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothapodytes nimmoniana* (GRAH.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Notholaena eckloniana* KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopanax fruticosum* MIQ. FL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia castaneifolia* (Roth) Ding Hou and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothopegia colebrookiana* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nothosaerva brachiata* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Notonia grandiflora* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nyctanthes arbor-tristis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea caerulea* SAVIGN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea cyanea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea edulis* D.C and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea lotus* HOOK. F. (NON L). and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea nouchali* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea odorata* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea pubescens* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea rubra* ROXB. EX ANDREWS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea stellata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea tetragona* GEORGI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides cristata* (ROXB.) O. KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides hydrophylla* (LOUR.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides indica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides indicum* (L.) O. KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides macrospermum* VASUDEVAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphoides peltata* (GMEL.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nypa fruticans* Wurb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra brandisii* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochlandra travancorica* GAMBLE and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna gamblei* KING(SONARI) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna jabotapita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna lanceolata* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna obtusata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna pumila* HAM. EX D. DON PRODR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochna squarrosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochradeneus baccatus* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochradenus baccatus* DEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochreinauclea missionis* (WALL. EX G.DON) RIDSDALE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochrocarpus longifolius* (WIGHT) T.ANDERSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ochthochloa coracana* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum adscendens* WIGHT EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum americanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. basilicum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. majus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. pilosum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum basilicum* L. minimum DAMERT and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum canum* SIMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum gratissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum kilimandscharicum* GUERKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum pilosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum polystachyon* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum prostratum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum sanctum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ocimum tenuiflorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Odina pinnata* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Odina wodier* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenanthе javanica* (Bl.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oenothera biennis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax acuminata* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax imbricata* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax nana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olax scandens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia auricularia* K.SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia biflora* LINN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia corymbosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia dichotoma* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia diffusa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia glandulifera* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia herbacea* (L.) ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia heynii* BR. EX. G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oldenlandia umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea cuspidata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea dioica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea europea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea ferruginea* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea glandulifera* WALL. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Olea polygama* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oleandra neriiformis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oleandra pistillaris* (SW.) C.CHR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oleandra wallichii* PRESL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oligochaeta ramosa* (ROXB.) WAGEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oligomeris linifolia* (VAHL) MACB. NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onosma bracteatum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onosma echiodides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onosma hispidum* WALL. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onosma hookeri* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onychium contiguum* (WALL.) HOPE.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onychium japonicum* O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Onychium siliculosum* (DESV.) C. CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Operculina petaloidea* (CHOISY) OOSTSTROOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Operculina turpethum* (L.) S. MANSO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophelia angustifolia* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophelia chiraita* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophelia densifolia* GRISEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophelia elegans* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophelia multiflora* DATZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiocephalus striatus* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum costatum* R.BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum fibrosum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum nudicaule* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum pendulum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum thermale* KUMAROV NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum vulgaatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioglossum vulgatum* (L.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon intermedius* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon japonicum* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon malcolmsonii* ROYLE EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza mungos* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza nicobarica* BALAKR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza nutans* C. B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza ochroleuca* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza pauciflora* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiorrhiza rugosa* WALL. ARGUTEA DEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophioxylon serpentinum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophiuros exaltatus* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ophrestia pentaphylla* (DALZ.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opilia amentacea* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oplismenus burmannii* (RETZ.) BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opopanax chironium* KOCH and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia cochinellifera* MILL. GARD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia dillenii* (KER-GAMIER) HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia elatior* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia ferox* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia ficus-indica* (L.) MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia monacantha* HAW. SUPPL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia nigricans* HAW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia stricta* (HAW.) HAW. dillenii (KER.GAWL) BENSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Opuntia vulgaris* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orchis chusua* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orchis habenarioides* K. & P. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orchis latifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orchis laxiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orchis mascula* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orchis spathulata* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oreocnide frutescens* (THUNB.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oreocnide integrifolia* (GAUD) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Origanum majorana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Origanum vulgare* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ormocarpum cochinchinense* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ormocarpum sennoides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ormosia travancoria* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orobanche aegyptiaca* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orobanche solmsii* CLARKE EX. HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orophea katschallica* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oroxylum indicum* (L.) VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon aristatus* (BL.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon diffusus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon glabratus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon grandiflorus* BOLDINGH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon incurvus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon pallidus* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon rubicundus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon spiralis* (LOUR) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon stamineus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orygia decumbens* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza granulata* Nees. & Arn. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza meyeriana* (Zoll.&Mor.)Baill granulata Tateoka and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza mutica* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza rufipogon* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oryza sativa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia aspera* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia capitata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia crinita* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia cupularis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia nepalensis* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia sexatilis* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia sikkimensis* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia stellata* KER-GAWL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osbeckia zeylanica* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osmanthus fragrans* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osmunda claytoniana* L.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osmunda regalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osyris arborea* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osyris quadripartita* SALZ EX DECNE and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Osyris wightiana* WALL. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Othonnopsis intermedia* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Otostegia aucheri* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Otostegia limbata* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ottelia alismoides* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ougeinia dalbergioides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ougeinia oojeinensis* (ROXB.) HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ouratea angustifolia* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis corymbosa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis latifolia* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis martiana* ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis pubescens* H.B.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxyria digyna* (L.) HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxyspora paniculata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxystelma esculentum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxystelma secamone* (L.) KARST. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytenanthera nigrociliata* MUNRO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytenanthera thwaitesii* MUNRO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytropis lapponica* (WAHL.) GAY. CORRESS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytropis mollis* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxytropis tatarica* BUNGE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachyrrhizus angulatus* RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachyrrhizus erosus* (L.) URBAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachystoma senile* (LINDL.) REICHB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paederia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paederia scandens* (LOUR.) MERILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paederia tomentosa* BLUME BIJDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paeonia emodi* WALL. EX. ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pajanelia longifolia* (WILLD.) K.SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Palaquium ellipticum* (DOLZ.) BAILLON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Palhinhaea cernua* (L.) FRANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pamburus missionis* (WIGHT) SWINGLE and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panax ginseng* MEY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panax pseudoginseng* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panax quinquefolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panax wangianus* Sun and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pancratium triflorum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pancratium zeylanicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus fascicularis* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus foetidus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus furcatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus kaida* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus odoratissimus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus tectorius* AUCT. NON SOLAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus thwaitesii* MARTELLI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *PKalamnus unipapillatus* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum antidotale* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum argyptiacum* HORT. EX ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum brizoides* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum crus-corvi* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum flavo-marginatum* MEZ. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum floro-marginatum* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum frumentaceum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum grossarium* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum grossarium* GRIFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum incomtum* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum isachne* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum italicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum macimum* FACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum maximum* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum miliaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum milliare* AUCTION. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum psilopodium* TRIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum psilopodium* TRIN. *psilopodium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum repens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum sarmentosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum stagninum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver argemone* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver dubium* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver hybridum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver nudicaule* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver rhoeas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver somniferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paphiopedilum druryi* (BEDD.) STEIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papilionanthe teres* (ROXB.) SCHLTR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paracalyx scariosa* (ROXB.) ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parameria barbata* (BI.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parameria polyneura* HOOK.R. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paramignya angulata* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paramignya longispina* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paramignya monophylla* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pardanthus chinensis* KER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paris polyphylla* SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkia biglandulosa* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkia javanica* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkia roxburghii* G. DON and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkia timoriana* (A. DC.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parkinsonia aculeata* L.SP. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmelia cirrhata* FR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmelia kamstchadalis* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmelia nilgherrensis* NYL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmelia perforata* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmelia perlata* (HUDS.) ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parmignya monophylla* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parnassia laxmannii* PALL. EX SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parnassia nubicola* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parnassia palustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parnassia pusilla* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parochetus communis* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parsonsia alboflavescens* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parsonsia helicandra* HOOK. & ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parsonsia laevigata* (Moon) Alston. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parsonsia spiralis* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Parthenium hysterophorus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pasania truncata* (KING) SCHOTT. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum conjugatum* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum distichum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum scrobiculatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paspalum scrobiculatum* L. *commersonii* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora assamica* CHAKRAVARTY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora edulis* SIMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora incarnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora perpera* MAST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Passiflora quadrangularis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Paullinia cupana* H.B. & K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pausinystalia yohimba* PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta crassicaulis* BREMEK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta indica* L. minor and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavetta tomentosa* ROXB. EX SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia odorata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia procumbens* SOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia propinqua* GARCKE NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia repKalam* (J.E. SM.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia zeylanica* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Payena lucida* A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pecteilis susannae* (L.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedaliium murex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis bicornuta* CLOTZ. EX. GARCCKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis cheilanthifolia* SCHRENK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis comosa* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH)PENNEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis pectinata* WALL. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis pycnantha* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis pyramidata* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedicularis siphonantha* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pedilanthus tithymaloides* (L.) POIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peganum harmala* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pegia nitida* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pegolettia senegalensis* CASS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pegonatherum crinitum* KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium graveolens* L. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium roseum* R. BR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peliosanthes bakeri* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peliosanthes tetra* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pellaea colomelanos* LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pellaea hastata* (THUNB) PRANTL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peltigera canina* WILLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peltophorum pterocarpum* (DC.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pemphis acidula* FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum alopecuroides* (L.) SPRENG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum americanum* (L.) LEEKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum compressum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum flaccidum* GRISEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum glaucum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum spicatum* ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pennisetum typhoideum* (RICH) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentanema indicum* (L.) LING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentaneura khasiana* KURZ. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentapetes phoenicea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentaptera tomentosa* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentatropis capensis* (L.F.) BULLOCK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentatropis cynanchoides* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentatropis spiralis* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia pellucida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia reflexa* (L.F.) A. DIETR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peranama cyatheoides* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pergularia aktensa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pergularia daemia* (FORSK.) CHOIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pergularia extensa* N.E.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pergularia tomentosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pericampylus glaucus* (LAMK.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pericampylus incanus* MIERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perilepta auriculata* (NEES) BREMEK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perilla frutescens* (L.) BRITT. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Periploca aphylla* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Periploca indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Periploca sylvestris* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristrophe bicalyculata* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristrophe bivalvis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristrophe paniculata* (FORSK.) BRUMMITT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peristylus stocksii* (HK.F.) KRANZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perotis indica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perovskia abrotanoides* KAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Perovskia atriplicifolia* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persea fructifera* KOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persea gamblei* (KING EX HK.F.) KOST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Persea macrantha* (NEES) KOST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petrea volubilis* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Petroselinum crispum* NYM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peucedanum aucheri* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peucedanum dhana* BUCH.-HAM. EX CLARKE DALZELII C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peucedanum grande* CL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peucedanum graveolens* BENTH. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Peucedanum nagpurens* (CI.) PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaius grandifolius* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaius tancarvilleae* (L. HERIT.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaius wallichii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phalaenopsis amabilis* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phalaris arundinacea* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phalaris canariensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phallus rubicundus* (BOSC.) FRIES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pharbitis nil* CHOIS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pharnaceum cerviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pharnaceum mollugo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus aconitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus adenanthus* G.F. MEYER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus aureus* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus dalzellii* COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus lunatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus mungo* (L) MANT. *radiatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus mungo* (L) MANT. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus pauciflorus* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus radiatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus roxburghii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus semierectus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus sublobatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus trilobus* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaseolus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phaulopsis imbricata* (FORSK.) SWEET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlegmarius phlegmaria* (L.) SEN & SEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus curviflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus guttatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus jenkinsii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus pubinervis* T.ANDERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus thrysiflorus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus thrysiflorus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlogacanthus thrysiformis* (HARD.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phlomis bracteosa* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoebe lanceolata* NEES and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoebe wightii* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix acaulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix asperulatus* HUTCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix dactylifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix farinifera* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix humilis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix loureirii* KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix paludosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix pusilla* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoenix sylvestris* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pholidota chinensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pholidota imbricata* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pholidota pallida* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Photinia notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Photinia serrulata* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phragmites communis* TRIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phragmites karka* TRIN. EX STEUD. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phragmites maxima* BLATTER & MCCANN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phragmites roxburghii* (KUNTH) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phrymium dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyla nodiflora* (L.) GREENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllagathis rotundifolia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus acidus* (L.) SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus airy-shawii* BRUNEL & ROUX and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus amarus* SCHUM. & THENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus clarkei* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus debilis* KLEIN EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus distichus* (L.) MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus emblica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus fraternus* WEBSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus gomphocarpus* HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus indofischeri* BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus maderaspatensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus missionis* HOOK.F. FL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus mukherjeeanus* MITRA ET BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus multiflorus* WILLD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus niruri* SENSU HOOK.F. Non Linn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus polyphyllus* DALZ. & GIBS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus reticulatus* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus rhamnoides* WILLD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus rheedii* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus simplex* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus urinaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllanthus virgatus* G.FORSTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocephalum indicum* (LESS.) KIRKMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllocllamys taxoides* KOORDERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phymatodes scolopendria* (BURM.) CHING. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis alkekengi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis alkekengi* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis angulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis divaricata* D.Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis flexuosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis indica* LAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis minima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physalis peruviana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physochlaina praealta* (DECNE) MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Physostigma venenosum* BALF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phytolacca acinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phytolacca americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrasma guassioides* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picea abies* (L.) KARST. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrasma javanica* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrasma nepalensis* BENN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrasma quassioides* BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picris hieracioides* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrorhiza kurroa* ROYLE EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrorhiza scrophulariiflora* PENNELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Picrorrhiza kurroa* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pieris ovalifolia* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea microphylla* (L.) LIEBM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilea umbrosa* WEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piliostigma malabaricum* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pilocarpus jaborandi* HOLMES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimenta acris* KOSTEL ALLG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimenta racemosa* J. W. MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella anisum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella bracteata* HAINES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella diversifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella heyneana* (WALL. EX DC.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella involucrata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella saxifraga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella stocksii* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pimpinella tirupatiensis* BAL. & SUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinanga dicksonii* (ROXB.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinanga manii* BECC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus dammara* LAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus deodara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus excelsa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus gerardiana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus griffithii* M. CLELL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus insularis* ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus kesiya* GORDON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus longifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus maritima* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus merkussi* JUNGH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus picea* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus roxburghii* SARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus sylvestris* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus wallichiana* JACKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pinus webbiana* WALL. EX. LAMB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper argyrophyllum* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper attenuatum* BUCH.-HAM. EX MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper aurantiacum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper auranticum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper baccatum* CAS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper bachystachyum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper bantamense* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper barberi* GAMBLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper betle L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper betleoides C. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper boehmeriaefolium WALL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper caninum BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper chaba HUNTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper clusii C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper crassipes KORTH. EX. C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper cubeba L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, Piper dichotomum HORT. PAR. EX KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper diffusum* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper gamblei* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper griffithii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper guineense* SCHUM & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper lanceolatum* RUIZ & PAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper longum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper mullesua* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper officinarum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper pedicellatum* C. DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper pedicellosum* WALL. EX CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper peepuloides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper retrofractum* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper ribesoides* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper sarmentosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper sylvaticum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper thomsoni* Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper thomsonii* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper trichostachyon* (MIQ.) C.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper trioicum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Piper wallichii* (MIQ.) HAND MAZZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pipturus velutinus* WEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia aculeata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia alba* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia grandis* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia mitis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia morindifolia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisonia umbellata* (FORST.) SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia chinensis* BUNGE and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia integerrima* STEW. EX BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia khinjuk* STOCKS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia lentiscus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia terebinthus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistacia vera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistia stratiotes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pistia stratiotes* LINN. CUNEATA ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisum arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pisum sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium angulatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium bigeminum* MART. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium clypearia* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium dulce* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium fasciculatum* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium globosum* KOSTERM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium lobatum* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecolobium dulce* BENTH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecolobium subcoriaceum* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pithecolobium umbelletum* (VAHL.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum nepaulense* (DC.) REHDER & WILSON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum nilghirens* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum tetraspermum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pityrogramma calomelanos* (L.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Planchonella obovata* (R.BR.) PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago amplexicaulis* CAV. *bauphula* (EDGEW.) RECH. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago arenaria* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago brachyphylla* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago ciliata* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago depressa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago erosa* WALL. IN ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago himalaica* PILG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago ispaghula* ROXB. EX FLEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago lagocephala* BUNGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago lanceolata* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago major* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago media* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago ovata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago psyllium* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago pumila* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago stocksii* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plantago tibetica* HK. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Platanthera susannae* (L.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Platanus orientalis* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Platostoma africanum* BEAUV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Platostoma africanus* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Platostoma flaccidum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plecosperrum spinosum* TREC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus ambonicus* (LOUR.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus barbatus* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus coetsa* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus fruticosus* WIGHT EX HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus incanus* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus japonicus* (BURM.F) KOIDZ. NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus mollis* (AITON) SPLRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus nilgherricus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus rugosus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus striatus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus ternifolius* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectronia didyma* KURZ FOR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plectronia parviflora* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleione maculata* (LINDL.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleopeltis lanceolata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleopeltis nuda* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plesmonium margareti* (ROXB.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleurospermum angelicoides* (DC.) CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleurospermum candollei* (DC.) CI. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pleurostylia opposita* (WALL.) ALSTON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pluchea indica* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pluchea lanceolata* OSKIN & HIERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pluchea pinnatifida* HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pluchea tomentosa* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pluchea indica* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago auriculata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago capensis* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumbago zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumeria acuminata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumeria acutifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumeria alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumeria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumieria acutifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumieria alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plumieria rubra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poa cynosuroides* RETZ. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poa malabarica* KLEIN.EX STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podocarpus latifolia* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podocarpus neriifolius* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podophyllum emodi* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podophyllum hexandrum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Podophyllum peltatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poeciloneuron indicum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poeciloneuron pauciflorum* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogonatherum crinitum* (THUNB.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogonia plicata* (ROXB.) LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon auricularis* (L.) HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon benghalensis* (BURM.F.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon cablin* (BLANCO) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon elsholtzioides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon heyneanus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon paniculatus* (WILLD.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon parviflorus* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon patchouli* PELLET. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon plectranthoides* DESF. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon pubescens* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon purpurascens* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon vestitus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pogostemon villosus* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poikilospermum suaveolens* (BL.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poinciana elata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poinciana gilbesii* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poinciana pulcherrima* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polanisia felina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polanisia icosandra* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polemonium caeruleum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polianthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia cerasoides* (ROXB.) BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia longifolia* BENTH. & HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia simiarum* BENTH. & HK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia suberosa* (ROXB.) THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyanthes tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpha corymbosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala abyssinica* (R.Br.) FRESN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala arillata* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala arvensis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala crotalarioides* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala elongata* KLEIN EX WILLD. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala erioptera* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala glomerata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala irregularis* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala leptalea* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala longifolia* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala persicariaefolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala senega* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala sibirica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala telephioides* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala vulgaris* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygallata arillata* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonatum cirrhifolium* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonatum multiflorum* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonatum verticillatum* (L.) ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum affine* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum alatum* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum alpinum* ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum amphibium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum amplexicaule* DON. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum auriculatum* MEISN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum aviculare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum barbatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum bistorta* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum bistorta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum capitatum* BUCH.-HAM. EX DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum chinense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum convolvulus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum cymosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum flaccidum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum glabrum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum hydropiper* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum lapathifolium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum macrophyllum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum minus* HUDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum molle* D.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum multiflorum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum nepalense* MEISSN and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum paronychioides* MEYER EX HOHEN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum perfoliatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum persicaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum plebeium* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum polystachyum* WALL. EX MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum posumbi* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum pulchrum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum recumbens* ROYLE EX BAB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum roettleri* ROTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum rumicifolium* ROY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum serrulatum* LAGASCA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum sphaerostachyum* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD stagninum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum stewartianum* DIELS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum strigosum* BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum tenellum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum tomentosum* WILLD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum tortuosum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum vacciniifolium* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygonum viviparum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polypodium irioides* LAMK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polypodium quercifolium* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polypodium vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyporus anthelminticus* BERK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyporus officinalis* FRIES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyscias fruticosa* (L.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polysolenia wallichii* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polystichum aculeatum* (L.) ROTH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polystichum biaristatum* (BLUME) MOORE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polystichum squarrosus* (D.DON) FEE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polytoca barbata* STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polytrichum juniperinum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pometia pinnata* Forst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ponerorchis chusua* (D.DON) SOO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pongamia glabra* VENT. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pongamia pinnata* (L.) PIERRE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pontederia vaginalis* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Populus alba* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Populus caspica* BORNM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Populus ciliata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Populus euphratica* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Populus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porana paniculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porphyra umbilicalis* (L.) AG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Porphyra vulgaris* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca grandiflora* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca meridiana* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca pilosa* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca sativa* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca tuberosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla anserina* LINN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla arbuscula* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla argrophylla* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla atrosanguinea* LODD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla bifurca* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla fragarioides* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla fruticosa* L. rigida (LEHM.) WOLF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla fulgens* WALL. EX HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla gerardiana* LINDL. EX LEHM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla kleiniana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla lineata* TREVIR EX REICH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla moonaiiana* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum inophyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum polyanthum* Wall.ex Choisy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia cowa* Roxb. ex DC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia gummi-gutta* (L.) Robs. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia mangostana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia morella* (Gaertn.) Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia papilla* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia rubro-echinata* Kosterm. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia spicata* (Wight & Arn.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia talbotii* Raiz. ex Sant and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia travancorica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia wightii* T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Garcinia xanthochymus* Hook. f. ex. T. And. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum androsaemum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum humifusum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum japonicum* Thunb. ex Murr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum mysurense* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum patulum* Thunb ex Murray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum uralum* Buch. - Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hypericum wightianum* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mesua ferrea* L. subsp. *ferrea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poeciloneuron indicum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Poeciloneuron pauciflorum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Camellia japonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Camellia sinensis* (L.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eurya nitida* Korth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gordonia obtusa* Wall ex Wight Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schima wallichii* (DC.) Korth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ternstroemia japonica* (Thunb.) Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia fasciculata* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia napaulensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dipterocarpus indicus* Bedd. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea erosa* (Bedd.) van Sloot. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea glabra* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea parviflora* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea ponga* (Dennst.) Mabblerley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hopea utilis* (Bedd.) Bole and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Shorea roxburghii* G. Don. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vateria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ancistrocladus heyneanus* Wall. ex Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus angulosus* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus esculentus* (L.) Moench and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus ficulneus* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus manihot* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss.Waalk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon crispum* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon hirtum* (Lam.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon indicum* (L.) Sweet subsp. *indicum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon neilgherrense* Munro ex Wight and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon pannosum* (Forst. f.) Schlecht and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon persicum* (Burm. F.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon ramosum* (Cav.) Guill. & Perr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon striatum* Dickson ex Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Abutilon theophrastii* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alcea rosea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Decaschistia crotonifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Decaschistia rufa* Craib and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium arboreum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium barbadense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium herbaceum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gossypium hirsutum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus canescens* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus cannabinus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus furcatus* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus hirtus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus lobatus* (Murr.) Kuntze and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus lunariifolius* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus mutabilis* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus micranthus* L.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus panduriformis* Burm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus platanifolius* (Willd.) Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus radiatus* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus rosa-sinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus sabdariffa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus schizopetalus* (Mast.) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus surattensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus syriacus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus tiliaceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus trionum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hibiscus vitifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kydia calycina* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malachra capitata* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva parviflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva sylvestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malva verticillata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malvastrum coromandelianum* (L.) Garcke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malvaviscus arboreus* Cav. var. *arboreus* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Modiola caroliniana* (L.) G. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia odorata* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pavonia zeylanica* (L.) Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Plagianthus pulchellus* A. Gray and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida acuta* Burm.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida cordata* (Burm. f.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida mysorensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. var. *rhombifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida schimperiana* Hochst. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thespesia populnea* (L.) Soland ex Correa and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urena lobata* L. subsp. *lobata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Adansonia digitata* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax ceiba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax ellipticum* Kunth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bombax insigne* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ceiba pentandra* (L.) Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chorisia speciosa* St. Hil. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cullenia exarillata* Robyns and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Durio zibethinus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Byttneria herbacea* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cola acuminata* (P. Beauv.) Schott & Endlicher and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya acutangula* Cav. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya burgessiae* Gerr. ex Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya mastersii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya mollis* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya platanifolia* Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya spectabilis* Boj. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dombeya wallichii* (Lindl.) K. Schum. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriolaena hookeriana* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriolaena lushingtonii* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriolaena quinquelocularis* (Wight & Arn.) Wight

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eriolaena stocksii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Firmiana colorata* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guazuma ulmifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Helicteres isora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Heritiera papilio* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kleinhovia hospita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Leptonychia moacurroides* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melhania balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melhania cannabina* Wight ex Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melhania hamiltoniana* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melhania incana* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melochia corchorifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melochia nodiflora* Sw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Melochia pyramidata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pentapetes phoenicea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum acerifolium* (L.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum canescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum diversifolium* Blume and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum obtusifolium* Wight ex Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum reticulatum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterygota alata* (Roxb.) R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia balanghas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia guttata* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia urens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia villosa* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theobroma cacao* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Waltheria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berrya cordifolia* (Willd.) Burret. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berrya javanica* (Turez.) Burret. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus aestuans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus capsularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus fascicularis* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus olitorius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus tridens* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus trilocularis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corchorus urticifolius* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia abutilifolia* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia abutilifolia* Vent. ex Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia barberi* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia bracteata* Roth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia damine* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia flavescens* Juss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia gamblei* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia heterotricha* Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia hirsuta* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia lanceaefolia* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia nervosa* (Lour.) Panigr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia oppositifolia* Buch - Ham ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia orbiculata* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia pKalamica* Drumm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia rhamnifolia* Heyne ex Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia rothii* DC. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia serrulata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia tenax* (Forsk.) Fiori and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia tiliifolia* Vahl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia umbellifera* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Grewia villosa* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Muntingia calabura* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta pentandra* A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta pilosa* Roth and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta rhomboidea* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta rotundifolia* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus amoenus* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus blascoi* Weibeln and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus lanceifolius* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus munronii* (Wight) Mast. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus recurvatus* Corner and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus rugosus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus serratus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus glandulosus* Wall. ex Merr. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus tuberculatus* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elaeocarpus venustus* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hugonia mystax* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linum mysurense* Heyne ex Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Linum usitatissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reinwardtia indica* Dumort. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum coca* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum lanceolatum* (Wight) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum monogynum* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum moonii* Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erythroxylum obtusifolium* (Wight) Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aspidopterys canarensis* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aspidopterys indica* (Roxb.) Hochr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Galphimia gracilis* Bartl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hiptage benghalensis* (L.) Kurz and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hiptage obtusifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hiptage parvifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malpighia coccigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malpighia glabra* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malpighia heterantha* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Malpighia puniceifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tristellateia australasiae* A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Balanites aegyptiaca* (L.) Del. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fagonia cretica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Guaiacum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tribulus lanuginosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tribulus subramanii* P. Singh, Giri & V. Singh and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Erodium moschatum* (L.) L' Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Geranium nepalense* Sweet and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium capitatum* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium cucullatum* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium x domesticum* L.H.Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium graveolens* L' Herit and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium grossularioides* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium x hortorum* L.H.Bailey and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium inquinans* (L.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pelargonium peltatum* Soland. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tropaeolum majus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tropaeolum pentaphyllum* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Limnanthes douglasii* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum insignis* Gamble and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum longibracteatum* Tad. & Jacob and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum nudum* (Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum polyphyllum* Munro and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum proliferum* (Arn.) Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum reinwardtii* (Zucc.) Klotzsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew . & Hook.f and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew . & Hook.f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis cernua* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis corymbosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis deppei* Lodd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis latifolia* H. B. K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis pubescens* H. B. K. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oxalis variabilis* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Averrhoa bilimbi* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Averrhoa carambola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydrocera triflora* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens acaulis* Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens auriculata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens balsamina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Impatiens campanulata* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla multifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla nepalensis* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla reptans* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla salesoviana* STEPH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla sericea* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla sibbaldi* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla sundaica* (BL.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Potentilla supina* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothomorphe subpeltata* (WILLD.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos cathcarti* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos kunstleri* HOOK.F. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos officinalis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pothos scandens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia bennettiana* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia frondosa* (DON) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia hirta* HASSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia indica* GAUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia quinquenervis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia sanguinea* (BL.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia viminea* WEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pouzolzia zeylanica* (L.) BENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prangos pabularia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pratia begonifolia* (WALL.) LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pratia nummularia* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna barbata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna coriacea* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna corymbosa* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna divaricata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna esculenta* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna flavescens* HAM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna herbacea* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna integrifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna macrophylla* WALL. EX SCHAUER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna mucronata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna obtusifolia* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna parasitica* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna serratifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna spinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna thyrsoidea* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna tomentosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Premna villosa* CLARKE IN HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Primula denticulata* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Primula macrophylla* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Primula reticulata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prinsepia utilis* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prismatomeris tetrandra* K.SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Priva cordifolia* (L.F.) DRUCE and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Priva leptostachya* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis chilensis* (MOLINA) STUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis cineraria* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis juliflora* (SW.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prosopis spicigera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Protium kataf* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Protium pubescens* ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Protium serratum* (COLEBR) ENGLER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus amygdalus* BATSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus armeniaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus avium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus carmesiana* HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus cerasoides* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus cerasus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus ceylanica* (WT.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus communis* FRITSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus communis* HUDS. insitia and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus cornuta* (ROYLE) STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus domestica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus dulcis* (MILLER) D.A. WEBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus insititia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus mahaleb* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus malus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus persica* BATSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus salicina* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus triflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Prunus undulata* HAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Przewalskia tangutica* MAXIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psalliotia campestris* L FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psammogeton biternatum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psammogeton canescens* (DC.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudarthria viscida* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudodissochaeta assamica* (CL.) NAYAR NULL

and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pseuduvaria prainii* (KING) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium cattleianum* SABINE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium guajava* L. *pomiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium guajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium pomiferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium pyriferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psidium quajava* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psilotrichum trichotomum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psilotum nudum* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psophocarpus tetragonolobus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psoralea corylifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psoralea plicata* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psoralea tetragonoloba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria calocarpa* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria curviflora* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria dalzielii* J. HOOK. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria glandulosa* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria ipecacuanha* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria montana* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria sarmentosa* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria viridiflora* REINW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Psychotria andryaloides* (DC) NOVOP. EX KRASH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteridium aquilinum* (L.) KUHN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris aquilina* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris biaurita* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris cretica* L.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris ensiformis* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris longipes* DON F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris multifida* POIR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris vitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteris wallichiana* AGARDH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pternandra coerulescens* JACK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocarpus dalbergioides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocarpus indicus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocarpus marsupium* ROXB. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocarpus santalinus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterocymbium javanicum* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pteropyrum olivierii* JAUB. & SPACH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum acerifolium* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum canescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum diversifolium* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum suberifolium* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pterygota alata* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ptesmonium margaritiferum* (ROXB.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ptychopetalum olacoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ptychopetalum uncinatum* ANSELMINO. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ptychotis ajowan* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pueraria hirsuta* (THUNB.) SCHU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pueraria lobata* (WILLD.) OHWI. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pueraria phaseoloides* (ROXB.) BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pulicaria crispa* SCH.-BIP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pulicaria dysenterica* (L.) GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pulicaria glaucescens* JAUB. & SPACH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Puneeria coagulans* STOCKS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Punica granatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pupalia lappacea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pupalia orbiculata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Putranjiva roxburghii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Putranjiva zeylanica* MUELL.-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnocycla aucheriana* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnocycla glauca* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pycnospora lutescens* (POIR.) SCHINDLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pygeum gardneri* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pygeum wightianum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pygmaeopremna herbacea* (ROXB.) MOLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pygmaeopremna pyrifolia* - culta NAKAI NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrethrum indicum* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrethrum umbeliferum* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrola rotundifolia* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrrosia adnascens* (SW.) CHING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrrosia heterophylla* (L.) ORUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrrosia lanceolata* (L.) FARWELL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrrosia mannii* (GIES.) CHING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrrosia penangiana* (HK.) HOLTT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus aucuparia* GAERTN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus chinensis* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus cydonia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus lindleyi* REHD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus malus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus pashia* BUCH.-HAM EX DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pyrus tomentosa* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quamoclit coccinea* MOENCH.METH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quamoclit phoenicea* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quamoclit pinnata* BOJER and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quamoclit vulgaris* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quassia indica* (GAERTN.) NOOTEBOOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus acutissima* CARR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus floribunda* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus ilex* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus incana* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus infectoria* OLIV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus lamellosa* SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus leucotrichophora* A. CAMUS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus pachyphylla* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus robur* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quercus truncata* KING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Quisqualis indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Radermachera xylocarpa* (ROXB.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia cochinchinensis* (LOUR.) MERR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia densiflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia dumetorum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia fasciculata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia longiflora* LAM. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia longispina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia malabaricum* LAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia rugulosa* (THW.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia spinosa* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia tetrasperma* BENTH. & HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia tomentosa* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Randia uliginosa* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus aquatilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus cantoniensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus diffusus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus falcatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus hirtellus* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus hyperboreus* ROTLB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus laetus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus lingua* L. SP. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus muricatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus pensylvanicus* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus sceleratus* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus tricuspidatus* MAXIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Raphanus caudatus* ALEF. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Raphanus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia canescens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia micrantha* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia reflexa* T. & B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rauvolfia tetraphylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ravenala madagascarensis* SONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reaumuria hypericoides* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reinwardtia indica* DUMORT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reinwardtia trigyna* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reissantia arborea* (ROXB) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reissantia grahamii* (WIGHT) DING.HOU. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reissantia indica* (WILLD.) HALLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Remirea maritima* AUBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Remusatia vivipara* SCHOTT. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reseda odorata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhabdia lycioides* SENU CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus dahuricus* PALL. REISE RUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus nepalensis* WALL. EX ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus prostrata* JACQ. EX PAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus purpurea* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus purshiana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus triquetra* (WALL.) BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus virgatus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhamnus wightii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhaphidophora decursiva* SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhaphidophora laciniata* (BURM.F.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhaphidophora pertusa* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhazya stricta* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum acuminatum* HK. F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum australe* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum emodi* WALL. EX MEIM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum moorcroftianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum nobile* HOOK.F. & THOMS and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum officinale* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum palmatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum rhaponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum spiciforme* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum spiciforme* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum undulatum* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rheum webbianum* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhinacanthus calcaratus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhinacanthus communis* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhinacanthus nasuta* (L.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhinoglossum obliquum* BL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhizophora apiculata* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhizophora mangle* Roxb. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhizophora mucronata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodamnia trinervia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodiola imbricata* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron anthopogon* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron arboreum* SM. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron barbatum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron campanulatum* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron chrysanthum* PALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron cinnabarinum* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron decipiens* LACAITA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron falconeri* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron javanicum* BENN. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron lepidotum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron ponticum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron setosum* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhododendron thomsonii* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodomyrtus parviflora* ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodomyrtus semialata* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhodomyrtus tomentosa* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus chinensis* MILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus coriaria* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus hookeri* SAHNI & BAHADUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus insignis* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus javanica* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus punjabensis* J.L. STEW. EX BRAND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus semialata* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus succedanea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhus wallichii* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia foetida* SCHRAD NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia obliquum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia minima* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchosia nummularia* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchospermum verticillatum* REIN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rhynchospermum verticillatum* (L.) BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes alpestre* WALL. EX DECNE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes emodense* REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes grossularia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes himalense* ROYLE EX DECNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes orientale* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ribes rubrum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Richardia scabra* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ricinus communis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Riedlea corchorifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Riklilla squarrosa* (L.) RAYNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rivea hypocrateriformis* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rivea ornata* CHOISY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roccella montagnei* BEL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa dubia* HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa indica* (L.) HIERN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa indieca* HIERN. APETALA HOCHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa islandica* (OED.) BORBASS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa montana* SMALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa banksiae* AIT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa brunonii* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa centifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa chinensis* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa eglanteria* MILL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa foetida* HERM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa gallica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa macrophylla* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa moschata* HERRM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa multiflora* THUNB. EX J. MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa rubra* BLACKW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa sericea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosa webbiana* WALL. EX ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roscoea alpina* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roscoea procera* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roscoea purpurea* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosmarinus officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rostellularia procumbens* (L.) NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rosularia rosulata* (EDGEW.) OHBA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala baccifera* KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala densiflora* (ROTH) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala indica* (WILLD.) KOEHNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotala rotundifolia* KOEHNE and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rothia indica* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rotula aquatica* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rourea mimosoides* PLANCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rourea minor* (GAERTN.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rourea santaloides* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roylea cinerea* (DON) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Roylea elegans* WALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubia cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubia munjista* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubia sikkimensis* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubia tinctorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus biflorus* HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus contennifer* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus ellipticus* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus fruticosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus idaeus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus lasiocarpus* SMITH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus lucens* FOCKE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus moluccanus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus niveus* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus paniculata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus rugosus* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus saxatilis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus strigosus* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rubus ulmifolius* SCHOTT NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rudolphia frondosa* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia patula* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia prostrata* POIR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia secundra* BLANCO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia strepens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia suffruticosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruellia tuberosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex acetosella* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex crispus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex dentatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex hastatus* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex hymenosepalus* TORR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex maritimus* LINN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex nepalensis* SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex orientalis* BERNH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex paulsenianus* RECH. F. FEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex scutatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumex vesicarius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rumphia amboinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia parviflora* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia pectinata* (L.) NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rungia repens* (L.) NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruscus aculeatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Russelia equisetiformis* SCHL. & CHAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruta angustifolia* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruta chalepensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruta graveolens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ruta tuberculata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rytidix granularis* (L.) SKEELS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sabia lanceolata* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sabia robusta* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharomyces cerevisiae* MEYEN NULL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum arundinaceum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum bengalense* RETZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum ciliare* ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum fuscum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum munja* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum officinarum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum robustum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum sara* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum sinense* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccharum spontaneum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sacciolepis indica* CHASE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sacciolepis interrupta* (WILLD.) STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccolabium guttatum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccolabium papillosum* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saccolabium praemorsum* HOOK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sageraea dalzelli* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sageraea laurifolia* (GRAHAM) BLATTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sagina saginoides* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sagittaria sagittifolia* L. *sagittifolia* and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saguerus rumphii* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia fruticosa* HEYNE EX LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia grandiflora* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia macrophylla* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia macrosperma* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia oblonga* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salacia reticulata* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salicornia brachiata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salicornia indica* DREGE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix acmophylla* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix acutifolia* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix babylonica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix caprea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix daphnoides* VILL NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix elegans* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix pychnostachya* ANDERSS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salix tetrasperma* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salmalia malabarica* SCHOTT & ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salomonina cantoniensis* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salsola baryosma* (R. & S.) DANDY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salsola foetida* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salsola kali* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvadora indica* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvadora oleoides* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvadora persica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvadora wightiana* PLANCH. EX THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia aegyptiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia bengalensis* KOENIG and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia cabulica* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia coccinea* BUCHOZ EX ETLINGA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia glutinosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia haematodes* W. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia hians* ROYLE EX BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia lanata* ROXB. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia macrosiphon* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia moorcroftiana* WALL. EX BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia mukerjeea* BENNET & RAIZADA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia plebeia* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia pumila* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia sclarea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvia spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Salvinia cucullata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalamdera indica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalamdera lucida* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Kalamnea Kalamn* (JACQ.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sambucus ebulus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sambucus hookeri* REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sambucus javanica* REINW. EX BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sambucus nigra* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sambucus wightiana* WALL. EX WGT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sandoricum indicum* CAV. DISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sandoricum koetjape* (BURM.F.) MERRILL and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sanguinaria canadensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sanicula europaea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria cylindrica* BOJ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria ebracteata* (CAV.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria hyacinthoides* (L.) DRUCE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria lanuginosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria roxburghiana* SCHULT. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria trifasciata* HORT. EX PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sansevieria zeylanica* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santaloides minus* SCHELLENB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santalum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santalum flonum* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Santolina chamaecyparissus* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapindus emarginatus* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapindus laurifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapindus mukorossi* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapindus trifoliatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapium indicum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapium insigne* TRIMEN and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sapium sebiferum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saponaria vaccaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saraca asoca* (ROXB.) DE WILDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saraca indica* AUCT. NON L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcandra glabra* (THUNB.) NAKAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcocephalus cordatus* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcocephalus missionis* HAVILAND REV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcobolus globosus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma acidium* (ROXB.) VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma acidum* VOIGT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma brevistigma* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma brunonianum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma intermedium* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma secamone* (L.) BENNET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostemma stocksii* HK. F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sarcostigma kleinii* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sassafras albidum* (NUTT.) NESS and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sassafras officinale* NEES. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Satureja hortensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Satureja montana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Satyrium nepalense* D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia armata* KURZ NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia macrotricha* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia napaulensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia nepalensis* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia robusta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saurauia roxburghii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauromatum guttatum* (WALL.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauromatum pedatum* (WILLD.) SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauromatum venosum* (AIT.) KUNTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauropus androgynus* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sauropus quadrangularis* MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea affinis* SPR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea albescens* (DC.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea auriculata* (DC.) SCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea bracteata* DECNE. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea candicans* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea ceratocarpa* DECNE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea costus* (FALC.) LIPSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea gossypiphora* DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea gracilis* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea heteromalla* (DON) HAND.-MAZZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea hypoleuca* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea lappa* C.B.CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea obvallata* (DC.) EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea sacra* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea schultzii* H.K. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saussurea taraxacifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saxifraga diversifolia* WALL. EX SER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saxifraga imbricata* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saxifraga ligulata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scabiosa speciosa* ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaevola frutescens* KRAUSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaevola koenigii* VAHL. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaevola sericea* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaevola taccada* (GAERTN.) ROXB. N and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaphium affine* RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scaphium wallichii* SCHOTT & ENDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scapiflora species* (ROXB.) ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera elliptica* (BL.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera hypoleuca* (KURZ) HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera shypoleucoids* HARMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera stellata* (GAERTN.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera venulosa* (WIGHT & ARN.) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schefflera venulosum* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schima wallichii* (DC.) KORTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schinus molle* HORT. EX ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schisandra chinensis* (TURCZ.) BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schisandra neglecta* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizachyrium exile* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizaea dichotoma* (L.) SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizandra neglecta* SM. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schizophyllum commune* FR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schleicheria oleosa* (LOUR.) OKEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schleicheria trijuga* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schleicheria trijuga* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schreberia swietenoides* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schultzia benthami* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schumannianthus virgatus* (ROXB.) ROLFE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schweinfurthia papilionacea* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Schweinfurthia sphaerocarpa* A.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scilla coromandeliana* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scilla hohenackeri* FISCHET MAY. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scilla hyacinthina* (ROTH.) MAC BRIDE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scilla indica* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scindapsus officinalis* SCHOTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus articulatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus barbatus* ROTTB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus corymbosus* HEYNE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus grossus* L. F. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus kysoor* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus lacustris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus maritimus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scirpus tuberosus* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria hebecarpa* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria levis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria lithosperma* (L.) SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria pergracilis* (NEES) KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria poaeformis* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleria terrestris* (L.) FASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sclerocarya birrea* HOCHST and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleropyrum pentandrum* (DENNST.) MABBERLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scolopia aculeata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scolopia crenata* CLOS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scoparia dulcis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scopolia lurida* DUNAL. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scopolia stramonifolia* (WALL.) SHRESTHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scorzonera virgata* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scrophularia koelzii* PENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scrophularia variegata* M.B. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scurrula parasitica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scurrula philippensis* (CH. & SCH.) DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria angulosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria assamica* MUKHERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria discolor* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria galericulata* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria glandulosa* COLEBR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria heydei* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutellaria indica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutia indica* BRONG.. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scutia myrtina* (N.BURM.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scyphiphora hydrophyllacea* GAERTN.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sebastiania chamaelea* MUELL.ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Secamone emetica* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sechium edule* SW. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Securinega leucopyrus* (WILLD.) MUELL. ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Securinega suffruticosa* (PALL.) REHDER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Securinega virosa* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum asiaticum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum crassipes* WALL. EX HOOK. F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum ewersii* LEDEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum multicaule* WALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum quadrifidum* PALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum tibeticum* HOOK.F. & T. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum tillacoides* DUTHIE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum trifidum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sedum wallichianum* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella bryopteris* (L.) BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella chrysocaulos* (HOOK. & GREV.) SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella ciliaris* (RETZ.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella involvens* SPRENG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella krausiana* A.BR.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella monosperma* SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella plumosa* L. NULL and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella repKalam* (DESV. EX POIR.) SPRENG NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella rupestris* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selaginella willdenowii* (POIR.) BAK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selinum candollei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selinum filicifolium* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selinum striatum* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selinum tenuifolium* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Selinum vaginatum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus anacardium* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus heterophylla* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus kurzii* ENGLER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Semecarpus travancorica* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sempervium sedoides* JACQ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senebiera didyma* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio aureus* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio bhutanicus* BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio cappa* DON and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio graciliflorus* . DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio hohenackeri* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio jacquemontianus* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio kraschennikovii* SCHICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio laetus* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio nudicaulis* HAM. EX D. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio quinquelobus* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio scandens* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio tenuifolius* BURM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senecio vulgaris* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Senna prostrata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Serenoa repens* (BARTR.) SMALL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum laciniatum* KLEIN EX. WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesamum prostratum* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania aculeata* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania aegyptiaca* POIR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania cannabina* RETZ. POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania grandiflora* (L.) POIRET and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania paludosa* PRAIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania sesban* (L.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania sesban* (L.) MERR. *bicolor* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania sesban* (L.) MERR. *picta* (CON.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania sesban* (L.) MERR. *typica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania sesban* (L.) MERR. *sesban sesban* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesbania speciosa* TAUB. EX ENGL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seseli diffusum* (ROXB. EX. SM.) SAMT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seseli indicum* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Seseli sibiricum* BENTH. EX CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sesuvium portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria glauca* BEAUV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria italica* (L.) BEAUV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria planifolia* STAPF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria plicata* (LAM.) COOKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria verticillata* (L.) P. BEAUV. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Setaria viridis* BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Shorea robusta* GAERTN. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Shorea roxburghii* G.DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Shorea tumbaggaia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida acuminata* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida acuta* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida carpinifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida cordata* (BURM.F.) BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida cordifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida humilis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida lanceolata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida mauritiana* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida orientalis* CAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida ovata* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida retusa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. *retusa* (L.) MASTERS and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. *rhombifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida rhomboidea* ROXB. EX FLEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sida veronicaefolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sideroxylon spinosum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sideroxylon tomentosum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Siegesbeckia orientalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Siegesbeckia orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene apetala* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene inflata* SM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene laxantha* MAJUMDAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene moorcroftiana* WALL. EX BTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene vulgaris* (MOENCH) GARCKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silybum marianum* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sinapis alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sinapis chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sinapis juncea* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sinapis ramosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sison ammi* HERB. MADR. EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sisymbrium altissimum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sisymbrium irio* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sisymbrium loeselii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sisymbrium orientale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sisymbrium sophia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sium latijugam* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Skimmia arborescens* T.ANDERS EX. GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Skimmia laureola* (DC.) ZUCC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax aspera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax china* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax glabra* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax glaucophylla* KLOTZSCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax lanceifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax macrophylla* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax ocreata* A.DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax ovalifolia* ROXB. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax parvifolia* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax perfoliata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax prolifera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax pseudo-china* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax wightii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smilax zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia conferta* J.E. SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia geminiflora* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Smithia sensitiva* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum aculeatissimum* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum albicaule* KOTSCHY EX DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum americanum* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum anguivi* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum aviculare* FORST. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum capsicoides* ALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum ciliatum* LAMK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum denticulatum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum dulcamara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum erianthum* D.DON and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum ferox* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum giganteum* JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum gracilipes* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum hirsutum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum incanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum indicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum insanum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum jacquini* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum khasianum* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum kurzii* PRAIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum laciniatum* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum lasiocarpum* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum lycopersicum* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum mauritianum* SCORP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum melongena* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum melongena* L. incanum KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum myriacanthum* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum nigrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum pseudocapsicum* L. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum pubescens* HEYNE. EX WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum sarmentosum* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum seaforthianum* ANDR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum sisymbriifolium* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum spirale* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum surattense* BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum torvum* SWARTZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum trilobatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum tuberosum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum verbascifolium* AUCTION L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum viarum* DUNAL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum violaceum* ORTEGA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum virginianum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solanum xanthocarpum* SCHRAD & WENDL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solena amplexicaulis* (LAM.) GANDHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Solena heterophylla* LOUR. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus arvensis* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus asper* (L.) HILL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus brachytus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus maritimus* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus oleraceus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonchus wightianus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila maculata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila rheedei* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonerila tenera* ROYLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonneratia acida* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonneratia apetala* BUCH.-HAM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonneratia caseolaris* (L.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sonneratia griffithii* KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora glauca* LESCH. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora griffithii* STOCKS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora mollis* (GRAH. EX ROYLE) BAK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora tomentosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sophora wightii* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sopubia delphinifolia* G. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorbaria tomentosa* (LINDL.) REHDER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorbus aucuparia* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorbus tianshanica* RUPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum bicolor* MOENCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum halepense* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum saccharatum* PERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sorghum vulgare* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Soymida febrifuga* (ROXB.) A.JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sparganium stoloniferum* BUCH.- HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spathodea campanulata* P. BEAUV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spathoglottis plicata* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spatholobus parviflorus* (ROXB.) KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spatholobus roxburghii* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spergula arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce articularis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermacoce hispida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spermatidtyon suaveolens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus africanus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus amaranthoides* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus hirtus* WILLD. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus indicus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus microcephalus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaeranthus senegalensis* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenoclea zeylanica* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenodesme pentandra* JACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenomeris chinensis* (L.) MAXON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphenomeris chusana* COPELAND NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes acmella* MURR. olerace and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes calva* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spilanthes paniculata* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spinacia oleracea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spinifex littoreus* (N.BURM.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea aruncus* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea bella* SIMS NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea canescens* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spiraea lindleyana* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spondias acuminata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spondias mangifera* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spondias mombin* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spondias pinnata* (L.F.) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachyphrynium spicatum* (ROXB.) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachys floccosa* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachys officinalis* (L.) TREV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachys palustris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachys parviflora* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachys sylvatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachys tuberosa* LOUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta indica* (L.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta jamaicensis* (L.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta mutabilis* (JACQ.) VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Statice aegyptica* DELILE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stauroanthus grandifolia* BENTH. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stauranthera umbrosa* Cl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria aquatica* SCOP and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria media* WIGHT EX EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria chamaejasme* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stemodia viscosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stemona tuberosa* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenochlaena palustris* (N.BURM.) BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenolobium stans* SEE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenoloma chinensis* BEDD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania glabra* (THUNB.) MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania glandulifera* MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania hernandifolia* (WILLD.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania japonica* (THUNB.) MIERS. *discolour* (BLUME.) FORMAN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania japonica* (THUNB.) MIERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania japonica* (THUNB.) MIERS. *japonica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania rotunda* LOUR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania wightii* (A.) DUN and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephegyne parvifolia* KORTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia alata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia balanghas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia foetida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia guttata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia rubiginosa* VENT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia scaphigera* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia urens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sterculia villosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum chelonoides* (L.F.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum colais* (DILLWYN) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum neuranthrum* KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum personatum* (HASSK.) CHATTERJEE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum suaveolens* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum tetragonum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stereospermum xylocarpum* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Steudnera virosa* (KUNTH) PRAIN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stichoneuron caudatum* RIDLEY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stictocardia campanulata* (L.) MERRILL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stipa capensis* THUNB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stipa capillata* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stipa sibirica* (L.) LAMK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stipa tortilis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stranvaesia glaucescens* LINDL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Streblus asper* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga asiatica* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga gesnerioides* (WILLD.) VATKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga lutea* LOUR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Striga orobanchoides* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthesacrocephalus* T. AND. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes auriculatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes callosus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes ciliatus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes consanguineus* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes dalhousianus* C.B. CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes flaccidifolius* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes heyneanus* NEES and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes lupulinus* NEES NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes nobilis* CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes wallichii* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strobilanthes wightianus* NEES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stroemia tetrandra* VAHL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strophanthus dichotomus* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strophanthus wallichii* A. DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strophanthus wightianus* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos aenea* A.W. HILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos axillaris* COLEB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos cinnamomifolia* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos colubrina* AUCTION. PL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos gaultheriana* PIER. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos ignatia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos ignatii* BERG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos maingayi* CLARKE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos minor* DENNST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos nux-bi* Kalam A.W.Hill and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos nux-vomica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos potatorum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos rheedei* CL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Strychnos wallichiana* STEUD. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stylocoryne lucens* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stylosanthes fruticosa* (RETZ.) ALST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Styrax benzoin* DRYAND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Styrax hookeri* CLARKE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Styrax officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Styrax serrulatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Styrax tonkinensis* CRAIB EX. HARTWICH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suaeda fruticosa* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suaeda monoica* FORSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Suregada multiflora* (JUSS.) BAILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia affinis* CLARKE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia alata* ROYLE EX. D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia angustifolia* BUCH.-HAM. EX D. DON.

PULCHELLA BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia angustifolia* HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia ciliata* (G.DON) BURTT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia cordata* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia decussata* NIMNO and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia densiflora* (GRISEB.) KASHYAPPA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia densifolia* (GRISEB.) KASHYAPA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia lawii* BURKILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia minor* (GRISEB.) KNOBL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia paniculata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia perennis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia petiolata* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia pulchella* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia purpurascens* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swertia thomsonii* CL. EX HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swietenia febrifuga* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swietenia macrophylla* KING NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Swietenia mahagoni* (L.) JACQ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symphorema involucratum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symphorema polyandrum* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symphytum officinale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos beddomei* C.B.CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos caudata* WALL. EX. G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos chinensis* (LOUR.) DRUCE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos cochinchinensis* S.MOORE laurina laurina (RETZ.) NOOTEBOOM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos cochinchinensis* S.MOORE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos crataegoides* BUCH.-HAM. EX.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos monantha* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos paniculata* (THUNB.) MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos racemosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos spicata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos sumuntia* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Symplocos theaefolia* BUCH.-HAM. EX DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synadenium grantii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synantherias sylvatica* SCHOTT and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synapis dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synedrella nodiflora* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syringa emodi* WALL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syringa persica* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium alternifolium* (WT.) WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium aromaticum* (L.) MERRILL & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium caryophyllaeum* AUCT. NON GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium caryophyllatum* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium cerasoideum* (ROXB.) RAIZADA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium cumini* (L.) SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium hemisphericum* (WIGHT) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium heyneanum* WALL. EX DUTHIE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium jambolana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium jambolanum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium jambos* (L.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium neyneanum* (DUTHIE) GAMBLE. and 10

crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium operculatum* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium travancoricum* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Syzygium zeylanicum* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana alternifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana coronaria* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana crispa* ROBT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana dichotoma* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana heyneana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana sphaerocarpa* BLUME. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tabernaemontana wallichiana* STEUD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tacca aspera* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tacca integrifolia* KER-GAWL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tacca leontopetaloides* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tacca pinnatifida* J.R. & G. FORST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes erecta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes minuta* L. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tagetes patula* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarindus indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix aphylla* (L.) KARST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix articulata* VAHL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix dioica* ROXB. EX. ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix ericoides* ROTTL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix gallica* AUCT. NON.L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix indica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix troupii* HOLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum dolichophyllum* KITAM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum fruticosum* LEDEB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum gracile* HOOK. F. & TH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum longifolium* WALL. EX DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum parthenium* (L.) SCHULTZ BIP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum tenuifolium* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum tibeticum* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum tomentosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tanacetum vulgare* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taraktogenos kurzii* KING and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taraxacum officinale* WIGGERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taraxacum officinale* WIGG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tarenna asiatica* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taverniera cuneifolia* (ROTH) ARN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taverniera nummularia* BAKER NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxillus umbellifer* (SCHULTES) DANSER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxus baccata* L. *wallichiana* Zucc. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Taxus wallichiana* ZUCC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecoma capensis* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecoma grandiflora* LOISEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecoma radicans* JUSS. EX SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecoma stans* JUSS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecoma undulata* G.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tecomella undulata* (SM.)SEEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tectaria coadunata* (WALL.) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tectaria macrodonta* (FEE) CHR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tectaria polymorpha* (WALL. & HOOK.) COPEL.

NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tectona grandis* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Telosma minor* CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Telosma pallida* (ROXB.) CRAIB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teona ciliata* ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia candida* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia hamiltonii* J.R.DRUMM NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia petrosa* BLATTER & HALBB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia procumbens* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia purpurea* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia purpurea* PERS. *pumila* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia rheedei* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia senticosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia spinosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia tinctoria* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLET & ALI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia uniflora* PERS. *petrosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tephrosia villosa* PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teramnus labialis* (L.F.) SPRENG. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teramnus mollis* BENTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia alata* HEYNE EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia bellerica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia bellerica* ROXB. *laurinoides* CL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia bellirica* (GAERTN.) ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia bialata* STEUD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia catappa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia chebula* RETZ. *typica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia chebula* RETZ. & WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia citrina* FLEMING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia crenulata* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia manii* KING NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia oSkini* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia pallida* BRANDIS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia paniculata* ROTH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia pyrifolia* KURZ. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia reticulata* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Terminalia travancorensis* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ternstroemia japonica* AUCTION THUNB) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetracera akara* (N.BURM.) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetracera laevis* AUCTION. NON VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetracera scandens* (L.) MERR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrameles nudiflora* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetranthera roxburghii* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma lanceolarium* (ROXB.) PLANCH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma leucostaphylum* (DENNST.) ALSTON EX MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetrastigma serrulata* (ROXB.) PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium chamaedrys* LINN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium polium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium scordium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Teucrium stocksianum* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum alpinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum cultratum* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum dalzellii* HOOK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum foetidum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum foliolosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum javanicum* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum minus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum pauciflorum* ROYLE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum pedunculatum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum reniforme* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thamnia vermicularis* (SWARTZ) ACH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thea assamica* J.W.MAST. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thecagonium biflorum* (L.) BABU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda arguens* (L.) HACK. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda arundinacea* (ROXB.) RIDLEY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda gigantea* HACK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Themeda triandra* FORSSK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theobroma cacao* LINN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theriophonum infaustum* N.E. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theriophonum minutum* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thespesia populnea* (L.) SOLEX. CORREA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thevetia neriifolia* JUSS. EX. STEUDEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thevetia peruviana* MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thlaspi arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thlaspi tetragona* HK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thomsonia nepalensis* WALL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thonningia axillaris* (L.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thottea siliquosa* (LAM.) DING HOU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thuja orientalis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia alata* BOJER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia fragrans* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia grandiflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia hawtayneana* WALL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thunbergia laurifolia* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thymus linearis* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thymus serpyllum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thymus vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thysanolaena acarifera* NEES. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thysanolaena agrostis* NEES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thysanolaena maxima* (ROXB.) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thysanolaena procera* MEZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tiaridium indicum* LEHM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tiliacora acuminata* MIERS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tiliacora racemosa* COLEBR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora crispa* (L.) HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora sinensis* (LOUR.) MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tithonia diversifolia* (HEMSLEY) A. GRAY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tithonia tagetiflora* DESF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toddalia aculeata* PERS. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toddalia asiatica* (L.) LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toddalia bilocularis* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tonningia axillaris* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toona ciliata* ROEM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia asiatica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia bicolor* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia parviflora* BUCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia polygonoides* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia thouarsii* KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia travancorica* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Torenia vagans* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tournefortia candollii* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tournefortia montana* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tovara virginiana* (LINN.) RAFIN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Toxocarpus villosus* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachelospermum fragrans* HOOK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachelospermum lucidum* (DON) SCHUM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachycarpus martianus* H.WANDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachydium lehmanni* BENTH. NULL and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachyspermum ammi* (L.) SPRAGUE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachyspermum khasianum* (CI.) WOLFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trachyspermum roxburghianum* (DC.) CRAIB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tradescantia axillaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia bicolor* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia cannabina* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia cordata* MICHX. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia cordifolia* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia involucrata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragia plukenetii* A.RADCLIFFE-SMITH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragopogon gracilis* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragopogon porrifolius* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tragopogon pratensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trapa bicornis* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trapa bispinosa* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trapa natans* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trapa natans* L. bispinosa (ROXB.) NAKIN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trema cannabina* LOUR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trema orientalis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trevesia palmata* (ROXB.) VIS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trewia nudiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trewia polycarpa* BTH. & HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema decandra* L. MANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema govindia* BUCH.-HAM EX G. DON. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema monogyna* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema pentandra* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema portulacastrum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trianthema triquetra* ROTTL. EX WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tribulus alatus* DEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tribulus lanuginosus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tribulus terrestris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricalysia singularis* (KORTH.) K. SCHUM and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichilia spinosa* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichodesma africanum* R. BR. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichodesma indicum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichodesma zeylanicum* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricholepis angustifolia* DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricholepis glaberrima* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricholepis montana* DLAZ. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tricholepis procumbens* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichomanes javanicum* BLUME NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichopus zeylanicus* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichopus zeylanicus* GAERTN. *travancoricus* (BED) and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes anaimalaiensis* BEDDOME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes anguina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes bracteata* (LAM.) VOIGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes cordata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes cucumerina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes dioica* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes incisa* ROTTL. EX ROSENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes laciniosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes lobata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes nervifolia* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes palmata* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes tricuspidata* LOUR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trichosanthes wallichiana* (SERINGE) WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tridax procumbens* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium alexandrinum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium alexandrium* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium fragiferum* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium indicum* THUNB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium officinalis* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trifolium pratense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triglochin maritima* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triglochin palustris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella corniculata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella emodi* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella foenum-graecum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella hamosa* (L.) WILLD. uncata (BOISS. & BOE) TOWNSEND and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella incisa* BENTHA. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella occulta* DELILE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella polycerata* L and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonella uncata* BOISS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trigonostemon longifolius* BAILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trillium govanianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trimufetta rhomboidea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum aestivum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum amyleum* SER. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum durum* DESF. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum pilosum* (DALZ. & GIBS) NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum sativum* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum spelta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triticum vulgare* WILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta annua* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta bartramia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta rhomboidea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta rotundifolia* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta semitriloba* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Triumfetta tomentosa* NORONHA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tropaeolum minus* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Trophis aspera* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tropidia curculigoides* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tuber cibarium* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tulipa stellata* HK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turbina corymbosa* (L.) RAV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turnera angustifolia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turnera diffusa* WILLD. APHRODISIACA (L.F. WARD)URB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turnera ulmifolia* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turpinia nepalensis* WALL. EX WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turpinia pomifera* (ROXB.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Turraea villosa* BENN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tussilago farfara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora asthmatica* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora dalzellii* HK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora hirsuta* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora indica* (BURM.F.) MERRILL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora tenuis* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tylophora tetrapetala* (DENNST.) SURESH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typha angustata* BORY & CHAUB and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typha angustifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typha australis* SCHUM. & THONN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typha elephantina* GRAH, NON ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typha laxmannii* LEPECH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typhonium divaricatum* DECNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typhonium flagelliforme* (LODD.) BL. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typhonium roxburghii* SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Typhonium trilobatum* (L.) SCHOTT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ulmus campestris* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ulmus wallichiana* PLANCH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uncaria cordata* (LOUR.) MERR. *ferruginea* (BL.) RIDSD. FORMA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uncaria gambier* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uncaria sessilifructus* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Unona narum* DUN and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria alopecuroides* WT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria crinita* DESV and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria hamosa* WALL. EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria lagopodioides* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria picta* DESV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria prunellaefolia* GREH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uraria rufescens* (DC.) SCHINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urena lobata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urena repKalam* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urena simiata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urena sinuata* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea coromandeliana* HOOK. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea indica* (ROXB) KUNTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea maritima* (L.) BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urginea nagarjunae* Hemadri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica ardens* LINK. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica dioica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica hyperborea* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica parviflora* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Urtica pilulifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea sikkimensis* BISWAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea flexilis* STIRT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea florida* (L.) WIGG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea hirta* (L.) WIGG. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea longissima* ACH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea rubicunda* STIRT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea sikkimensis* BISPAS. SP. NOV. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Usnea venosa* MOT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utleria salicifolia* BEDD. EX HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utleria salicifolia* BEDD. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia bifida* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia gibbosa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia reticulata* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Utricularia stellaris* L.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria dulcis* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria ebracteolata* PRESL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria hookeri* KING and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria narum* (DUNAL) WALL EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccaria pyramidata* MEDIC and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium leschenaultii* WIGHT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccinium macrocarpon* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana brunoniana* W. & A. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana dubia* BUNGE NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana hardwickii* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana jatamansi* JONES and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana leschenaultii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana officinalis* L. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana pyrolaefolia* DENE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Valeriana wallichii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vallisneria heynei* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vallisneria pergulanus* BURM. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vallisneria solanacea* (ROTH.) KUNTZE. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vallisneria spiralis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam coerulea* GRIFF. EX LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam parviflora* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam roxburghii* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam spathulata* (L.) SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam teres* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam tessellata* (ROXB.) DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *VKalam testacea* (LINDL.) REICHB.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vandellia erecta* BENTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vandellia pedunculata* BENTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vandellia pyxidaria* MAXIM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vangueria pubescens* KUNTH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vangueria spinosa* SENSU HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vanilla planifolia* ANDR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vanilla wightiana* LINDL. EX WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vateria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vateria macrocarpa* B.L. GUPTA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vateria malabarica* BLUME and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vatica lancaefolia* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago calycina* TUL. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago calyculata* TULASNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago denticulata* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ventilago madraspatana* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veratrum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veratrum viride* AIT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbascum chinense* (L.) SANT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbascum coromandelianum* (VAHL) KUNTZE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbascum thapsus* PLENK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbena nodiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verbesina calendulacea* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Verchellia farnesiana* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia albicans* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia anthelmintica* (L.) WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia arborea* HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia aspera* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia cinerea* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia patula* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia pyramidale* (D.DON) MITRA NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia revoluta* BUCH.-HAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia roxburghii* LESS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia squarrosa* (D.DON) LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vernonia teres* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica agrestis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica anagallis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica arvensis* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica beccabunga* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica biloba* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica hederifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Veronica serpyllifolia* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vetiveria zizanioides* (L.) NASH and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum acuminatum* WALL. EX DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum colebrookianum* WALL. EX CI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum coriaceum* BL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum corylifolium* HK.F. & TH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum cotinifolium* DON. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum foetidum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum hebanthum* THW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum nervosum* D.DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum obovatum* WALT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viburnum punctatum* BUCH.- HAM, EX D. DON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia faba* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia hirsuta* KOCH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicia sativa* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicoa auriculata* CASS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vicoa indica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna aconitifolia* (JACQ.) MARECHAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna adenantha* (MEYER) MARECHAI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna angularis* (WILLD.) OHWI. & OHASHI and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna catjang* ENDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna cylindrica* SKEELS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna dalzelliana* (O.KTZE) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna grahmiana* (WT. & ARN.) VERD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna mungo* (L.) HEPPER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna pilosa* BAKER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna radiata* (L.) R. WILCZEK and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna radiata* (L.) WILEZ sublobata (ROXB.) VERDC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna trilobata* (L.) VERDCOURT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna unguiculata* (L.) WALP. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vigna vexillata* (L.) A. RICH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vinca major* LINN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vinca minor* SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vinca parviflora* RETZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vinca pusilla* MURR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vinca rosea* L. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vincetoxicum album* (MILL.) ASCHERS NULL and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola biflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola caespitosa* D.DON NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola canescens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola cinerea* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola diffusa* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola odorata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola patrinii* GING. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola pilosa* BI. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola serpens* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola suffruticosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola sylvestris* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola tricolor* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum album* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum articulatum* BURM.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum monoicum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum nepalense* SPRENG. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viscum orientale* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex agnus-castus* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex altissima* L.F and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex glabrata* F. MUELL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex leucoxydon* SCHAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex negundo* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex negundo* L. *incisa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex negundo* L. *negundo* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex paniculata* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex peduncularis* WALL . and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex pinnata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex pubescens* VAHL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitex trifolia* L. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis adnata* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis carnosus* (ROXB.) WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis hastata* MIQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis heyneana* ROEM. & SCULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis indica* W. & ARN. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis lanata* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis latifolia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis objecta* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis pallida* W. & A. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis parvifolia* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis pedata* VAHL EX WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis planicaulis* HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis polystachya* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis quadrangularis* WALT EX WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis repens* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis setosa* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis tomentosa* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis trifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis vinifera* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vitis vitifolia* HAINES. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vittaria elongata* SW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vittaria zosterifolia* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viverra zibetha* L. and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Volkameria inermis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Volutarella divaricata* C.B. CLARKE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wagatea spicata* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wahlenbergia marginata* (THUNB.) A. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Waldheimia glabra* (DECNE) REGEL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Waldheimia stoliczki* (CL.) OSTENF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Waldheimia tomentosa* (DECNE) REGEL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wallichia disticha* T. ANDERS. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Walsura piscidia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Walsura trifoliata* (A.JUSS) HARMS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Waltheria indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wattakaka volubilis* (L.F.) STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Webera corymbosa* WILLD. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Webera tetrandra* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia biflora* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia calendulacea* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia chinensis* MERR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wedelia wallichii* LESS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia exerta* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia heynei* (R. & S.) SANTAPAU and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia notoniana* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia pendula* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wendlandia tinctoria* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wikstroemia canescens* MEISSN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wikstroemia ridleyi* GAMBLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wikstroemia viridiflora* MEISSN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Willughbeia edulis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Withania coagulans* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Withania somnifera* DUNAL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wolffia globosa* (ROXB.) HARTOG & PLAS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wollastonia biflora* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Woodfordia floribunda* SALISB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Woodfordia fruticosa* (L.) KURZ and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia antidysenterica* GRAH. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia arborea* (DENNST.) MABB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia coccinea* SIMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia tinctoria* R.BR. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia tomentosa* R.& S. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Wrightia zeylanica* R. BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthium indicum* KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthium strumarium* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthophyllum arnottianum* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthophyllum flavescens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthoxylum fraxineum* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xantolis tomentosa* (ROXB.) RAF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xeromphis spinosa* (THUNB.) KEAY NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xeromphis uliginosa* (RETZ.) MAHESH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ximenia aegyptiaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ximenia americana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylaria polymorpha* PERS. EX MERAT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylia dolabriformis* BENTH.& HOOK.F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylia xylocarpa* (ROXB.) TAUB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylocarpus granatum* KOEN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylopia parvifolia* HOOK.F. & THOMS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylosma longifolium* CLOS and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris anceps* LAM. NULL and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris auceps* AUCT. NON LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris complanata* R.BR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xyris pauciflora* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Youngia japonica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Yucca aloifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Yucca filamentosa* WOOD and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Yucca gloriosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zaleya decandra* (L.) BURM. F. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zaleya govindia* (DON) NAIR and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zaleya pentandra* (L.) JEFFREY and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zalia decandra* (L.) BURM. F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zannichellia indica* ROTTL. EX ROYLE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanonia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zantedeschia aethiopica* (L.) SPR. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum acanthopodium* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum alatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum armatum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum budrunga* (ROXB.) DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum hamiltonianum* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum hostile* WALL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum limonella* (DENNST.) ALSTON and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum nitidum* (ROXB.) DC. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum ovalifolium* WIGHT and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum oxphyllum* EDGEW. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum rhetsa* (ROXB.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum tetraspermum* WT. & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zanthoxylum triphyllum* WIGHT. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zataria multiflora* BOISS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zea mays* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria hookeriana* ARN. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria indica* (LOUR.) KERN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria maysorensis* (WT. & ARN.) ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria scabra* (L.F.) SOND. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zehneria umbellata* THW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zephyranthes ajax* SPRENGER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zephyranthes grandiflora* LINDL. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zephyranthes rosea* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeuxine strateumatica* (L.) SCHLECHTER and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zeuxine sulcata* LINDL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber capitatum* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber cassumunar* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber cernuum* DALZ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber chrysanthum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber mioga* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber officinale* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber officinalis* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber purpureum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber roseum* ROSC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber rubens* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber squarrosum* ROXB. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zingiber zerumbet* ROSC. EX SM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zinnia elegans* JACQ. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zizania caduciflora* HAND.-MAZZ. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zizania latifolia* TURCZ. EX STAPF and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphora clinopodioides* M.BIEB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphora tenuior* L and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus glabarata* HEYNE, EX ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus glabrata* HEYNE and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus jujuba* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus mauritiana* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus napeca* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus nummularia* WIGHT & ARN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus oenoplia* MILL. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus oxyphylla* EDGEW. NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus rugosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus rugosa* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus sativa* GAERTN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus sororia* ROEM. & SCHULT. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus trinervia* ROXB. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus trinervius* ROTH. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anemone rivularis* Buch.- Ham.ex DC. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aquilegia vulgaris* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis gouriana* Roxb. ex DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis munroiana* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis smilacifolia* Wall. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis theobromina* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Clematis wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Consolida ambigua* (L.) P. W. Ball and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Delphinium elatum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Naravelia zeylanica* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus diffusus* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus muricatus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus reniformis* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ranunculus wallichianus* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum foliolosum* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum javanicum* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thalictrum saniculaeforme* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Chimonanthus praecox*(L.) Link and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Acrotrema arnottianum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia bracteata* Wight and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia indica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia pentagyna* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia retusa* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dillenia suffruticosa* (Griffith) Martelli and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tetracera akara* (Burm. f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Magnolia campbellii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Magnolia grandiflora* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Magnolia liliflora* Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Magnolia x alba* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Michelia champaca* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Michelia nilagirica* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alphonsea sclerocarpa* Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Alphonsea zeylanica* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona cherimola* Mill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona muricata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona reticulata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Annona squamosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artabotrys hexapetalus* (L. f.) BhKalamri and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Artabotrys zeylanicus* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cananga odorata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmos lawii* (Hook. f. & Thoms.) Safford and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Desmos viridiflorus* (Bedd.) Safford and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniiothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniiothalamus rhynchantherus* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniiothalamus salicina* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniiothalamus thwaitesii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniothalamus wightii* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Goniothalamus wynadensis* (Bedd.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meiogyne pannosa* (Dalz.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Meiogyne ramarowii* (Dunn) Gandhi and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa eriocarpa* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa montana* Gard. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa nilagirica* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa tomentosa* (Roxb.) Sinclair and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Miliusa wightiana* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and

10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orophea erythrocarpa* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orophea thomsonii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Orophea uniflora* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia cerasoides* (Roxb.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia fragrans* (Diaz.) Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia korintii* (Dunal) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia longifolia* (Sonner.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia rufescens* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia suberosa* (Roxb.) Thw. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polyalthia tirunelveli*ensis M. B. Viswan. & ManikKalamn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Popowia beddomeana* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sageraea dalzellii* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria macropoda* Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Uvaria zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Anamirta cocculus* (L.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex

DC.) Forman and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus hirsutus* (L.) Diels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus laurifolius* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cocculus pendulus* (Forst.) Diels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coscinium fenestratum* (Gaertn.) Coleb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea arnottii* Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Diploclisia glaucescens* (Blume) Diels and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania japonica* (Thunb.) Miers and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stephania wightii* (Arn.) Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tinospora sinensis* (Lour.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis lycium* Royle and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis nilghiriensis* Ahrendt and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis tinctoria* Lesch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Berberis wightiana* Schneid and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nelumbo nucifera* Gaertn. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea nouchali* Burm. f. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea pubescens* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Nymphaea rubra* Roxb. ex Salisb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Argemone mexicana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Eschscholzia californica* Cham. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Mecanopsis wallichii* Hook. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver caasicum* Bait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver fugax* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver rhoeas* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Papaver somniferum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Romneya coulteri* Harv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Corydalis lutea* (L.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dicentra scandens* (D. Don.) Walp. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fumaria indica* (Hassk.) Pugsley and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Fumaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barbarea intermedia* Boreau and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barbarea verna* (Miller) Asch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Barbarea vulgaris* R. Br. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica juncea* (L.) Czern. & Coss. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica nigra* (L.) Koch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. var. *botrytis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. var. *capitata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. var. *gemmifera* Zenk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica oleracea* L. var. *gongylodes* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Brassica rapa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capsella bursa-pastoris* (L.) Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine africana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine hirsuta* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cardamine trichocarpa* Hochst. ex A. Rich. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cheiranthus cheiri* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Coronopus didymus* (L.) Sm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iberis amara* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Iberis umbellata* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium rudemale* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium sativum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lepidium virginicum* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lobularia maritima* (L.) Desv. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Matthiola incana* (L.) R. Br. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Raphanus sativus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa indica* (L.) Hiern and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Rorippa nasturtium - aquaticum* (L.) Hayek and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sisymbrium volgense* Ledeb. ex Shmal. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Thlaspi arvense* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cadaba fruticosa* (L.) Druce and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cadaba trifoliata* (Roxb.) Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis brevispina* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis decidua* (Forsk.) Edgew and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis divaricata* Lam. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis diversifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis fusifera* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis grandis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis kollimalayana* Viswanathan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis moonii* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis rheedii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis rotundifolia* Rottl. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis roxburghii* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis sepiaria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis shevaroyensis* Sundararaghavan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis spinosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Capparis zeylanica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome angustifolia* Forsk and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome aspera* Koen ex. DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome burmannii* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome chelidonii* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome felina* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome hassleriana* Chod. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome monophylla* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome rutidosperma* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome speciosa* Raf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cleome viscosa* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Crateva magna* (Lour.) DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gynandropsis gynandra* (L.) Briq and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maerua apetala* (Roth) Jacobs and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Maerua oblongifolia* (Forsk.) A. Rich and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Steriphoma clemoides* Spreng. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reseda alba* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Reseda luteola* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hybanthus enneaspermus* (L.) F. v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hybanthus travancoricus* (Bedd.) Melch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola arcuata* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola canescens* Wall. ex Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola hamiltoniana* D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Viola pilosa* Blume and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bixa orellana* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cochlospermum religiosum* (L.) Alston and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Aphloia theiformis* (Vahl) Benn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia championii* Thwaites and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia graveolens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia ovata* (Lam.) Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia rubescens* Dalz. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia thwaitesii* Briq. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia tomentosa* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Casearia wynadensis* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia indica* (Burm.f.) Merr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia jangomas* (Lour.) Raeusch. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Flacourtia montana* Graham and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homalium jainii* A. N. Henry & Swamin. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homalium travancoricum* Bedd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Homalium ceylanicum* (Gard.) Benth. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus alpina* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus macrocarpa* (Bedd.) Warb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Oncoba spinosa* Forsk. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylosma latifolium* Hoof. F. & Thoms. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xylosma longifolia* Clos and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Hymenosporum flavum* (Hook.) F.v. Muell. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum anamallayense* Nayar & Giri and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum bicolor* Hook. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum ceylanicum* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum crassifolium* Soland.ex Putterl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum dasycaulon* Miq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum eugenioides* A. Cunn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum napaulense* (DC.) Rehder & Wilson and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum neelgherrense* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum tetraspermum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum tobira* (Thunb.) Ait. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum umbellatum* Gaertn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum undulatum* Vent and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sollya heterophylla* Lindl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Muraltia juniperifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala arillata* Buch.-Ham. ex D. Don and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala arvensis* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala bolbothrix* Dunn and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala chinensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala elongata* Klein ex Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala erioptera* DC. and 10 crop weeds based

Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala jacobii* Chandrabose and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala javana* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala longifolia* Poir. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala myrtifolia* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala persicariifolia* DC. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala rosmarinifolia* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala sibirica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala telephioides* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala virgata* Thunb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polygala wightiana* Wall. ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Securidaca bracteata* Bennett and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthophyllum flavescens* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Xanthophyllum manickamii* Murugan and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Arenaria neelgerrensis* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium glomeratum* Thuill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Cerastium indicum* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Dianthus caryophyllus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Drymaria villosa* Cham. & Schlecht. and 10 crop

weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Gypsophila elegans* M. Bieb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Lychnis coronaria* (L.) Desr. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpaea aurea* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpaea corymbosa* (L.) Lam. var. *corymbosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpaea diffusa* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpaea spicata* Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Polycarpon tetraphyllum* (L.) L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Sagina saginoides* (L.) Karsten, Deutsch and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Saponaria officinalis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Scleranthus annuus* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene armeria* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene coeli - rosa* (L.) Godron and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Silene gallica* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Spergula arvensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria media* (L.) Vill. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Stellaria vestita* Kurz and 10 crop weeds based Green

Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Vaccaria pyramidata* Medicus and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca oleracea* L. var. *oleracea* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca pilosa* L. subsp. *pilosa* and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca quadrifida* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulaca wightiana* Wall ex Wight & Arn. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Portulacaria afra* Jacq. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Talinum triangulare* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix aphylla* (L.) Karsten and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix ericoides* Rottl. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Tamarix indica* Willd. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergia ammannioides* Roxb. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Bergia capensis* L. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatine ambigua* Wight and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Elatine triandra* Schkuhr and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum apetalum* Willd. and 10 crop weeds

based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Calophyllum austroindicum* Kosterm. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus vulgaris* LAM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Ziziphus xylopyrus* WILLD. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zornia diphylla* (L.) PERS. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zornia gibbosa* SPAN. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zosima absinthifolia* (VENT.) LINK NULL and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for hyperglycemia formulations: Impact of *Conchidium muscicola* (Lindl.) Rauschert, *Zosima orientalis* HOFFM. and 10 crop weeds based Green Spray on stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com